

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)


PCT

(10) International Publication Number  
WO 2004/026888 A2

- (51) International Patent Classification<sup>7</sup>: C07H (72) Inventors; and  
(75) Inventors/Applicants (for US only): LIPFORD, Grayson, B. [US/US]; 38 Bates Road, Watertown, MA 02472 (US). MOOKHERJEE, Neeloffer [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). BABIUK, Lorne [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). BROWNLIE, Robert [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). GRIEBEL, Philip [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). MUTWIRI, George [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). HECKER, Rolf [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).
- (21) International Application Number: PCT/US2003/029577
- (22) International Filing Date: 19 September 2003 (19.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 60/412,479 19 September 2002 (19.09.2002) US
- (71) Applicants (for all designated States except US): COLEY PHARMACEUTICAL GMBH [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). UNIVERSITY OF SASKATCHEWAN [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). QIAGEN GMBH [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).
- (74) Agent: STEELE, Alan, W.; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).
- (81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.

WO 2004/026888 A2



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— without international search report and to be republished upon receipt of that report

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001) *Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for biological activity and it is reported that optimal CpG DNA sequences can vary among species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.

Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN. Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9 recognizes CpG DNA is not understood.

### Summary of the Invention

Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal in response to CpG DNA. To date, the amino acid sequences only of human and murine TLR9 have been reported, and, interestingly, these two species are known to prefer different CpG motifs. The structural basis for this species-specific CpG motif preference has not yet been fully elucidated. The instant invention provides, in part, novel amino acid and nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are useful for elucidating certain key structural features of TLR9. Specifically, comparison of sequences of murine, human, and these novel TLR9 sequences permits identification of areas of highly conserved sequence, areas of group conservation, and areas of hypervariability. In addition, such comparisons permit an assessment of evolutionary relatedness among TLR9 molecules of the various species, as well as an assessment of inter-species homologies. Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9 that may be involved in the CpG binding site, as well as amino acids involved in conferring species specificity for particular CpG motifs. Such information may be used to design and construct novel TLR9 molecules which incorporate specific point or regional mutations and which possess desired ligand binding characteristics. Such information may also be useful in designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an  
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,  
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID  
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid  
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the  
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a



- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the  
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the  
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

|    |                       |                 |
|----|-----------------------|-----------------|
|    | TCCATGACGTTTTTGATGTT  | (SEQ ID NO:39), |
|    | TCCATAACGTTTTTGATGTT  | (SEQ ID NO:40), |
|    | TCCATCACGTTTTTGATGTT  | (SEQ ID NO:41), |
| 25 | TCCATTACGTTTTTGATGTT  | (SEQ ID NO:42), |
|    | TCCATGGCGTTTTTGATGTT  | (SEQ ID NO:43), |
|    | TCCATGCCGTTTTTGATGTT  | (SEQ ID NO:44), |
|    | TCCATGTCGTTTTTGATGTT  | (SEQ ID NO:45), |
|    | TCCATGATGTTTTTGATGTT  | (SEQ ID NO:46), |
| 30 | TCCATGAAGTTTTTGATGTT  | (SEQ ID NO:47), |
|    | TCCATGAGGTTTTTGATGTT  | (SEQ ID NO:48), |
|    | TCCATGACATTTTTTGATGTT | (SEQ ID NO:49), |
|    | TCCATGACCTTTTTTGATGTT | (SEQ ID NO:50), |
|    | TCCATGACTTTTTTGATGTT  | (SEQ ID NO:51), |
| 35 | TCCATGACGCTTTTGATGTT  | (SEQ ID NO:52), |
|    | TCCATGACGATTTTGATGTT  | (SEQ ID NO:53), |
|    | TCCATGACGGTTTTTGATGTT | (SEQ ID NO:54), |

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
 TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
 TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes  
 5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one  
 embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one  
 embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or  
 CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test  
 10 compounds. In one embodiment the response mediated by the TLR9 signal transduction  
 pathway is measured quantitatively and the response mediated by the TLR9 signal  
 transduction pathway associated with each of the plurality of test compounds is compared  
 with a response arising as a result of an interaction between the functional TLR9 and a  
 reference immunostimulatory compound.

15

#### Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid  
 sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig  
 (porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid  
 20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9  
 polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and  
 1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six  
 sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and  
 human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,  
 porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected  
 oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

#### Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9  
 derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key  
 features of the primary sequences of these and related TLR molecules, including previously

- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

- 9 -

## SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNTISLSLIANRI  
 HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 5 SHTNIVLDASSLAGHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTVPRQLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSRLMDVGGNCRCDHAPDLCTECRQKSLDLHPQTFHHLHSHLEGLVLKDSLSLSLN  
 SKWFQGLANLSVLDLSENFLEYESINKTSFQNLTRLRKLDSLNFYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDSLNNRISGPPTLSRVAPEKADEAEKGVFW  
 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 10 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLL  
 AVAVGTVLPLLOHLCGWDVWYCFHLCCLAWPLLLTRGRRSAQALPYDAFVVFDKAQSADWVYNELRVRLERRG  
 15 RRALRLCLEDRDWLPQGLTFENLWASIYGSRKTLFVLAHTDKVSGLLRSTFLLAQQRLLLEDRKDVVVLVILRPDA  
 HRSRYVRLRQLRCQSVLFWPHQPNGQGSFWAQLSTALTRDNHFFYNRNFCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNTISLSLIANRI  
 20 HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 SHTNIVLDASSLAGHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTVPRQLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSRLMDVGGNCRCDHAPDLCTECRQKSLDLHPQTFHHLHSHLEGLVLKDSLSLSLN  
 SKWFQGLANLSVLDLSENFLEYESINKTSFQNLTRLRKLDSLNFYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDSLNNRISGPPTLSRVAPEKADEAEKGVFW  
 25 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG  
 30

## SEQ ID NO:3 (Rat TLR9)

atgggtctctgtgcgaggaccctgcacccctgtctctcctggtagcagggcgagtgctggctgaggctctggcc  
 ctgggtaccctgcctgccttctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
 aagtctgtgcctcacttctctgcgcgagaacccggtccaacatcaccagccttctcttgatcgccaaccgcatc  
 35 caccacctgcacaacctcgacttctgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
 cctggcctcagcccttgcaacttctctgcgcgcatgaccattgagcccaaaccttctggctatgagcatgctg  
 gaagagctgaacctgagctataacgggtatcaccactgtgccccgctgccagctccctgacgaatctgagccta  
 agccacaccaacatcctgggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcattggac  
 40 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagccttctctgggcttgagcaac  
 ctccaccacttgtcccttaagtataacaacctcacagaggtgccccgcaactgccccccagcctggagtaacctc  
 ctgctgtcctataacctcatcgtaagctggggcggaagacctagccaacctgacctcccttcgaatgcttgat  
 gtgggtgggaattgcgctcgctgtgatcacgccccgacctctgtacagaatgccggcagaagtccttgatctg  
 caccctcagacttcccatcacctgagccacctgaaggcctggctgaaggacagttctctccactcgctgaac  
 45 tccaagtgggtccagggtctggcgaaacctctcggtgctggaacctaaagcgagaacttctctacgagagcatcaac  
 aaaaccagcgcttctcagaacctgacctgtcgcgcaagctcgacctgtccttcaattactgcaagaaggtatcg  
 ttccgccccctccacctggcaagttccttcaagagcctgggtgtcgctgcaggagctgaacatgaacggcatcttc  
 ttccgcttactcaacaagaacacgctcaggtggctggctggctgccccagctccacacgctgcaccttcaaatg  
 aatttcatacaaccaggcgagctcagcgtcttagtaccttccgagcccttcgcttctgtggacctgtccaataat  
 50 cgcatacagcgggcctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggagaaggggtccatgg  
 cctgcaagttctacccccagctctcccagcactcccgtctcaaaagaacttcatggctcaggtgtaagaacctcaga  
 ttcacatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctccatctccag  
 tgtctgagcctgagccacaactgcatcgcgagggtgtcaatggctctcagttcctgcgctgaccaaacctgaag  
 gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcggtcagtgagctccacagttgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggatagggcacaacttcagttttctggccaatctg  
tccagggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcagtggtggacgaggaggacctttacctctattttctc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
5 tacctccccaaagacctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctcggcc  
ttcctgcccattctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcagctcctccagaaactggatgtcagtagcaacagtatcgtctttgtggtcccagccttctttgtctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcacctttgttagacttactg  
10 ctggaagtgcagaccaaggtgcctggcctggctaaccgggtgtgaagtgtggcagtcctccgccagctgcaggccgc  
agcatctttgcgaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggcctttcactcctg  
gctgtggccgtgggcacggtgttgcctttactgcagcatctctgcggctgggacgtctggtactgtttccatctg  
tgctggcatggtacctttgtgacctgcgtggcggcgagcgcccaagctctcccttatgatgccttcgtgggtg  
ttcgataaggcgagagcgcggttgcctgactgggtgtataacgagcttcgagtgccggttagaggagcgcgcggt  
15 cgccgagccctacgcttgtgtctggaggaccgagattggctgcctggccagacactcttcgagaacctctgggccc  
tccactctgacacaccccgacttctgtccacctgcccccaactctgtacagactgaacctcaagtggtgacctcctgcgcagc  
ttcctgctggctcagcagcgctgctggaggaccgcaaggacgtggtggtgtggtgatcctgcgcctgatgcc  
caccgctcccgtacgtgcgactgcgccagcgctctgcgccagagtgtgctcttctggccccatcagcccaac  
gggcagggcagcttctgggcccagctgagtacagccctgactagggaaccaccacttctataaccggaacttc  
20 tgccggggacctaacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atgggtctctgtcgcaggacctgcaccccttgtctctcctggtagaggccgagtgctggctgaggctctggcc  
ctgggtacctgcctgccttccctacctgtgaactgaagcctcatggcctggtagactgcaactggctcttccctg  
25 aagctctgtgctcacttctctgcccagaaacccgttccaaactcaccagcctttccttgatgcgcaaccgcac  
caccacctgcacaacctcgacttctgtccacctgcccccaactctgtacagactgaacctcaagtggaactgtccgccc  
cctggcctcagccccctgcacttctcctgcccgcagaccattgagcccaaaccttcttggtatgcgcatgctg  
gaagagctgaacctgagctataacggtatcaccactgtgccccgcctgcccagctccttgacgaatctgagccta  
agccacaccaacatcctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
30 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagcgccttctgggcttgagcaac  
ctcaccaccttgtcccttaagtataacaacctcacagaggtgccccgccaactgccccccagcctggagtacctc  
ctgctgtcctataacctcatcgtcaagctgggggcccgaagacctagccaacctgacctcccttcgaatgcttgat  
gtgggtgggaattgcccgtgtgatcagcccccaactctgtacagaatgcccggcagaagtccctgtgatctg  
caccctcagacttccatcacctgagccacctgaaggcctgggtgtgaaggacagttctctccactcgctgaac  
35 tccaagtgggtccagggtctggcgaacctctcggtgtggacctaaagcgagaactttctctacgagagcatcaac  
aaaaccagcgcccttcagaacctgacctgtctgcgaagctcgacctgtccttcaattactgcaagaaggtatcg  
ttcgcccgccctccacctggcaagttccttcaagagcctgggtgtcgctgcaggagctgaacatgaacggcatcttc  
ttccgcttactcaacaagaacacgctcaggtggctggctggctgtgcccaagctccacacgctgcaccttcaaatg  
aatctcatcaaccaggcgagctcagcgtctttagtacctccgagcccttcgctttgtggacctgtccaataat  
40 cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggaaggggggtccatgg  
cctgcaagtctcaccacagctctcccgagcactccgctctcaagaacttcatggctcaggtgtgaagaacctcaga  
ttcaccatggacctgtctcggaacaaccagggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
tgtctgagcctgagccacaactgcacgcgaggtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
gtgctggacctgtctataacaagctggacctgtaccattcgaaatcgttcagtgagctccacagttgcaggcc  
45 ctggacctgagctacaacagccagccattcagcatgcaggggatagggcacaacttcagttttctggccaatctg  
tccagggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcagtggtggacgaggaggacctttacctctattttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
tacctccccaaagacctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc  
50 ttctgcccattctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcagctcctccagaaactggatgtcagtagcaacagtatcgtctttgtggtcccagccttctttgtctgtggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcacctttgttagacttactg  
ctggaagtgcagaccaaggtgcctggcctggctaaccgggtgtgaagtgtggcagtcctccgccagctgcaggccgc  
55 agcatctttgcgaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggc



- 11 -

## SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELQPHGLVNCNWFLKSVPHFSAAAPRANVTLSLLSNRIH  
 HLHDSDFVHLSSLRTLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSLS  
 RTNILLVDPHTLTGLHALRYLYMDGNCCYYKNPCQGALEVVPGALLGLGNLTHLSLKYNNTLEVPRSLPPSLETLL  
 5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLLYNLDT  
 RWFRGLDRLQVLDLSENFLYDCITKTTFQGLARLRLSLNLSFNHKKVSFAHLHLAPSFGLHRLSLKELDMHGIFP  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRI SGAARPVATREVDGRERVWLPSR  
 NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
 DLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMQGVGHNL SFAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
 10 ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHTLLPRALDNLPSKSLKHLHLRDNNAFFNWSSTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVL DVSANPLHCACGATFVGFLLEVQA AVPGLP SRVKCGSPGQLQHSIFAQDLRLCLDETLSWNCFGISLLAM  
 ALGLVVPMLHL CGWDLWYCFHLCLAWLPHRGQRGADALFYDAFVFDKAQSAVADWVYNELRVQLEERRGRRA  
 LRLCLEERDWLPGKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORLLEDKDVVVLVILRPDAYRS  
 15 RYVRLRQRLCRQSVLLWPHQPRGQGSFWAQLGTALTRDNHFFYNRNFRCRGPTTAE

## SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELQPHGLVNCNWFLKSVPHFSAAAPRANVTLSLLSNRIH  
 HLHDSDFVHLSSLRTLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSLS  
 20 RTNILLVDPHTLTGLHALRYLYMDGNCCYYKNPCQGALEVVPGALLGLGNLTHLSLKYNNTLEVPRSLPPSLETLL  
 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLLYNLDT  
 RWFRGLDRLQVLDLSENFLYDCITKTTFQGLARLRLSLNLSFNHKKVSFAHLHLAPSFGLHRLSLKELDMHGIFP  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRI SGAARPVATREVDGRERVWLPSR  
 NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
 25 DLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMQGVGHNL SFAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
 ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHTLLPRALDNLPSKSLKHLHLRDNNAFFNWSSTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVL DVSANPLHCACGATFVGFLLEVQA AVPGLP SRVKCGSPGQLQHSIFAQDLRLCLDETLSWNCFG

## 30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttcactgtagctgctgcccggctctgccagccagaccctttggagaagaccccactccctgt  
 catgggccccgcgtgcacctgcaccccccttctctcctgggtgcaggtgacagcgctggctgcggctctggccca  
 gggcaggtgctgcctgccttcctgcctgtgagctccagccccagcgcctggtagactgaactggctcttcttgaa  
 gtccgtgccccactctctcgccgcagcgccccgggccaacgtcaccagcctctccttactctccaaccgcatcca  
 35 ccacctgcacgactccgacttcgtccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc  
 tggcctcagccccatgcacttcccctgccacatgaccatcgagcccaacaccttcttgccgctgcccacctgga  
 ggagctgaactgagctacaacagcatcacgacgtgctgcccctgcccagctccctcgtgtccctgtcgctgag  
 ccgcaccaacatcctggtgctagacccccacccactcactggcctacatgcctgctgacctgtacatggatgg  
 caactgctactacaagaacccctgccagggggcgctggaggtggtgccgggtgccctcctcgccctgggcaacct  
 40 cacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccagcctggagacctgct  
 gttgtcctacaacacattgtcacccctgacgcctgaggacctggccaatctgactgccctgcccgtgcttgatgt  
 gggggggaactgcccgcgctgtgacctgccccgaacccctgcaggagtgcccaaaggaccaccccaagctgca  
 ctctgacaccttcagccacctgagccgcctcgaaggcctggtgttgaaagacagttctcttacaacctggacac  
 caggtggttccgaggcctggacaggctccaagtgtggacctgagtgagaacttctctacgactgcatcaccaa  
 45 gaccacggccttccagggcctggcccagctgcgcagcctcaacctgtccttcaattaccacaagaaggtgtcctt  
 tggccacctgcacctggcaccctcctttgggcacctccggctccctgaaggagctggacatgcatggcatcttctt  
 ccgctcgctcagtgagaccagctccaacctctggtccaactgcctatgctccagacctgcgctgcagatgaa  
 ctctcattaccaggccagctcagcatcttggggccttccctggcctgctgtacgtggacctcatggacaacccg  
 50 catcagcggagctgcaaggccagtgggcattactaggaggtggatggtagggagagggctctggctgcttccag  
 gaacctcgctccacgtccactggacactctccgctcagaggacttcatgccaactgcaaggccttcagcttcac  
 ctggacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctcgctctcacgcctcgagtgcct  
 gcgctgagccacaacagcatctcccaggcggtaaatggctctcagttgtgcccgtgaccagcctgcgggtgct  
 ggacctgtcccaacaagctggacctgtatcacggcgctcggttcacggagctgcccgcctggaagcactgga  
 cctcagctacaatagccagccctttaccatgcagggtgtgggccacaacctcagcttcgtggcccagctgcccgc

- 12 -

cctgcgctacctcagcctggcgacacaatgacatccatagccgagtggtccagcagctctgtagcgctcactgtg  
 cgccctggacttttagcggcaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaagg  
 cctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccacgtgccctggacaacct  
 ccccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct  
 5 gccaagctggaaacctggacttggctggaaacctgagctgaaggccctaagcaatggcagcctgccatctggcac  
 ccagctgcgaggctggacctcagtggcaacagcatcggtttgtgaacctggcttctttgacctggccaagca  
 gttagaagagctcaacctcagcgccaatgcctcaagacagtgaggccctcctgggttggctcgatggtgggcaa  
 cctgaaagctcctagacgtgagcgccaacctctgcactgtgacctgtggggcgaccttcgtgggcttccctgga  
 10 ggtacaggctgacctgacctgggctgccagccgctcaagtgtggcagtcggggcagctccaggcccatagcat  
 ctttgcgcaagacctgcgctctgacctggatgagacctctcgtggaactgttttggcatctcgtgctggccat  
 ggccctgggctggttctgacctgctgcacctctcgtggctgggacctctggtactgcttccacctgtgacct  
 ggctgacctgccccaccgagggcagcgggcgccgagacgacctgttctatgatgccttcgtggcttcttgacaa  
 agctcagagtgctgtggcgactgggtgtacaacgagctgcggtgcagctggaggagcgccgtggcgccgccc  
 actgacctgtgacctggaggagcagactggttacctggcaagacgctcttcgagaacctgtgggacctcagtcta  
 15 cagcagccgcaagacctgttctgctgccccacagcagctgtcagcgacctcttcgtgaccttctcgtgct  
 ggccagcagcgctgctggaggaccgaaggacgtgtagtgtggtgatcctgcgccccgatgcctaccgctc  
 ccgctacgtgacctgacctgacctctgccccagagtgctcctcctctggccccaccagccccgtggcgagg  
 cagcttctgggcccagctgggacagccctgaccagggaacaccaccttctataaccggaactctgccccggg  
 cccacgacagccgaatagcactgagtgacagccagtgccccagccccctggatttgcctctcgtgctgggg  
 20 tgccccaaacctgttctgctcagccacaccactgctctgctcctgttccccacccccccccagcctggcatgt  
 aacatgtgcccataaatgtctaccggaggggccaagaaaaaaaaaaaaaaaaa

## SEQ ID NO:8 (Porcine TLR9)

atggggccccgctgcacctgcaccccccttctctcctgggtgcaggtgacagcgctggctgaggctctggccag  
 25 ggaggctgacctgaccttctcctgacctgtgagctccagccccacggcctggtgaactgcaactggctcttctgaag  
 tccgtgccccacttctcgccggcagcgccccgggccaacgtcaccagcctctccttactctccaaccgcatccac  
 cacctgcacgactccgacttctcctcactgtccagcctacgaactctcaacctcaagtggaaactgcccccggt  
 ggctcagccccatgcacttccccctgccacatgacctcgagcccaacaccttcttggcgctgccacctggag  
 30 gactgaaacctgagctacaacagcatcagacctgacctgacctgccccgactccctcgtgtccctgtcgtgagc  
 cgaccaacatcctgggtgctagacccccaccacctcactggcctacatgccctgcgtacctgtacatggatggc  
 aactgctactacaagaacccccctgccagggggcgctggagggtggtgccccgggtgacctcctcgccctgggcaacctc  
 acacatctctcactcaagtacaacaatctcacggaggtgcccccgagcctgccccccagcctggagacctgctg  
 ttgtcctacaaccacattgtcacctgacgacctgagacctggccaatctgactgacctgacctgctgtgatgtg  
 35 ggggggaactgccccgctgtgacctgccccgaacccccctgcagggagtgcccaaggaccaccccaagctgcac  
 tctgacaccttcagccacctgagccgctcgaaggcctgggtgttgaagacagttctctctacaacctggacacc  
 aggtgggtccgaggcctggacaggctccaagtgtgacctgagtgagaacttctctacgactgcatcaccag  
 accacggccttccagggcctggccccgactgcgcagcctcaacctgtccttcaattaccacaagaagggtgtcctt  
 gccacctgcacctggcacctccttgggacctccggtcctgaaggagctggacatgcatggcatcttcttc  
 40 cgctcgctcagtgagaccagctccaacctctggtccaactgctcctcagacctgacctgacctgagatgaac  
 ttcattaaccaggccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggaacccgc  
 atcagcggagctgcaaggccagtgccattactaggagggtggatggtaggagagggtctggctgacctccagg  
 aacctcgctccacgtccactggacactctccgctcagaggacttcatgccaactgcaaggccttcagctcacc  
 ttggacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctcgacctctcagcctcgagtgcctg  
 45 cgctgagccacaacagcatctccaggcggtcaatggctctcagtttgtgacctgaccagcctgccccgtgctg  
 gacctgtccacaacaagctggacctgtatcacggcgctcggttcacggagctgccccgacctggaagcactggac  
 ctgagctacaatagccagccctttaccatgcagggtgtggggccacaacctcagcttcgtggccagctgccccgc  
 ctgcgctacctcagcctggcgacacaatgacatccatagccgagtgctccagcagctctgtagcgctcactgtgc  
 50 gccctggacttttagcggcaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaaggc  
 ctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccacgtgccctggacaacctc  
 cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg  
 cccaagctggaaacctggacttggctggaaacctggaaggccctaagcaatggcagcctgccatctggcacc  
 cagctgccccaggctggacctcagtggcaacagcatcggtttgtgaacctggcttcttggcctggccaagcag  
 55 ttagaagagctcaacctcagcgccaatgcctcaagacagtgaggccctcctgggttggctcgatggtgggcaac  
 ctgaaagctcagcgtgagcgccaacctctgcactgtgacctgtggggcgaccttcgtgggctcctgctggag  
 gtacaggctgacctgacctgggctgccccagcgctcaagtgtggcagtcggggcagctccaggcccatagcatc  
 tttgcgcaagacctgcgctctgacctggatgagacctctcgtggaactgttttggc

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTPAFLPCELOPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
5 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNP CPRALEVAPGALLGLGNLTHLSLKYNNTLTPVRLPPSLDTLL  
LSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNF PKLHPDTFSHLSRLEGLVLKDS SLYKLEK  
DWFRLGLRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
RSLTNITLQSLTRL PKLQSLHLQLNF INQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
GLAPGPLDAVSSKDFMPSCNLFNFTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
10 LSHNKL DLYHGRSFTL PQLEALDLSYNSQPF SMQGVGHNL SFVAQLPSLRYLSLAHNGIHSRV SQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFNWSSLTVP  
RLEALDLAAGNLKALSNGSLPPGIRLQKLDVSSNSIGFVPGFVRATRLIELNLSANALKTVDP SWFGSLAGTL  
KILDVSANPLHCACGAAFVDLFLERQEA VPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGSLLMVA  
LGLAVPMLHHL CGWDLWYCFHLCLAHLPRRRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRGRRAL  
15 RLCLEERDWPGLKTLFENLWASVYSSRKT MFVLDHTDRVSGLLRASFLLAQQLLEDKDVVVLVILRPAAYRSR  
YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGIALTRDNRFYNRNFCRGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTPAFLPCELOPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
20 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNP CPRALEVAPGALLGLGNLTHLSLKYNNTLTPVRLPPSLDTLL  
LSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNF PKLHPDTFSHLSRLEGLVLKDS SLYKLEK  
DWFRLGLRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
RSLTNITLQSLTRL PKLQSLHLQLNF INQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
25 GLAPGPLDAVSSKDFMPSCNLFNFTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
LSHNKL DLYHGRSFTL PQLEALDLSYNSQPF SMQGVGHNL SFVAQLPSLRYLSLAHNGIHSRV SQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFNWSSLTVP  
RLEALDLAAGNLKALSNGSLPPGIRLQKLDVSSNSIGFVPGFVRATRLIELNLSANALKTVDP SWFGSLAGTL  
KILDVSANPLHCACGAAFVDLFLERQEA VPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFG  
30

## SEQ ID NO:11 (Bovine TLR9)

gggaagtggggcgccaagcatccttccctgcagctgcctcccaacctgcccgcagaccctctggagaagccgcât  
tccctgtcatgggcccctactgtgccccgaccccccttctctcctggtgcaggcgccgactggcagcgccc  
tggccgagggcaccctgcctgccttccctgcccctgtgagctccagccccatggcaggtggactgcaactggctgt  
35 tctgaagtctgtgcgcacttttcggctggagcccccgggccaatgtcaccagcctctccttaatctccaacc  
gcatccaccacttgcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcc  
cgccggcslscggcctcagccccatgcacttccccctgcgctatgaccatcgagcccaacaccttccctggctgtgccc  
cctggaggagctgaacctgagctacaacggcatcacgaccgtgcctgcctgcccagttccctcgtgtccctgt  
cgctgagccacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcctgctcttctgtaca  
40 tggacggcaactgctactacatgaaccctgcccgcggccctggaggtggccccaggcgccctcctcggcctgg  
gcaacctcacgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgctgccccccagcctggaca  
cctgtgtgtctctacaaccacattgtcacccctggacccgaggacctggccaacctgactgcccctgctgctgc  
tgacgtgggtgggaactgcccgcgtgcgacctgcccgaaccttgcaggagtgcccaagaacttcccc  
agtgcaccttgacacctcagctcagctcgaaggcctggtgttgaggacagttctctctacaaac  
45 tagagaagattggttccgcgccctggcagctccaagtcgctcgacctgagtgagaacttccctctatgactaca  
tcaccaagaccacctcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagg  
tgtccttcgcccacctgcacctagctcctccttgggagctggtgtcctggagaagctggacatgcacggca  
tcttcttccgctccctaccaacatcacgctccagtcgctgacccggctgcccagctccagagctgtcatctgc  
agctgaacttcatcaaccaggcccagctcagcatcttggggccttcccagcctgctctctgaggacctgtcgg  
50 acaaccgcatcagcggagccgcgacgccagcggccctgggggaggtggacagcagggtggagctgtggcgat  
tgcccaggggctcgtccaggcccgtggacggcgtcagctcaaaggacttcatgccaagctgcaacctcaact  
tcacctggagctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctccgcctccagt  
gcctgcgcctgagccacaacagcatctcgaggcggttaatggctccagttcgtgcccgtgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatggcgctcattcacggagctgccgcagctggaggcac  
tggacctcagctacaacagccagcccttcagcatgcaggcgctgggccacaacctcagcttcgtggccagctgc  
cctccctgcgctacctcagccttgccgacaaatggcatccacagccgctgtcacagaagctcagcagcgctcgt  
tgcgcgccctggacttcagcggcaactccctgagccagatgtggcgaggagacctctatctctgctttttca  
5 aaggcttgaggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgctcgtcacctggaca  
acctgcccagagcctggcgagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
tcctgccccggctggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgccgcctg  
gcacccggtccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttcgtccgcgcga  
ctcggtgatagagcttaacctcagcgcaatgcctgaagacagtggatccctcctgggttcggttccttagcag  
10 ggacctgaaaatcctagacgtgagcgcaacctgcctccactgcgctgcggggcggttccttggtgacttcctgc  
tggagagacaggaggcgctgccgggctgtccaggcgctcacatgtggcagtcggggccagctccaggggccgca  
gcattctcacacagagacctgcgctctgcctggatgagacctctccttggtactgctttggcctctcactgctaa  
tgggtggcgctgggctggcagtgcccatgctgcaccacctctgtggctgggacctctggtactgcttccacctgt  
gtctggcccatttgccccagcgcgcgccgagcgggcgaggacacctgctctatgatgccgtcgtggtcttcg  
15 acaaggtgcagagtgcagtggctgattgggtgtacaacagactccgcgtgcagctggaggagcgccggggcgcc  
ggcgctccgctcctgcctggaggagcgagctggtcctggtaagacgctcttcgagaaacctgtggcgctcgg  
tctacagcagccgcaagacctgttcgtgctggaccacagcagcggtcagcgccctcctgcgcgccagcttcc  
tgctggccagcagcgctgttgaggaccgcaaggacgtcgtagtgtggtgatcctgcgccccgcgcctatc  
ggtcccgctacgtgcggtgcgcagcgctctgcgcagagcgtcctcctctggccccaccagccagtgggcc  
20 agggtagtttctgggccaacctgggcatagccctgaccagggaacaacctcacttctataaccggaactctgc  
ggggccccacgacagccgaatagcacagagtgactgcccag

## SEQ ID NO:12 (Bovine TLR9)

atgggccccactgtgccccgcacccccctttctctcctgggtgcaggcgcgccactggcagcgccctggccgag  
25 ggcaccctgctgcttcctgcctgtgagctccagcccatgggtcaggtggactgcaactggctgttcctgaag  
tctgtccgcgacttttcggctggagcccccgggccaatgtcaccagcctctccttaatctccaaccgcatccac  
cacttgcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgccggcc  
ggcctcagccccatgcacttccctgcgctatgaccatcgagcccaaacaccttctggctgtgcccacctggag  
gagctgaacctgagctacaacggcatcacgacctgcctgcccagttccctcgtgtcctgtcgctgagc  
30 cacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcctgcgctttctgtacatggacggc  
aactgctactacatgaacccctgccccgggccccctggaggtggccccaggcgccctcctcgccctgggcaacctc  
acgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggacacctgctg  
ctgtcctacaaccacattgtcaccctggcaccggagacctggccaacctgactgccccgtgcgttgactgacgtg  
gggtgggaactgccgcgctgcgacctgccccgaacccctgcaggagtgcccaaagaacttccccaaagtgcac  
35 cctgacaccttcagtcacctgagcgccctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa  
gattggttcgcggcctgggcaggctccaaagtgtcgcacctgagtgagaacttctctatgactacatcaccaag  
accaccatcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaaggtgtccttc  
gcccacctgcacctagcgtcctccttgggagctgtggtgtccctggagaagctggacatgcacggcatcttcttc  
cgctccctcaccaacatcacgctccagtcgctgaccggctgcccagctccagagctgcactgcagctgaac  
40 ttcataaccaggccagctcagcatcttggggccttcccagacctgctcttcgtggacctgtcggacaaccgc  
atcagcgagcgcgacgccagcgccgccccggggaggtggacagcaggggtggaagtctggcgattgcccagg  
ggcctcgctccaggcccgctggacgcgctcagctcaaaggacttcattgccaagctgcaacctcaacttcaccttg  
gacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctccgcctccagtgctgcgc  
ctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgagtgctcgac  
45 ctgtcccaacaagaactggacctgtaccatggcgctcattcacggagctgccgcagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggccagctgccctccctg  
cgctacctcagccttgccgacaaatggcatccacagcgctgtcacagaagctcagcagcgctcgttgccgccc  
ctggacttcagcggaactccctgagccagatgtgggcccaggagacctctatctctgcttttcaaaggcttg  
aggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggacaacctgccc  
50 aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgacctcctgccc  
cggctggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgccgctggcatccgg  
ctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttcgtccgcgcgactcggtg  
atagagcttaacctcagcgcaatgcctgaagacagtggatccctcctgggttcggttccttagcagggaacctg  
aaaatcctagacgtgagcgcaacctgcctcagctgcgcctgcggggcgcccttcttggtgacttctgtggagaga  
55 caggaggccgctgcgggctgtccaggcgctcacatgtggcagtcggggccagctccagggccgagcatcttc  
acacaggacctgcgctctgcctggatgagacctctccttggtactgctttggc

- 15 -

## SEQ ID NO:13 (Equine TLR9)

5 MGPCHGALQPLSLLVQAAMLAVALAQGTLPFFLPCELOPHGLVNCNWFLKSVPHFSAAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQSLNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSPLPPSLEYL  
10 LLSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN  
PRWFRGLGNLTVLDSLSENFYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
15 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLHTLLPCTLGNLPKSLQLRLRNNYLAFFNWSLTL  
LPNLETDLAGNQLKALSNGSLPSGTQLQRLDVSRSIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDSANPLHCACGAADFVDFLLQVQAAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV  
VALGLAMPMLHHLGWDLYCFHLGLAWLPRRGWQRGADALS YDAFVVFDAQSAVADWVYNELRVLEERRGRR  
15 ALRLCLEERDWPGLTKLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLAQQLLEDKRDVVVLVILSPDARR  
SRYVRLRQRLCRQSVLFWPHQPSGQRSFVAQLGMALTRDNRHFYNQNFRCRGPTMAE

## SEQ ID NO:14 (Equine TLR9)

20 MGPCHGALQPLSLLVQAAMLAVALAQGTLPFFLPCELOPHGLVNCNWFLKSVPHFSAAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQSLNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSPLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN  
25 PRWFRGLGNLTVLDSLSENFYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLHTLLPCTLGNLPKSLQLRLRNNYLAFFNWSLTL  
LPNLETDLAGNQLKALSNGSLPSGTQLQRLDVSRSIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
30 SLEVLDSANPLHCACGAADFVDFLLQVQAAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgcgtgaaggactgcgagcacaaagcatcctcctctgcagctgctgccagtg  
tgccagctggaccctctggatcatctccactccctgtcatgggcccttgccatggtgccctgcagccctgtct  
ctcctggtgcaggcgcccatgctggcgtggtcttgcccaaggcaccctgctcccttctgacctgtgagctc  
35 cagccccacggcctggtgaactgcaactggtgttctctgaagtcctgccccacttctcagcagcagcaccg  
gacaatgtcaccagccttctctgtctctcaaccgcatccaccactccacgactccgacttggccaaactgtcc  
aacctgcagaaactcaacctcaaatggaactgccgcagccggcctcagccccatgcacttccctgcccacatg  
accatcgagcccaacttctctggtgtacctaccctggaggagctgaacctgagctacaacggcatcacgact  
gtgacctgccctgccagctccctcgtgtccctgatcctgagccgcaccaacatcctgcagctagacccaccagc  
40 ctcacgggctgcactgccctgcgcttctctatacatggatggcaactgctactacaagaacctgctgggctg  
ctggaggtggcccgagcgcctcctctggcctgggcaacctcacccactgtcactcaagtacaacaacctcaca  
acgggtgccccgcagcctgccccctagcctggagtacctgtgttctctacaaccacattgtcacctggcacct  
gaggacctggccaatctgactgccctgcgtgtgctcgatgtgggtggaaactgccgcgctgtgacctgcacgc  
aaccctgcgtggagtgcacataaattccccagctgcactccgacaccttcagccacctaaagccgcttagaa  
45 ggcctcgtgtgaaggatagttctctctaccagctgaacccagatggttccgtggcctgggcaacctcacagt  
ctcgacctgagtgagaacttctctacgactgcatcaccaaaaccaaggcattccaggcctggccacctgcga  
agactcaactgtccttcaattaccataagaaggtgtccttcgccacactgacgtggcacctcctctcgggagc  
ctgctctcctgcaggaactggacatgcatggcatctctctcgcctcactcagccagaagacgctccagccactg  
gcccgcctgcccagctccagcgtctgtatctgcagatgaacttcatcaaccaggcccagctcgccatcttcaag  
50 gacttccctggtctgcgctacatagacctgtcagacaaccgcatcagtggagctgtggagccggtggccaccaca  
ggggaggtggatggtgggaagaaggtctggctgacatccaggacactcactccaggccactggacacccccagc  
tctgaggacttcatgccaaagctgcaagaacctcagcttcaccttgacctgtcacggaacaacctggtaacagtc  
cagccagagatgtttgccagctctcgccctccagtgctgcgctgagccacaacagcatctcgaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtcccataacaaactggacctgtaccat  
 gggcgctcgtttacggagctgccgcgactggaggccctggacctcagctacaacagccagccctcagcatgcgg  
 ggtgtggggccacaacctcagctttgtggcccagctgccaccctgcgctacctcagcctggcacacaatggcatc  
 cacagccgtgtgtcccagcagctctgcagcacctcgctgtggggccctggacttcagcggcaattccctgagccag  
 5 atgtgggctgagggagacctctatctccgcttcttccaaggcctgagaagcctaataccggctagacctgtcccag  
 aatcgtctgcataacctcctgccatgcaccctgggcaacctccccaaagagcttgagctgctgcgtctccgtaac  
 aattacctggccttcttcaattggagcagcctgacctcctgcccacacctggaaacctggacctggctggaaac  
 cagctgaaggctctgagcaatggcagcctgccttctggcaccagctccagaggctggacgtcagcaggaacagc  
 atcatcttcgtggctccctggccttcttctgtctggccacgaggtgcgagagctcaacctcagtgccaacgcctc  
 10 aggcagagaggagccctcctgggttgggttctctagcaggctcccttgaagtcttagatgtgagcgccaacctctg  
 cactgcgcctgtggggcagccttctgtgacttctgtctgcaggttcaggctgacctgctggctgctgcccagccgc  
 gtcaagtgtggcagctccgggcccagctccagggccgcagcatcttcgcacaagacctgcgcctctgctggacaag  
 tccctctcctgggactgttttgggtctctcattgctggtgtgtggccctgggctggccatgcctatgttgaccac  
 ctctgggctgggacctctggtactgcttccacctgggctggcctggctgccccggcggggtggcagcggggc  
 15 gcgagtgccttgagctatgatgccttctgtggtcttcgacaaggcacagagcgagtgccgactgggtgtacaat  
 gaactgcgggtgcggttagaggagcgccgtggcgctccggcgctccgctgtgtctggaggagcgtgactggcta  
 cctggcaagacgctgttcgaaaacctgtgggctcagctctacagcagccgcaagatgtgttctgtgctggccac  
 acggaccaggtcagtgccctcttgctgcccagcttctgtggtggcccagcagcgtctgctggaggaccgcaaggac  
 gttgtggtgctggttaactcctgagcctgacgcccgcggttcccgctacgtgaggctgcgcccagcgcctctgccc  
 20 cagagtgtcctctctggtggccaccagcctagtggccagcgcagcttctgggcccagctaggcatggccctgacc  
 agggacaaccgcccacttctataaccagaacttctgcccggggccgacgatggctgagtagcacagagtgaagcc  
 tggcatgtacaacccccagcctgaccttgccctctctgcctatgatgcccagctctgctcactctgtgacgccc  
 tgcctgctcccgccacctcaccctggcatacagcaggcactcaataaatgcccactggcaggccaaacagcca  
 aaaaaaaaaaaaaaaaaa  
 25

## SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatggtgcccctgcagccccctgtctctcctgggtgcaggcgcccatgctggccgtggctctggcc  
 caaggcaccctgcctcccttctgcccctgtgagctccagccccacggcctggtgaactgcaactggctgttccctg  
 aagtccgtgcccacttctcagcagcagcaccctgggacaatgtcaccagcctttccttgcctctccaaccgcac  
 30 caccacctccagactccgactttgcccactgtccaacctgcagaaactcaacctcaaatggaactgcccgcca  
 gccggcctcagcccatgcaacttcccctgccacatgaccatcgagcccaacacttctcctggctgtaccacacctg  
 gaggagtgaacctgagctacaacggcatcagactgtgacctgcccctgcccagctccctcgctgctcctgatcctg  
 agccgcaccaacatcctgcagctagacccccaccgctccacgggctgcagcctgaccttccctatcacatggat  
 ggcaactgctactacaagaacctctgcggggcgccctggagggtggcccagggcctccttggcctgggcaac  
 35 ctccccacctgtcactcaagtacaacaacctcacaacgggtgccccgcagcctgccccctagcctggagtacctg  
 ctggtgtcctacaaccacattgtcaccctggcacctgaggacctggccaatctgactgcccctgcgtgtgctcgat  
 gtgggtggaaactgccgcccgtgtgacctgcacgcaacccctgcgtggagtgccacataaattccccagctg  
 cactccgacaccttcagccacctaaagccgcttagaaggcctcggttgaaggatagttctctctaccagctgaac  
 cccagatgggtccgtggcctgggcaacctcacagtgtcgcacctgagtgaacttctctacgactgcatcacc  
 40 aaaaccaaggcatccagggcctggcccagctgcgaagactcaacttgccttcaattaccataagaagggtgtcc  
 ttccgcccacctgacgtggcaccctccttccggagcctgctctcctgcaggaactggacatgcatggcatcttc  
 ttccgctcactcagccagaagacgctccagccactggcccgcctgcccctgctccagcgtctgtatctgcagatg  
 aacttcatcaaccaggcccagctcgccatcttcaaggacttccctggctgctgcgtacatagacctgtcagacaac  
 cgcacagtgaggctgtggagccgggtggccaccacaggggaggtggatgggtgggaagaaggctctggctgacatcc  
 45 agggacctcactccaggcccactggacacccccagctctgaggacttcatgccaagctgcaagaacctcagcttc  
 acctggacctgtcacggaacaacctggtaacagctccagccagagatgtttgccagctctcgcgcctccagtg  
 ctgcccctgagccacacagcatctcgcaggcggtcaatggctcacagttcgtgcccactgaccagcctgcagggtg  
 ctggacctgtcccataacaaactggacctgtaccatgggcgctcgtttacggagctgccgcgactggaggccctg  
 gacctcagctacaacagccagcccttcagcatgcgggggtgtggggccacaacctcagcttctgtggcccagctgccc  
 50 accctgcgctacctcagcctggcacacaatggcatccacagccgtgtgtcccagcagctctgcagcacctcgctg  
 tgggcccctggacttcagcggcaattccctgagccagatgtgggctgagggagacctctatctccgcttcttccaa  
 ggcttgagaagcctaataccggctagacctgtcccagaatcgtctgcataacctcctgccatgcacctgggcaac  
 ctccccaaagacttgagctgtgcgtctccgtaacaattacctggccttcttcaattggagcagcctgacctc  
 ctgcccacacctggaaacctggacctggtaacagcctgaaggctctgagcaatggcagcctgctctctggc  
 55 accagctccagaggctggagctcagcaggaacagcatcatctctgtggctccctggcttcttctgtctggccacg  
 aggtgcgagagctcaacctcagtgccaacgcctcaggacagaggagccctcctgggttgggttctctagcaggc  
 tcccttgaagtcttagatgtgagcgccaacctctgcactgcgcctgtggggcagccttctgtgacttctgctg

- 17 -

cagggttcaggctgccgtgacctgctgcccagccgctcaagtgtggcagtcggggccagctccagggccgcagc  
atcttcgcacaagacctgcgctctgctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTEBPNTFLAVPTLEELNLSYNGITTPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYKNPCQQAQVEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
10 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNHKKVSFAHLQLAPSFGGGLVSLKLDLMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQNLFINQAELSIQAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWRP  
GLAPGPLAAVSAKDFMPSCNLFNFTLDSRNLTQIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTLQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNLAFFNWSSTVLP  
15 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGAAFVDFLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGFSLLMVA  
LGLAVPMLHHLGWDLWYCFHLCLAHLPRLRRRQRGEDTLLYDAFVVFDAQSAVADWVYNELRVQLEERRGRRL  
RLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLAQQRLLDRKDVVVLVILRPAAYRSR  
YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGMALTRDNHRHFNRFNFCRGPTTAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTEBPNTFLAVPTLEELNLSYNGITTPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYKNPCQQAQVEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
25 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNHKKVSFAHLQLAPSFGGGLVSLKLDLMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQNLFINQAELSIQAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWRP  
GLAPGPLAAVSAKDFMPSCNLFNFTLDSRNLTQIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTLQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNLAFFNWSSTVLP  
30 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGAAFVDFLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgcagcgccaagcatccttccctgcagctgcccggccaacttgcggccagacctctggaga  
35 agccgcatttccctgccatggggccctactgtgcccgcaccccccttctctcctggtgcaggcgccggcgctggc  
agcagccctggccagggcacctgcctgccttccctgcctgtgagctccagccccgggtgaaggtgaactgcaa  
ctggctgttctgaagtctgtgcccgcgttttcggccggagccccccgggccaatgtcaccagcctctcctaat  
ctccaaccctgacccaccttgcacgactctgacttcgtccacctgtccaacctgcccgtcctcaacctcaagt  
40 gaactggccgcccggcggcctcagccccatgcacttcccctgcccgcagcatgacctcgagcccaacaccttctggc  
tgtgcccacctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcccctggcaggttctctcgt  
atccctgtcgtgagccgcaccagcatcctggtgctaggccccacccttcaaccggcctgcacgcccgtgcgtt  
tctgtacatggacggcaactgctactataagaacccctgccagcaggccgtggaggtggcccaggcgccctcct  
tggcctgggcaacctcacgacctgtcgctcaagtacaacaacctcacggaggtgccccggcggcctgccccccag  
cctggacacctgtgctgtcctacaaccacatcatcaccctggcaccggaggaactggccaatctgactgcct  
45 gctgtgctgtgagtgggcggaactgcccgcgtgcgaccagccccgaacccctgcaggagtgcccaagaa  
cttccccagctgcacctgacaccttcagccacctgagccgctcgaaggcctggtgtgaaggacagttctct  
ctacaaactagagaaagactggttccgcccgtggcgagctccaagtgcgacctgagtgagaaactcctcta  
tgactacatcaccaagaccacctcttcaggaacctgacctgagctgcgagactcaacctgtccttcaattacca  
caagaaggtgtccttcgcccacctgcaactggcaccctccttgggggctggtgtcctggagaagctggacat  
50 gcacggcatcttctccgctccctcaccaacaccagctccggccgctgacctgagctgccaagctccagagct  
gagctctgcagctgaacttcatcaaccaggccgagctcagcatcttggggccttcccagagcctgctcttctgga  
cctgtcggacaaccgcatcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcgggggtggaag  
ctggcggtggcccaggggcctcgtccaggcccgctggccgcccgtcagcgcaaaggacttcatgccaagctgcaa



- 18 -

cctcaacttcaccttggacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccg  
 cctccagtgacctgacctgagccacaacagcatctcgaggcggttaatggctcgagttcgtgccgctgacctg  
 cctcgagtgctcgacctgtctacaacaagctggacctgtacatggcgctcggttcacggagctgccgagct  
 ggaggcactggacctcagctacaacagccaccttcagcatgcaggcgctggggccacaacctcagcttcgtggc  
 5 ccagctgccgtccctgcgtacctcagccttgccgacaaacggcatccacagccgctgtcacagaagctcagcag  
 cgctcgctgcgacctggacttcagcggcaactccctgagccagatgtgggcccaggaggacctctatctctg  
 cttcttcaaaggcttgaggaaacctggctccagctggacctgtccaagaaccacctgcacacctcctgcctcgta  
 cctggataaacctgccaaagacctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcag  
 cctgactgttctgccccagctggaagcctggatctggcgggaaaccagctgaaggcctgagcaacggcagcct  
 10 gccacctggcaccggctccagaagctggagctgagcagcaacagcatcggtttgtgaccttggttcttctgt  
 ccttgccaaccggctgaaagagcttaacctcagcgccaacggcctgaagacagtggtaccttctggttcggctcg  
 cttaacagagacctgaatatcctagacgtgagcgccaacccgctccactgtgctgccccggcgcccttctgga  
 cttcctgctggagatgcaggcgccgctgctgggctgtccaggcgctcagctgtggcagctccgggcccagctcca  
 gggcgagcagctctcgacaggacctgcgctctgcctggatgagacctctccttgactgcttggcttctc  
 15 ctgctaatgggtggcgctgggctggcctgagtgaccacctctgtggctgggacctgtggtactgctt  
 ccacctgtgtctggccatttggcccgagggcgccgagcgggcgaggacaacctgctctacgaacggcagcct  
 ggtcttcgacaaggcgagctgagtggtggtgtacaacagagctccgctgagctggaggagcgccg  
 cggcgccggcgctccgctctgctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg  
 ggctcggctctacagcagccgtaagacctgttctgctgtggaccacacggaccgggtcagtgccctcctgcgcgc  
 20 cagcttctgctggcccagcagcgctgttgaggaccgcaaggatgtcgtggtgctggtgactcctgcgccccgc  
 cgctaccgggtcccgctacgtgcggctgcgcccagcgctctgcccagagcgtcctcctctggccccaccagcc  
 cagtgggccagggtagcttctgggccaacctgggcatggcctgaccagggacaacccgacctctctataaccggaa  
 cttctgccccggggccccacgacagccgaatagcacagagtgcactgcccag

# 25 SEQ ID NO:20 (Ovine TLR9)

atggggccctactgtgccccgcaccccccttctctcctggtagcaggcgccggcgctggcagcagccctggcccag  
 ggcacctgacctgcttctgacctgtgagctccagccccgggtaaggtagaactgcaactggctgttctgaaag  
 tctgtgcccgcgttctcgccggagcccccgggccaatgtcaccagcctctccttaacttccaaccgcatccac  
 caattgcacgactctgacttctgctccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgccggcc  
 30 ggctcagccccatgcacttccccctgcccagatgacctcgagcccaacaccttccctggctgtgcccacctggag  
 gactgaacctgagctacaatggcatcacgacctgacctgacctgacctgacctgacctgacctgacctgacctg  
 cgaccagcatcctgggtgctaggccccaccttcaacggcctgcacgacctgaccttctgtacatggacggc  
 aactgctactataagaaccttgcagcagggcgtggagggtggccccagggcgccctccttggcctgggcaacctc  
 acgcacctgtcgctcaagtacaacaacctcacggagggtgccccgcccgtgccccccagcctggacacctgctg  
 35 ctgtcctacaaccacatcatcacctggcaccgaggacctggccaatctgactgacctgacctgacctgacctg  
 ggcgggaactgcccgcgctgagccacgcccgaaccttgcaggagtgcccaagaacttccccagctgcac  
 cctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa  
 gactggttcggcgccctgggacggctccaagtgtcgacctgagtgagaacttctctatgactacatcaccaag  
 accaccatcttcaggaaacctgaccagctgcccagactcaacctgtccttcaattaccacaagaagggtgctcttc  
 40 gcccacctgcaactggcaccctccttgggggctgggtgtccctggagaagctggacatgcacggcatcttcttc  
 cgctccctcaccaacaccacgctccggccgctgacctgacctgacctgacctgacctgacctgacctgacctg  
 tcatcaaccaggccgagctcagcatcttggggccttcccagacctgctcttctgtagctgtcggaacccgc  
 atcagcggagctgagaggccggtggccgacctcggggaggtggacagcgggggtggaagtctggcggtggccagg  
 ggctcgctccaggcccgctggccgacctcagcgcgaaggacttcatgccaaagctgcaacctcaacttcaccttg  
 45 gacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccgctccagtgacctgagc  
 ctgagccacaacagcatctcgaggcggttaatggctcgagttcgtgacctgacctgacctgacctgacctgacctg  
 ctgtcctacaacaagctggacctgtacctggggcgctcggtcacggagctgcccagctggagcactggacctc  
 agctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttctggtggccagctgacctg  
 50 cgctacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcagcgccctgctgagcgc  
 ctggacttcagcggaactccctgagccagatgtggggcgaggagacctctatctctgcttcttcaaaggcttg  
 aggaacctggctcagctggacctgtccaagaacctgcacacctcctgacctgctacctggataacctgccc  
 aagagcctgcccagctgctctccgggacaataacctggccttcttcaactggagcagcctgactgttctgccc  
 cagctggaaagcctggatctggcggaaccagctgaaggccctgagcaacggcagcctgcccacctggcaccggg  
 55 ctccagaagctgagctgagcagcaacagcatcggttctgtgacctgacctgacctgacctgacctgacctg  
 aaagagcttaacctcagcgccaacggcctgaagacagtggtaccttctggttcggctcgcttaacagagacctg  
 aatatcctagacgtgagcgccaacccgctccactgtgctgccccggcgcccttctgtagcttctgctgagatg



- 19 -

caggcgccgtgcctgggctgtccaggcgcggtcacgtgtggcagtcggggccagctccaggcgccgagcatcttc  
gcacaggacctgcgctctgcctggatgagacctctccttggaactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are  
publicly available. For example, an amino acid sequence for canine TLR9 is available as  
GenBank accession number BAC65192 and its corresponding nucleotide sequence is  
available as GenBank accession number AB104899. An amino acid sequence for feline  
TLR9 is available as GenBank accession number AAN15751 and its corresponding  
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also  
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9  
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively  
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide  
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides  
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-  
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See  
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular  
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline  
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID  
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID  
NO:25.

#### SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAPLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVLSL  
SRTNILLVDPATLAGLYALRFLFLDGNICYKNPCQALQVAPGALLGLGNLTHLSLKYNNLTVVPRGLPPSLEYL

- 20 -

LLSYNHIIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFQQLHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTAFYGLARLRRLNLSFNYHKKVSFAHLHLASSFGSLLSLQELDIGHIF  
 FRSLSKTTQLSLAHLPLQLRLHLQNFISQAQLSIFGAFFGLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPQEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 5 RVLDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSMRGVGHNLFSVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFQGLRSLVQLDLSQNLHTLLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWCFSLSL  
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRRGRRGVDALAYDAFVVFDAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWPVKTLFENLWASVYSSRKTFLVRLARTDRVSGLLRASFLLAQQRLLEDKDVVVLVILCPDA  
 HRSRYVRLRQLRCRQSVLLWPHQPSGQRSFWAQLGTALTRDNRFYNNFCRGPTTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPFAFLPCELQPHGLVNCNWLFLKSVPFRSAAAPRGNVTSLSLYSNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFLAVPTLEDLNLNSYNISITVTPALPSSLVSLSL  
 SRTNIVLDPATLAGLYALRFLFDGNCYKPNPCQALQVAPGALLGLGNLTHLSLKYNNTLVVPRGLPPSLEYL  
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFQQLHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTAFYGLARLRRLNLSFNYHKKVSFAHLHLASSFGSLLSLQELDIGHIF  
 20 FRSLSKTTQLSLAHLPLQLRLHLQNFISQAQLSIFGAFFGLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPQEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSMRGVGHNLFSVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFQGLRSLVQLDLSQNLHTLLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLSANALKTVEPSWFGSL  
 25 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFS

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgcagctgctgcccagcctgccagccagaccctctggagaag  
 ccccgctccctgtcatgggcccctgcccgtggcgccctgcacccctgtctctcctggtgcaggctgccgcgcta  
 30 gccctggccctggcccagggcaccctgcctgcttccctgcccctgtgagctccagcccatggcctggtaactgc  
 aactggctgttccctcaagtcctgcccgccttctcgccagctgcaccccgcggaactgcaccagccttcccttg  
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaag  
 tggaaactgccgcggccgagcctcagcccatgcaacttccctgtcacatgaccattgagcccaacaccttccctg  
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgcctgccagttcgctt  
 gtgtccctgtccctgagccgcaccaacatcctggtgctggacctgccaccctggcaggcctttatgccctgcgc  
 35 ttccctgttccctggaactgctactacaagaacccctgccagcaggccctgcaggtggcccccaggtgccctc  
 ctgggcctgggcaacctcacacacctgtcactcaagtaacaacctcaccgtggtgcgcggggcctgccccc  
 agcctggagtacctgctcttgcctacaaccacatcatcaccctggcacctgaggacctggccaatctgactgcc  
 ctgctgtcctcgatgtgggtgggaactgtcgccgctgtgacctgcccgttaaccctgcagggagtgcccaag  
 ggcttccccagctgcaccccaacaccttccggccacctgagccacctcgaaggcctggtgttgaggagacagctct  
 40 ctctacagcctggacccaggtggttccatggcctgggcaacctcatggtgctggacctgagtgagaacttccctg  
 tatgactgcatcaccaaaacaaagccttctacggcctggccggctgcccagactcaacctgtccttcaattat  
 cataagaaggtgtcctttgccacctgcactctggcactccttcgggagcctactgtccctgcaggagctggac  
 atacatggcatcttcttcgctcgctcagcaagacacgctccagtcgctggcccacctgcccattgctccagcgt  
 ctgcatctgcagttgaactttatcagccaggcccagctcagcatcttcggcgcccttccctggactgcggtacgtg  
 45 gacttgtcagacaaccgcatcagtgagctgcagagcccgcggctgccacaggggaggtagaggcagactgtggg  
 gagagagtctggccacagctcccggaaccttgcctgtgggcccactgggcaccccggtcagaggccttcatgccg  
 agctgcaggacctcaacttcccttgacctgtctcggaacaacctagtgactgttcagccggagatgtttgtc  
 cggctggcgccgctccagtgctgggctgagccacaacagcatctcgaggcggtcaatggctcgcagttcgtg  
 cctctgagcaacctgcgggtgctggacctgtccataacaagctggacctgtaccacgggctgcttccagggag  
 50 ctgcgcggctgggagccttgacctcagctacaacagccagccttccagcatgcgggctggtggccacaactc  
 agctttgtggcacagctgccagccctgcgctacctcagcctggcgcaaatggcatccacagccgctgtcccag  
 cagctccgcagcgccctgcctccgggcccctggacttcagtggaataacctgagccagatgtgggcccagggagac  
 ctctatctccgcttcttccaaggcctgagaagcctggttcagctggacctgtcccagaatcgccctgcataccctc  
 ctgccacgcaacctggacaacctccccaaagagcctgcggctcctgcggctccgtgacaattacctggcttcttc  
 55 aactggagcagcctggccctctaccacagctggaagccctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcaccaacggcaccagctccagaggtggacctcagcggcaacagcatcggttcgtgggtccc  
 agcttttttgcctggcgtgaggttcgagagctcaacctcagcgccaacgcctcaagacggtggagccctcc  
 tggtttgggtccctggcgggtgcctgaaagtcttagacgtgaccgccaaccccttgcatcggttgcggcgca  
 accttcgtggacttcttgctggaggtgcaggctgcggtgcccggcctgcttagccgtgtcaagtgcggcagcccg  
 5 ggccagctccaggggcgcagcatcttcgcacaggacctgcgcctctgctggacgaagcgtctcctgggtctgt  
 ttcagcctctcgctgctggctgtggcctgagcctggctgtgcccattgctgcaccagctctgtggctgggacctc  
 tggtaactgcttcacctgtgcctggcctggctgccccggcgggggcgcggggggtgtggatgacctggcctat  
 gacgccttcgtgggtcttcgacaaggcgcagagctcggtggcgactgggtgtacaatgagctgcggttacagcta  
 gaggagcgctggggcgcggtgctacgcctgtctggaggaaactgactgggtaccgggcaaaacctcttc  
 10 gagaacctctggcctcagtttacagcagcgcgaagacgtgtttgtgctggccgcacggacagagtacgcggc  
 ctctgctgacagcttctgctggcccaacagcgctgctggaggaccgcaaggacgtcggtgctggtgatc  
 ctgtgccccgacgcccaccgctcccgctatgtgcggtgcgcccagcgctctgcccagagctgctcctcctggt  
 cccaccagccagtgccagcgagcttctggggccagctgggacggccctgaccagggacaaccgcccacttc  
 tacaaccagaacttctgccccggggcccaagacagcctgataggcagacagcccagcaccttcgccccctacacc  
 15 ctgctgctgctgctgggatgcccagcctgctggctctacaccgcccgtctgtctccctacaccagccctggca  
 taaagcgaccgctcaataaatgctgctggtagac

## SEQ ID NO:24 (Canine TLR9)

atggggccctgcccgtggcgccctgcacccctgtctcctgggtgcaggctgcgcgctagccctggccctggcc  
 20 cagggcaccctgctgccttctgcctgtgagctccagcccatggcctggtagaactgcaactggctgttctc  
 aagtcggtgccccgcttctcggcagctgcaccccgcggaactgcaccagccttctctgactccaaccgcatc  
 caccacctccatgactatgactttgtccacttcgtccacctgcggcgtctcaatctcaagtggaaactgcccggc  
 gccagcctcagcccatgacttccctgtcacatgaccattgagcccaacaccttccctggctgtgcccacccta  
 25 gaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgctgtgtccctgtccctg  
 agccgcaccaacatcctgggtgctggacctgcccacctggcaggcctttagccctgcccctcctgttctctggat  
 ggcaactgctactacaagaacctcctgcccagcagcctgaggtggcccccaggtgcccctcctggcctgggcaac  
 ctcacacacctgtcactcaagtacaacaacctcaccgtgggtgcgcggggcctgccccccagcctggagtacctg  
 ctctgtcctacaaccacatcatcaccctggcacctgaggacctggccaatctgactgcccctgctgtcctcgat  
 gtgggtgggaactgtgcgcgctgtgacctgcccgtaacccctgcaggagtgccccaagggttccccagctg  
 30 caccccaacaccttcggccacctgagccacctcgaaggcctgggtgttaggggacagctctctacagcctggac  
 cccaggtgggtccatggcctgggcaacctcatggtgctggacctgagtgagaacttccctgtatgactgcatcacc  
 aaaaccaaaagccttctacggcctggccggctgcgagactcaacctgtccttcaattatcataagaagggtgcc  
 ttgcccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggacatacatggcatcttc  
 ttccgctcgctcagcaagaccagctccagtcgctggccacctgcccagctccagcgtctgcatctgcagtgtg  
 35 aactttatcagccaggcccagctcagcatcttcggcgcttccctggactgcggtacgtggacttgtcagacaac  
 cgcacagtgaggctgcagagcccggcgtgccacaggggaggttagaggcagactgtggggagagagtctggcca  
 cagtcgccgggaccttgcctgctggggccactgggacccccggctcagaggccttcatgcccagctgcaggacctc  
 aacttcaccttgacctgtctcggaacaacctagtactgttcagccggagatgtttgtccggctggcgcgctc  
 cagtgcctgggctgagccacaacagcatctcgaggcggtcaatggctcgagcttcgtgcctctgagcaacctg  
 40 cgggtgctggacctgtccataaagctggacctgtaccacgggcgtcgttcacggagctgcccggcgtggag  
 gccttggacctcagctacaacagccagccttcagacatgcggggcggtgggcccacaatctcagcttctgtggcacag  
 ctgccagccctgcgtacctcagcctggcgcaaatggcatccacagccgctgtcccagcagctccgcagcgcc  
 tcgctccgggcccctggacttctgaggcaataacctgagccagatgtggggcgaggagacctctatctccgcttc  
 ttccaaggcctgagaagcctgggtcagctggacctgtcccagaatcgctgcataacctcctgccacgcaacctg  
 45 gacaacctccccaaagagcctgcggctcctgcggctccgtgacaattacctggctttcttcaactggagcagcctg  
 gccctcctaccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttgccc  
 aacggcaccagctccagaggctggacctcagcggaacagcagcagccttcgtgggtccccagcttttttgcctg  
 gcggtgaggcttcgagagctcaacctcagcgccaacgcctcaagacgggtggagccctcctggtttggttccctg  
 50 gcgggtgcccgtgaaagtcttagacgtgaccgccaaccccttgcatcgcttgcggcgcaaccttcgtggacttc  
 ttgctggaggtgcaggctgcgggtgcccggcctgctagccgtgtcaagtgcggcagcccgggccagctccagggc  
 cgcagcatcttcgcacaggacctgcgcctctgctggacgaagcgtctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

55 MGPCHGALHPLSLLVQAAALAVLAQGTLPALFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLYSNRI  
 HHLHDSDFVHLSSLRRNLKWNCPASLSPMHFPCMTIEPHTFLAVPTLEELNLSYNSITTPALPSSLVSLSL

- 22 -

SRTNILVLDPANLAGLSLRFLELDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNLTA VPRGLPPSLEYL  
 LLSYNHII TLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNHLEGLVLKDSSLYNLN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQRLRLNLSFNYHKKVSFAHLHLAPSFGLSLSLQQLDMHGIF  
 FRSLSETTLRLSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 5 GDALGPPGTPSSEGFM PGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSQGVGHNLSFVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRHLTLLPRTLDNLPKSLRLRLRLDNYLAFFNWSSSLVL  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 TLKVLDVTGNPLHCACGA AFVDFLELVQA AVPGLP GHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLIT  
 10 VALGLAVPMLHHL CGWDLWYCFHLCLAWLPRRGRRRGADALPYDAFVVFDKA QSAVADWVYNELRVRL EERRGR  
 ALRLCLEERDWLP GKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQRLL EDRKD VVVLVILRPDAHR  
 SRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNF CRGPTTAE

## SEQ ID NO:26 (Feline TLR9)

15 MGPCHGALHPLSLLVQAAALAVALA QGTLPAFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLYSNRI  
 HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLVSLSL  
 SRTNILVLDPANLAGLSLRFLELDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNLTA VPRGLPPSLEYL  
 LLSYNHII TLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNHLEGLVLKDSSLYNLN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQRLRLNLSFNYHKKVSFAHLHLAPSFGLSLSLQQLDMHGIF  
 20 FRSLSETTLRLSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPGTPSSEGFM PGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSQGVGHNLSFVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRHLTLLPRTLDNLPKSLRLRLRLDNYLAFFNWSSSLVL  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 25 TLKVLDVTGNPLHCACGA AFVDFLELVQA AVPGLP GHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

## SEQ ID NO:27 (Feline TLR9)

agggctcgcgagctccaggcattcttctctgccatcgctgccagctcgcattccagaccctctggagaagcccc  
 cactccctgtcatgggccccctgccatggcgccctgacccccctgtctctcctgggtgcaggtcgcgcgctggccg  
 30 tggccctggccagggcaccctgccttcttccctgtgagctccagcgccacggcctgggtaattgcgact  
 ggctgttctcctcaagtcgctgccccacttctcgggcgccagcgccccctggtaacgtcaccagccttctcctgtact  
 ccaaccgcatccaccacctccagcactccgactttgtccacctgtccagcctgcggcgtctcaacctcaaaggga  
 actgcccacccgcccagcctcagcccatgcacttccccctgtcacatgaccattgagccccacaccttcttggccg  
 tgccccacctggaggagctgaacctgagctacaacagcatcacgacagtagccgccccctgccagttccctcgtgt  
 35 cctgtccttgagccgtaccaacatcctgggtgtggacctgccaacctcgagggctgcactccctgcgcttct  
 tggctcctggatggcaactgtactacaagaacctgcccgcagggcctgcaggtggccccggggcgccctccttg  
 gcttggcgcaaccttacgcacctgtcactcaagtaacaacacctcactgcggtgccccggcgccctgccccccagcc  
 tggagtagctgtattgtcctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgccccgc  
 gtgtgtcgtatgtgggtgggaactgcccgtcgctgtgaccacgcccgaacctctgtatggagtggcccaagggt  
 40 tcccgccacctgaccctgacaccttcagccacctgaaccacctgaaggcctgggtgttgaggacagctctctct  
 acaacctgaacccagatgggtccatgccccgggcaacctcatgggtgtggacctgagtgaagaacttcttatatg  
 actgcatcaccaaaaccacagccttccagggcctggcccagctgcgcagactcaacttgtcttcaattaccaca  
 agaaggtgtccttggccacctgcacttggcgccctccttccggagcctgtctccttgcagcagctggacatgc  
 atggcatcttcttccgctcgctcagcgagaccacgctccggctcgctgggtccacctgccccagctcagagctctgc  
 45 acctgcagatgaacttcatcaatcaggcccagctcagcatcttccggggccttccctggcctgcgatacgtggacc  
 tgtcagacaaccgcataagtgaggccatggagctggcggtgcccacgggggaggtggatgggtggggagagagtc  
 ggctgccatctggggacctagctctggggccaccgggcacccctagctccgagggcttcatgccaggctgcaaga  
 cctcaacttcaacttggacctgtcacggaacaacctagtgacaatccagccagagatgtttgcccggctctcgc  
 gcctccagtgctgtcctgagccgcaacagcatctcgaggcagtcacagggtcaccaatttatgcccgtgacca  
 50 gctgcaggtgctggacctgtcccataacaagctggacctgtaccatggggcgtcttctcacggagctgcccgggc  
 tggaggccctggacctcagctacaacagccagcctcagcatgcagggcggtgggtcaccaacctcagcttctgtg  
 cacagctgcggccctgcgctatctcagcctggcgccacacagacatccacagcgtgtgtcccagcagctctgca  
 gcgctcgtgcgggccccctggacttcagcggaatgccttgagccggatgtggggccgagggagacctgtatctcc  
 acttcttccgagggcctgaggagcctgggtccggttggtatgtcccagaatcgccctgcataacctcttggcacgca  
 55 cctgggacaacctcccccaagagcctgcgggtgtgcgctctccgtgacaattatctggcttcttcaactggagca

- 23 -

gcctgggtcctcctccccaggctggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagct  
 tgccaatggaaccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg  
 ctctggccaccaggctgagagagctcaacctcagtgccaacgcccctcaagacggtggagccctcctgggttcggtt  
 ctctagcgggacacctgaaagtccatagatgtgactggcaacccccctgactgcgcctgtggggcgcccttcgtgg  
 5 acttcttgctggaggtgcaggctgcagtgccccggcctgccaggccacgtcaagtgtggcagtcagggtcagctcc  
 agggccgcagcatctttgcgaggatctgcccctctgacctggatgaggccctctcctgggactgtttggcctct  
 cgctgctgacctggccctggcctggcctggccatgctgcaccacctctgtggctgggacctctggtaactgct  
 tccacctgtgctggcctggcctggcctggcctggcctggcctggcctggcctggcctggcctggcctggcctggcct  
 10 tggctctcgacaaggcacagagcgcggtggcggactgggtgtacaacgagctgcgggtacggctagaggagcgcc  
 gtggacgcccagcgctccgctgtgctggaggaaactgactggctaccgggtaaaacgctctttgagaacctgt  
 gggcctcagtttacagcagccgcaagatgctgtttgtgctggccacacagacagggtcagcgccctcttgccg  
 ccagctttctgctggccagcagcgctgctggaggaccgcaaggacgttggtgtgctggtgatcctgcccgg  
 acgcccaccgctcccgtatgtgcggtgcccagcgccctctgcccagagcgctcctcctctggccccaccagc  
 ccagtggccagcgagcttctggggccagctgggcacggccctgaccagggaacaccagcacttctataaccaga  
 15 acttctgcccgggccccacgacggcagagtaccgcccagcaccccaagcctcctacacctgacctgtctgacctg  
 ggatgcccggg

## SEQ ID NO:28 (Feline TLR9)

atggggccctgccatggcgccctgcacccccctgtctcctcctgggtgcaggctgcccgcctggcctggcctggcc  
 20 cagggcaccctgctgctttctgccctgtgagctccagcgccacggcctggatgaattgcgactggctgttcctc  
 aagtcctgccccacttctcggcgccagcgccccgtggtaacgtcaccagcctttccctgtactccaaccgcac  
 caccacctccagactccgactttgtccacctgtccagcctgcccgcctctcaacctcaaatggaactgccaccc  
 gccagcctcagccccatgcacttcccctgtcacatgaccattgagccccacaccttccctggcctgcccaccctg  
 gaggagctgaacctgagctacaacagcatcacgacagtaccgcccctgcccagttccctcgtgtccctgtccttg  
 25 agcgtaccaaacatccctgggtgctggacctgccaacctcgcaaggctgcaactcctcgtcttctgttctcctggat  
 ggcaactgctactacaagaaccttgcgcgaggccctgcagggtggcccgccctccttggcctgggcaac  
 cttacgcacctgtcactcaagtacaacaacctcactgcgggtgccccgcggcctgccccccagcctggagtaacctg  
 ctattgtcctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgcccctgcgtgtgctcgat  
 gtgggtgggaactgccgtcgctgtgaccacgcccgaacccctgtatggagtggcccaagggttcccgcacctg  
 30 caccctgacaccttcagccacctgaaccacctcgaaggcctgggtgtgaaggacagctctctctacaacctgaac  
 ccagatgggttccatgcccctgggcaacctcatgggtgctggacctgagtgagaacttccatatgactgcatcacc  
 aaaaccacagccttccaggccctggcccagctgcccagactcaactgtctttcaattaccacaagaagggttcc  
 ttgcccacctgcatctggcgccctccttcgggagcctgctcctcctgcagcagctggacatggcatcttcc  
 ttccgctcgctcagcgagaccagctccggctgctgggtccacctgcccctgctccagagctgcacctgcagatg  
 35 aacttcatcaatcaggcccagctcagcatcttcggggccttccctggcctgcatagctggacctgtcagacaac  
 cgcataagtggagccatggagctggcggtgcccagggggaggtggatgggtggggagagagtcgggctgccatct  
 ggggacctagctctggggccaccgggcacccctagctccgagggttcatgcccaggctgcaagacctcaacttc  
 accttggacctgtcacggaacaacctagtgaacatccagccagagatgtttgcccggctctcgccctccagtgc  
 ctgctcctgagccgcaacagcatctcgaggcagtcacgggtcacaatttatgcccgtgaccagcctgcagggtg  
 40 ctggacctgtcccataacaagctggacctgtaccatggcgctctttcacggagctgcccggctggaggccctg  
 gacctcagctacaacagccagcccttcagcatgcaggcggtgggtcacaacctcagctttgtggcacagctgccc  
 gccctgcgtatctcagcctggcgcaacacagatccacagccgtgtgtcccagcagctctgcagcgccctcgctg  
 cgggccttggacttcagcggcaatgccttgagccggatgtggggccgaggagacctgtatctccacttcttcga  
 ggctgaggagcctgggtccggttggatctgtcccagaatgcctgcataacctcttgccacgcaccctggacaac  
 45 ctccccagagcctgcccgtgctgctgctcctgtgacaattatctggctttcttcaactggagcagcctggctcctc  
 ctccccaggtggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagcttgccaatgga  
 accagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagctttttgtcttgccacc  
 aggctgcgagagctcaacctcagtgccaacgcccctcaagacggtggagccctcctgggttcggttctcagcgcc  
 accctgaaagtccatagatgtgactggcaacccccctgactgcgcctgtggggcgcccttcgtggacttcttgctg  
 50 gaggtgcaggctgcagtgcccggcctgcccaggccagctcaagtgtggcagtcagggtcagctccagggcccgcagc  
 atctttgcgaggatctgcgcctctgacctggatgaggccctctcctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide  
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide  
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNIVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTKVPRQLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSRLVLDVGGNCRCDHAPNPCIIECGQKSLHLHPETFHHLSHLEGLVLKDSSLHTLN  
 SSWFQGLVNLVLDLSENFYIESINHTNAFQNLTRLRKLNLNLSFNRYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDCRKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDSLQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 25 MNLTVDVRSNPLHCACGAADFVLDLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFGLSLL  
 AVAVGMVVPILHHLCGWDVWYCFHLCLAWLPLARSRRSAQALPYDAFVVDKAQSAVADWVYNELRVRLERERG  
 RRALRLCLEDRDWLPGQTLFENLWASIYGSRKTLFVLAHTDRVSGLLRTSFLLAQORLLEDKDVVVLVILRPDA  
 HRSRYVRLRQRLCRQSVLFWPQQPNGQGFWAQLSTALTRDNRHFYNQNFRCRGPTAE

#### SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNIVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTKVPRQLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSRLVLDVGGNCRCDHAPNPCIIECGQKSLHLHPETFHHLSHLEGLVLKDSSLHTLN  
 35 SSWFQGLVNLVLDLSENFYIESINHTNAFQNLTRLRKLNLNLSFNRYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDCRKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDSLQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 40 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVDVRSNPLHCACGAADFVLDLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatggttctccgtcgaaggactctgcaccccttgccc  
 ctcttggtacaggctgcagtgctggtgagactctggccctgggtaccctgcctgccttctaccctgtgagctg

- 25 -

aagcctcatggcctgggtgactgcaattggctgttctctgaagtctgtaccccggttctctgcggcagcatcctgc  
tccaacatcaccgcctctccttgatctccaaccgtatccaccacctgcacaactccgacttcgtccacctgtcc  
aacctgcggcagctgaacctcaagtggaaactgtccaccactggccttagccccctgcacttctcttgccacatg  
accattgagccagaaccttctctggctatgctgactggaggagctgaacctgagctataatgggtatcaccact  
5 gtgccccgactgccagctccctgggtgaatctgagcctgagccacaccaacatcctgggttctagatgctaacagc  
ctcgccgctatatacagcctgcgcttctcttcatggacgggaactgctactacaagaaccttgcacaggagcg  
gtgaaggtgacccagggcgccctcctgggctgagcctacccatctgtctctgaagtataacaacctcaca  
aagggtgccccgcaactgccccccagcctggagtacctcctgggtgtcctataacctcattgtcaagctggggcct  
gaagacctggcgaatctgacctcccttcgagtacttgatgtgggtgggaattgccgtcgctgcgacctgcccc  
10 aatccctgtatagaatgtggccaaaagtccctccacctgcacctgagaccttccatcacctgagccatctggaa  
ggcctgggtgtgaaggacagctctctccatacactgaactcttccctgggtccaaggtctgggtcaacctctcggtg  
ctggacctaaagcgagaacttctctatgaaagcatcaaccacaccaatgcctttcagaacctaacccgcctgcg  
aagctcaacctgtccttcaattaccgcaagaaggtatcctttgcccgcctccacctggcaagttccttcaagaac  
ctgggtgtcactgcaggagctgaacatgaacggcatcttctccgctcgctcaacaagtacacgctcagatggctg  
15 gccgatctgccccaaactccacactctgcatcttcaaatgaacttcatcaaccaggcacagctcagcatcttgggt  
accttccgagcccttcgcttgggtgacttctcagacaatcgcatcagtgggccttcaacgctgtcagaagccacc  
cctgaagaggcagatgatgcagagcaggaggagctgtgtctgcggatcctcaccagctccactgagcaccct  
gcttctaagaacttcatggacaggtgtaagaacttcaagttcaccatggacctgtctcggaacaacctgggtgact  
atcaagccagagatgttctcaatctctcagcctccagtgcttagcctgagccacaactccattgcacaggct  
20 gtaagtgctcagctcctgcccgtgactaatctgcaggtgctggacctgtccatacaaaactggactgttac  
cactggaaatcgctcagtgagctaccacagttgcagggcctggacctgagctacaacagccagccctttagcatg  
aagggtataggccacaatttcaagtttgggtggcctctgtccatgctacacagccttagcctggcacacaatgac  
attcatacccggtgtgctcctcacatctcaacagcaactcagtgagggttcttgacttcagcggcaacgggtatgggc  
cgcatgtgggatgaggggggcttctatctccatttcttccaaggcctgagtggtgctgaagctggacctgtct  
25 caaaataacctgcatatcctccggccccagaaccttgacaacctccccagagcctgaagctgctgagcctccga  
gacaactacctatcttctttaaactggaccagtctgtccttccctgcccaacctggaaagtccctagacctggcaggc  
aaccagctaaaggccctgaccaatggcaccctgcctaatggcaccctccctccagaaactggatgtcagcagcaac  
agtatcgtctctgtgggtcccagccttcttctgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt  
ctcaagacgggtggatcgctcctgggttggggccatctggtatgaacctgacagttctagacgtgagaagcaacct  
30 ctgcaactgtgctgtggggcagccttcgttagacttactgttggagggtgcagaccaaggtgacctggcctggtta  
gggtgtgaagtggtggcagccccggccagctgcagggcgtagcatcttcgcacaggacctggcggtgtgctggat  
gaggtcctctcttgggactgcttggcctttcactcttgggtgtggcggtgggcatgggtgggtgctatactgcac  
catctctgcgggtgggacctgtggtactgttttcatctgtgctggcatgggtaccttctgctggcccgagccga  
cgacgccccaaagctctccctatgatgccttcgtgggtgttcgataaggcacagagcgcagttgctggactgggtg  
35 tataacgagctgcgggtgcggctggaggagcggcgcggtcgccgagccctacgctgtgtctggaggaccgagat  
tgggtgctggccagacgctctctcagagaaccttgggctccatctatgggagccgcaagactctatttggctg  
gcccacacggacggcgtcagtggtcctctgcgcaccagcttctgctgggtcagcagcgctgttggaaagccgc  
aaggacgtgggtgtgtgtgatcctgcgtccggatgccaccgctcccgctatgtgcgactgcgccagcgtctc  
tgccgccagagtggtctcttggccccagcagcccaacgggcaggggggcttctggggccagctgagtacagcc  
40 ctgactagggaacaaccgcaacttctataaccagaacttctgcccgggacctacagcagaatagctcagagcaaca  
gctggaaacagctgcatcttcatgctgggtcccaggtgtctctgctgc

## SEQ ID NO:31 (Murine TLR9)

atgggtctccgctcgaaggactctgcacccttgtccctcctgggtacaggctgcagtgctgggtgagactctggcc  
45 ctgggtaccctgcctgcttctaccctgtgagctgaagcctcatggcctgggtggactgcaattgggtgttctctg  
aagtctgtaccccggttctctgcggcagcatcctgctccaacatcaccgcctctccttgatctccaaccgtatc  
caccacctgcacaactccgacttcgtccacctgtccaacctgcggcagctgaacctcaagtggaaactgtccaccc  
actggccttagccccctgcacttctcttgccacatgaccattgagccagaaccttctggctatgcgtacactg  
gaggagctgaacctgagctataatgggtatcaccactgtgccccgactgccagctccctgggtgaatctgagcctg  
50 agccacaccaacatctgggtcttagatgctaacagcctcgccggcctatacagcctgcgcgttctcttcatggac  
gggaactgtactacaagaaccttgcacaggagcgggtgaaggtgaccccgagcgccctcctgggctgagcaat  
ctcaccatctgtctctgaagtataacaacctcacaaaggtgccccgccaactgccccccagcctggagtagctc  
ctgggtgtcctataacctcattgtcaagctggggcctgaagacctggccaactctgacctcccttcgagtacttgat  
gtgggtgggaattgccgtcgctgcgacctgcccccaatcctgtatagaatgtggccaaaagtcctccacctg  
55 caccctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac  
tcttctgggttccaaggtctgggtcaacctctcggtgctggacctaaagcgagaacttctctatgaaagcatcaac  
cacaccaatgccttccagaacctaacccgctgcgcaagctcaacctgtccttcaattaccgcaagaaggtatcc



- 26 -

tttgcccgcctccacctggcaagttccttcaagaacctgggtgctcactgcaggagctgaacatgaacggcatcttc  
 tccgctcgctcaacaagtacacgctcagatggctggccgcatctgccccaaactccacactctgcatcttcaaag  
 aacttcatcaaccaggcacagctcagcatctttggtaccttccgagcccttcgctttgtggactgtcagacaat  
 cgcatcagtgggccttcaacgctgtcagaagccaccctgaagaggcagatgatgcagagcaggaggagctgttg  
 5 tctgcggtcctcaccagctccactgagcaccctgcttctaagaacttcatggacaggtgtaagaacttcaag  
 ttcaccatggacgtgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaatctctcacgctccag  
 tgtcttagctgagccacaaactccattgacagagctgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtcccataaacaactggactgtaccactggaaatcggtcagtgagctaccacagttgcagcc  
 ctggacctgagctacaacagccagcccttagcatgaaggtataggccacaatttcagttttgtggcccatctg  
 10 tccatgctacacagccttagcctggcacacaatgacattcatacccggtgtgctcctcacatctcaacagcaactca  
 gtgaggtttcttgacttcagcggcaacggatggcgccgcatgtgggatgagggggccctttatctccatttcttc  
 caaggcctgagtgggcctgctgaagctggacctgtctcaaaataacctgcatactctccggccccagaaaccttgac  
 aacctccccagagcctgaagctgctgagcctccgagacaactacctatctttctttaactggaccagtctgtcc  
 ttcttgcaccaactgggaagtcttagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgcctaact  
 15 ggcaccctctccagaaactggatgtcagcagcaacagtatcgtctctgtggtccagccttcttctgctctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagacgggtggatcgctcctgggtttgggcccattgtg  
 atgaacctgacagttctagacgtgagaagcaaccctctgcactgtgctgtggggcagccttctgtagacttactg  
 ttggaggtgcagaccaaggtgctggcctggctaaggtgtgaagtgtggcagccccggccagctgcaggggcctg  
 agcatcttcgcacaggacctgcggctgtgacctggatgaggtcctctcttgggactgctttggc

20

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 SHTNIMLDSASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL  
 25 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNCPMECPRHFPQLHPDTFSHLSRLEGLVLKDSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCTTKTAFQGLTQLRKLNLNLFNYQKRVSAHLSLAPSFGLVALKELDHMGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPTGLQV  
 LDLSRNKLDLYEHSFTLPRLEALDLSYNSQPFQMGGVGHNFSAHLRLTLRHLSLAHNNIHSQVSQQLCSTSL  
 30 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRLLHTLLPQTLRNLPKSLQVLRRLDNYLAFFKWWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRLDVSNCISFVAPGFFSKAKELRELNLNLSANALKTVDHSWFGLAS  
 ALQILDVSNPLHCAGAAFMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFLSLA  
 VALGLGVPMPLHHLGWDLYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVFDTQSAVADWVYNELRGQLEECRG  
 RWALRLCLEERDWPGLKTLFENLWASVYGSRTFLVLAHTDRVSGLLRASFLAQQRLLDRKDVVLVILSPDG  
 35 RRSRYVRLRQLRQSVLLWPHQPSGQRSFWAQLGMALTRDNHNFYNNRNCQGPAT

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNIMLDSASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNCPMECPRHFPQLHPDTFSHLSRLEGLVLKDSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCTTKTAFQGLTQLRKLNLNLFNYQKRVSAHLSLAPSFGLVALKELDHMGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPTGLQV  
 45 LDLSRNKLDLYEHSFTLPRLEALDLSYNSQPFQMGGVGHNFSAHLRLTLRHLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRLLHTLLPQTLRNLPKSLQVLRRLDNYLAFFKWWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRLDVSNCISFVAPGFFSKAKELRELNLNLSANALKTVDHSWFGLAS  
 ALQILDVSNPLHCAGAAFMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

## 50 SEQ ID NO:35 (Human TLR9)

aggtgggtataaaaaattacttctctctctgagccgctgctgcccctgtgggaaggacacctcgagtgtga  
 agcatccttccctgtagctgctgtccagctctgcccgcagaccctctggagaagcccctgccccagcatgggt  
 ttctgcccgcagcgcctgcaccgctgtctctctggtgcaggccatcatgctggccatgacctggccctgggt



- 27 -

accttgctgcttctaccctgtgagctccagccccacggcctgggtaactgcaactggctgttctgaagtct  
gtgccccacttctccatggcagcaccctgtggaatgtcaccagccttctctgtcctccaaccgcatccaccac  
ctccatgattctgactttgccacctgccagcctgctggcatctcaacctcaagtggaaactgcccgcgggtggc  
5 ctacgccccatgcacttcccctgccacatgaccatcgagccacgaccttcttggtgtgcccacccctggaagag  
ctaaacctgagctacaacaacatcatgactgtgcctgcgtgcccacaaatccctcatatccctgtccctcagccat  
accaaactcctgatgctagactctgccagcctcgccggcctgcatgccctgcgttcttattcatggacggcaac  
tggtattacaagaaccctgcaggcaggcactggaggtggccccgggtgccctccttgccctgggcaacctcacc  
cactgtcactcaagtacaacaacctcactgtggtgccccgcaacctgcctccagcctggagtatctgctgttg  
10 tctacaaccgcatcgtcaaaactggcgctgaggacctggccaatctgaccgcccctgcgtgtgctcgatgtgggc  
ggaaattgcccgcgtgagaccacgctcccaacccctgcatggagtgccctcgtcacttccccagctacatccc  
gataccttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagttctctcctggctgaatgccagt  
tggttccgtgggctgggaaacctccgagtgctggacctgagtgagaacttctctacaaatgcatcactaaaacc  
aaggccttccagggcctaacacagctgcgaagcttaacctgtccttcaattacaaaagaggggtgtcctttgcc  
cactgtctctggcccccttcttccggagcctggcgccctgaaggagctggacatgcacggcatcttcttcgc  
15 tcaactgatgagaccacgctccggccactggccgctgcccattgctccagactctgcgtctgcagatgaacttc  
atcaaccaggccacgtcggcatcttcaggcccttccctggcctgcgtacgtggacctgtcggacaaccgcatc  
agcggagcttcggagctgacagccaccatgggggagggcagatggaggggagaaggtctggctgcagcctggggac  
cttgctccggccccagtggaactcctcagctctgaagacttcaggcccaactgcagcaccctcaacttcacctg  
gatctgtcacggaacaacctgggtgaccgtgcagccggagatgtttgccagctctcgcacctgcagtgcctgcgc  
20 ctgagccacaactgcatctcgcaggcagctcaatggctcccagttcctgccgctgaccggtctgcaggtgctagac  
ctgtcccgaataagctggacctctaccagagcactcattcacggagctaccgcgactggaggccctggacctc  
agctacaacagccagcccttggcatgcaggcgctgggcccacaaacttcagcttctgtggctcacctgcgacccctg  
cgccacctcagcctggccacaacaacatccacagccaaagtgtcccagcagctctgcagtacgtcgtcggggcc  
ctggacttcagcggcaatgcactgggcatatgtgggcccagggagacctctatctgcaacttctccaaggcctg  
25 agcgggttgatctggctggactgtcccagaaccgctgcacaccctcctgccccaaacctgcgcaacctcccc  
aagagctacaggtgctgcgtctccgtgacaattacctggccttctttaagtgggtggagcctccacttctgccc  
aaactggaagtctcgcacctggcaggaacccggctgaaggccctgaccaatggcagcctgcctgctggcaccgg  
ctccggaggctggatgtcagctgcaacagcatcagcttctggcccccggttcttttccaaggccaaggagctg  
cgagagctcaaccttagcgcaacgcctcaagacagtggaacctcctgggttggccccctggcgagtgccctg  
30 caaatactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttctggacttctgctggagggtg  
caggctgcctgccccggtctgcccagccgggtgaagtgtggcagtcggggccagctccaggccctcagcatcttt  
gcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgccctctcgtgctggctgtggct  
ctgggcttgggtgtgcccattgctgcatcacctctgtggctgggacctctggtagcttccacctgtgctggcc  
tggttctcctggcgggggcggaagtgggcgagatgaggatgcctgccctacgatgccttctggtgtcttgac  
35 aaaacgcagagcgcagtggcagactgggtgtacaacgagcttcgggggcagctggaggagtgcctggcgctgg  
gcaactccgctgtgctggaggaaacgcgactggctgctggcaaacctctttgagaacctgtgggctcctgggtc  
tatggcagcgcaacgctgtttgtgtgcccacagcaggggtcagtggtctcttgccgcccagcttctcctg  
ctggcccagcagcctgctggaggaccgcaaggacgtcgtggtgctgggtgatctgagccctgacggccgcgc  
tcccgtacgtgcccgtgcgccagcgcctctgccgccagagtgtcctccttgggccccaccagccagtggtcag  
40 cgcagcttctgggcccagctgggcatggccctgaccagggacaaccaccacttctataacgggaacttctgccag  
ggacccacggccgaatagccgtgagccggaatcctgcaggtgccacctccacactcacctcactctgctgcc  
tggtctgacctccctgctgcctccctcaccacacactgacacagagca

## SEQ ID NO:36 (Human TLR9)

atgggtttctgcccagcgcctgcacccgctgtctctcctgggtgcaggccatcatgctggccatgacctggcc  
ctgggtaccttgctgccttctaccctgtgagctccagccccacggcctgggtaactgcaactggctgttctctg  
aagtctgtgcccacttctccatggcagcaccctgtggcaatgtcaccagccttctctgtcctccaaccgcatc  
caccacctccatgattctgactttgccacctgccagcctgctggcatctcaacctcaagtggaaactgcccgcg  
gttgccctcagccccatgcacttcccctgccacatgaccatcgagccacgaccttcttggtgtgcccacccctg  
50 gaagagctaaacctgagctacaacaacatcatgactgtgcctgcgtgcccacaaatccctcatatccctgtccctc  
agccataccaacatcctgatgctagactctgccagcctcgccggcctgcatgccctgcgttcttattcatggac  
ggcaactgttattacaagaaccctgcaggcaggcactggaggtggccccgggtgccctccttgccctgggcaac  
ctcaccacactgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttcagcctggagtatctg  
ctggtgtcctacaaccgcatcgtcaaaactggcgctgaggacactggccaatctgaccgcccctgcgtgtgctcgat  
gtggcggaatttgcgcgcgtgcgaccacgtcccaacccctgcatggagtgccctcgtcacttccccagcta  
cateccgataccttcagccactgagccgtcttgaaggcctgggtgttgaaggacagttctctctcctggctgaat  
55 gccagttgggtccgtgggctgggaaacctccgagtgctggacctgagtgagaacttctctacaaatgcatcact

- 28 -

5 aaaaccaaggccttcaggggcctaacacagctgcgcaagcttaacctgtccttcaattaccaaagaggggtgtcc  
 tttggccacctgtctctggcccttccttcgggagcctggctgcctgaaggagctggacatgcacggcatcttc  
 ttccgctcactcgatgagaccagctccggccactggcccgctgccatgctccagactctgcgtctgcagatg  
 aacttcatcaaccaggcccagctcgcatcttcaggggccttcctggcctgcgctacgtggacctgtcggacaac  
 10 cgcatcagcggagcttcggagctgacagccaccatgggggaggcagatggaggggagaaggtctggctgcagcct  
 ggggacctgtctccggccccagtggaactcccagctctgaagacttcaggcccaactgcagcaccctcaacttc  
 accttggatctgtcacggaacaacctgggtgaccgtgcagccggagatgtttggccagctctcgcacctgcagtgc  
 ctggcctgagccacaactgcctcgcaggcagtcgaatggctcccagttcctgcccgtgacccggtctgcagggtg  
 ctagacctgtcccgcaataagctggacctctaccacgagcactcattcacggagctaccggactggaggccctg  
 15 gacctcagctacaacagccagccctttggcatgcaggcggtgggccacaacttcagcttcgtggctcacctgcgc  
 accttgcgccacctcagcctggcccaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctg  
 cggggcctggacttcagcggcaatgcactggggccatagtggggcagggagacctctatctgcactcttccaa  
 ggcctgagcgggtttgatctggctggactgtcccagaaccgcctgcacacctcctgccccaaacctgcgcaac  
 ctccccaaagagcctacaggtgtgcgtctccgtgacaattacctggccttctttaagtgggtggagcctccaacttc  
 20 ctgccccaaactggaagtctcgcacctggcaggaaccggctgaaggccctgaccaatggcagcctgcctgctggc  
 acccggtccggaggctggatgtcagctgcaacagcatcagcttcgtggcccccggttcttttccaaggccaag  
 gagctgcgagactcaaccttagcggcaacgcctcaagacagtggaccactcctggtttggggccctggcgagt  
 gccctgcaataactagatgtaagcgcaacctctgcactgcgcctgtggggcgccctttatggacttctgctg  
 gaggtgcaggctgccgtgcccggtctgccagccgggtgaagtgtggcagtcggggccagctccagggcctcagc  
 atctttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide  
5 sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is  
10 operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in  
15 eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art.  
20 The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

25 In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid  
30 coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA

- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

5'-N<sub>1</sub>X<sub>1</sub>CGX<sub>2</sub>N<sub>2</sub>-3'

wherein X<sub>1</sub> and X<sub>2</sub> are nucleotides, N is any nucleotide, and N<sub>1</sub> and N<sub>2</sub> are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments X<sub>1</sub> is adenine, guanine, or thymine and/or X<sub>2</sub> is cytosine, adenine, or thymine. In other embodiments X<sub>1</sub> is cytosine and/or X<sub>2</sub> is guanine.

Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease). Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has  
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.  
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by  
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,  
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid  
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.



- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

|                 |                  |              |
|-----------------|------------------|--------------|
| CXXC motif:     | GNCXXCXXXXXXCXXC | SEQ ID NO:62 |
| Human TLR9:     | GNCRRCDHAPNPCMEC | SEQ ID NO:63 |
| 25 Murine TLR9: | GNCRRCDHAPNPCMIC | SEQ ID NO:64 |

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

|         |   |              |
|---------|---|--------------|
| MBD-1   | R-XXXXXXX-R-X-D-X-Y-XXXXXXXXXX-R-S-XXXXXX-Y | SEQ ID NO:65 |
| hTLR9   | Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-R-L-XXXXXX-Y | SEQ ID NO:66 |
| mTLR9   | Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-Q-L-XXXXXX-Y | SEQ ID NO:67 |
| 5 hTLR9 | Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y  | SEQ ID NO:68 |
| mTLR9   | Q-VLDLSHN-K-L-D-L-Y-HWKSFSERP-Q-L-QALDLS-Y  | SEQ ID NO:69 |

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid  
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving  
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

10 According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

15 In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

30 Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test

- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNeasy<sup>TM</sup> (Ambion<sup>®</sup>, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:

20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix  
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZEROTM - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment  
5 were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

10 Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19,  
15 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

20 Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple  
25 sequence alignment are presented in Figure 1. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino  
30 acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;



- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

|                |  |
|----------------|--|
| 293-hTLR9-luc: | expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter  |
| 293-mTLR9-luc: | expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter |
| 293-hTLR9:     | expressing human TLR9  |
| 15 293-mTLR9:  | expressing murine TLR9   |

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

**Claims**

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.  
5
2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.
3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.  
10
4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.  
15
5. A vector comprising the nucleic acid of any of claims 3-4.
6. A cell comprising the vector of claim 5.  
20
7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.
8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:  
25 aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;  
30 generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with  
5 the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a  
15 CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the  
20 initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred  
30 CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5           12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10           14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15           contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
              measuring a signal in response to the contacting; and  
              identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20           17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25           18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30           20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GCGGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

|    |                      |                     |
|----|----------------------|---------------------|
| 20 | TCCATGACGTTTTTGATGTT | (SEQ ID NO:39),     |
|    | TCCATAACGTTTTTGATGTT | (SEQ ID NO:40),     |
|    | TCCATCACGTTTTTGATGTT | (SEQ ID NO:41),     |
|    | TCCATTACGTTTTTGATGTT | (SEQ ID NO:42),     |
|    | TCCATGGCGTTTTTGATGTT | (SEQ ID NO:43),     |
| 25 | TCCATGCCGTTTTTGATGTT | (SEQ ID NO:44),     |
|    | TCCATGTCGTTTTTGATGTT | (SEQ ID NO:45),     |
|    | TCCATGATGTTTTTGATGTT | (SEQ ID NO:46),     |
|    | TCCATGAAGTTTTTGATGTT | (SEQ ID NO:47),     |
|    | TCCATGAGGTTTTTGATGTT | (SEQ ID NO:48),     |
| 30 | TCCATGACATTTTTGATGTT | (SEQ ID NO:49),     |
|    | TCCATGACCTTTTTGATGTT | (SEQ ID NO:50),     |
|    | TCCATGACTTTTTTGATGTT | (SEQ ID NO:51),     |
|    | TCCATGACGCTTTTGATGTT | (SEQ ID NO:52),     |
|    | TCCATGACGATTTTGATGTT | (SEQ ID NO:53),     |
| 35 | TCCATGACGGTTTTGATGTT | (SEQ ID NO:54),     |
|    | TCCATGACGTCTTTGATGTT | (SEQ ID NO:55),     |
|    | TCCATGACGTATTTGATGTT | (SEQ ID NO:56), and |
|    | TCCATGACGTGTTTGATGTT | (SEQ ID NO:57).     |

|         |   |     |
|---------|---|-----|
| feline  | MGPCGHALHPLSLVQAAALAVALAAGQTLPAFLPCELQRHGLVNCNWLFLKSVPHFSAAA  | 60  |
| canine  | MGPFCRGALHPLSLVQAAALALALAAGQTLPAFLPCELQPHGLVNCNWLFLKSVPRFSAAA | 60  |
| bovine  | MGP-YCAPHPLSLVQAAALAAALAAGTLPFAFLPCELQPHGQVDCNWLFLKSVPHFSAGA  | 59  |
| mouse   | MGP-YCAPHPLSLVQAAALAAALAAGTLPFAFLPCELQPHGQVDCNWLFLKSVPHFSAGA  | 59  |
| ovine   | MGP-YCAPHPLSLVQAAALAAALAAGTLPFAFLPCELQPHGQVDCNWLFLKSVPHFSAGA  | 59  |
| porcine | MGP-RCTLHPLSLVQVOTALAAALAAGQRLPAFLPCELQPHGLVNCNWLFLKSVPRFSAGA | 59  |
| horse   | MGP-YCAPHPLSLVQAAALAAALAAGTLPFAFLPCELQPHGLVNCNWLFLKSVPHFSAAA  | 59  |
| human   | MGFCRSALHPLSLVQAIMLAMTLAAGTLPFAFLPCELQPHGLVNCNWLFLKSVPHFSMAA  | 60  |
| rat     | MVLCRRTHLHPLSLVQAAVLAELAGTLPFAFLPCELKPHGLVDCNWLFLKSVPHFSAAE   | 60  |
|         | * : :*****. ** : ** * **.******. : * * :*****.*** .           |     |
| feline  | PRGNVTSLSLSYNRIHHLHSDSFVHLSSRLRLNLKWNCPASLSPMHFPCHMTIEPHTFL   | 120 |
| canine  | PRGNVTSLSLSYNRIHHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFL   | 120 |
| bovine  | PRANVTSLSLSINRIHHLHSDSFVHLSNLRVLNLKWNCPAGLSPMHFPCHMTIEPNTFL   | 119 |
| mouse   | PRANVTSLSLSINRIHHLHSDSFVHLSNLRVLNLKWNCPAGLSPMHFPCHMTIEPNTFL   | 119 |
| ovine   | PRANVTSLSLSINRIHHLHSDSFVHLSNLRVLNLKWNCPAGLSPMHFPCHMTIEPNTFL   | 119 |
| porcine | PRANVTSLSLSINRIHHLHSDSFVHLSNLRVLNLKWNCPAGLSPMHFPCHMTIEPNTFL   | 119 |
| horse   | PRDNVTSLSLSINRIHHLHSDSFAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFL    | 119 |
| human   | PRGNVTSLSLSINRIHHLHSDSFAHLPSLRHLNLKWNCPVGLSPMHFPCHMTIEPNTFL   | 120 |
| rat     | PRSNITSLSLIANRIHHLHNLDFVHLNPNVRQLNLKWNCPVGLSPLHFCRMTIEPKTFL   | 120 |
|         | ** * :*****. :*****. * : : : ***** .***.*. :***** **          |     |
| feline  | AVPTLEELNLSYNSITVPALPSSSVLSLSRSTNIVLDPANLAGLSLRFLLDGNCCY      | 180 |
| canine  | AVPTLEELNLSYNSITVPALPSSSVLSLSRSTNIVLDPATLAGLYALRFLFLDGNCCY    | 180 |
| bovine  | AVPTLEELNLSYNGITVPALPSSSVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCY    | 179 |
| mouse   | AVPTLEELNLSYNGITVPALPSSSVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCY    | 179 |
| ovine   | AVPTLEELNLSYNGITVPALPSSSVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCY    | 179 |
| porcine | AVPTLEELNLSYNSITVPALPSSSVLSLSRSTNIVLDPHTLGLHALRFLYMDGNCCY     | 179 |
| horse   | AVPTLEELNLSYNGITVPALPSSSVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCY    | 179 |
| human   | AVPTLEELNLSYNNITVPALPKSLISLSHTNIMLDSASLAGLHALRFLYMDGNCCY      | 180 |
| rat     | AMRMLEELNLSYNGITVPRLPSSLTNLSLSHTNIVLDASSLAGLSLRLVFLMDGNCCY    | 180 |
|         | * : ** :*****. * *** **.*. * ** :*.*** *.. : :*** :* * :***** |     |
| feline  | KNPCPQALQVAPGALLGLGNLTHLSLKYNNLTAVPRGLPPSLEYLLLSYNHIITLAPEDL  | 240 |
| canine  | KNPCQQALQVAPGALLGLGNLTHLSLKYNNLTAVPRGLPPSLEYLLLSYNHIITLAPEDL  | 240 |
| bovine  | MNPPCRALEVAPGALLGLGNLTHLSLKYNNLTAVPRRLPPSLDTLLLSYNHIVTLAPEDL  | 239 |
| mouse   | MNPPCRALEVAPGALLGLGNLTHLSLKYNNLTAVPRRLPPSLDTLLLSYNHIVTLAPEDL  | 239 |
| ovine   | KNPCQQAQVAPGALLGLGNLTHLSLKYNNLTAVPRRLPPSLDTLLLSYNHIITLAPEDL   | 239 |
| porcine | KNPCQGALEVPAGALLGLGNLTHLSLKYNNLTAVPRSLPPSLEYLLLSYNHIVTLAPEDL  | 239 |
| horse   | KNPCGRALEVAPGALLGLGNLTHLSLKYNNLTAVPRSLPPSLEYLLLSYNHIVTLAPEDL  | 240 |
| human   | KNPCGRALEVAPGALLGLGNLTHLSLKYNNLTAVPRNLPPSLEYLLLSYNRIVKLAPEDL  | 240 |
| rat     | KNPCNGAVNVTDAFLGLSNLTHLSLKYNNLTAVPRQLPPSLEYLLLSYNLIVKLGAEDL   | 240 |
|         | *** * :*. * :*.***.*****.*** **.*. :***** * : *               |     |
| feline  | ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFHSNLHLEGLVLKDSLSYLN   | 300 |
| canine  | ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLHPDTFHSNLHLEGLVLKDSLSYLD   | 300 |
| bovine  | ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPHLHPDTFHSLSRLEGLVLKDSLSYKLE  | 299 |
| mouse   | ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPHLHPDTFHSLSRLEGLVLKDSLSYKLE  | 299 |
| ovine   | ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPHLHPDTFHSLSRLEGLVLKDSLSYKLE  | 299 |
| porcine | ANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFHSLSRLEGLVLKDSLSYLN    | 299 |
| horse   | ANLTALRVLDVGGNCRRCDHARNPCVECPKHPQLHSDTFHSLSRLEGLVLKDSLSYQLN   | 300 |
| human   | ANLTALRVLDVGGNCRRCDHARNPCMECPKHPQLHSDTFHSLSRLEGLVLKDSLSYQLN   | 300 |
| rat     | ANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHLSHLEGLVLKDSLSYLN    | 300 |
|         | ***.*. :*****. : * * : *..*.*. :*****.*** * :                 |     |
| feline  | PRWFHAGLNLMLVDLSENFLYDCITKTAFQGLAQLRRLNLSFNYHKKVSAFHLHLAPSF   | 360 |
| canine  | PRWFHGLGNLMLVDLSENFLYDCITKTAFYGLARLRLNLSFNYHKKVSAFHLHLASSF    | 360 |
| bovine  | KDWFRLGLRLQVLDLSENFLYDYITKTITFNDLTQLRRLNLSFNYHKKVSAFHLHLASSF  | 359 |
| mouse   | KDWFRLGLRLQVLDLSENFLYDYITKTITFNDLTQLRRLNLSFNYHKKVSAFHLHLASSF  | 359 |
| ovine   | KDWFRLGLRLQVLDLSENFLYDYITKTITFNRNLTQLRRLNLSFNYHKKVSAFHLHLAPSF | 359 |
| porcine | TRWFRLGLRLQVLDLSENFLYDCITKTAFQGLARLRLNLSFNYHKKVSAFHLHLAPSF    | 359 |
| horse   | PRWFRLGNLTVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNYHKKVSAFHLHLAPSF    | 360 |
| human   | ASWFRLGNLRLVDLSENFLYKICITKTAFQGLTQLRLNLSFNYQKRVSAFHLHLAPSF    | 360 |
| rat     | SKWFOGLANLSVLDLSENFLYESINKTSAFQNLTRLRLKDLSENYCKKVSFARHLHLASSF | 360 |
|         | ***. * .*****.*** * *..*.*. :*****.*** * *                    |     |



**Figure 1**  
**(2/3)**

[illegible]

**Figure 1  
(3/3)**

|         |   |      |
|---------|---|------|
| feline  | SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLVDVTGNPLHCACGAAFVDFLLEVO   | 778  |
| canine  | SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLVDVTANPLHCACGATFVDFLLEVO   | 780  |
| bovine  | GFFVRATRLLIELNLSANALKTVDPSPWFGSLAGTLKLILDVSANPLHCACGAAFVDFLLEVO | 776  |
| mouse   | GFFVRATRLIELNLSANALKTVDPSPWFGSLAGTLKLILDVSANPLHCACGAAFVDFLLEVO  | 776  |
| ovine   | GFFVLNARLKELNLSANALKTVDPSPWFGSMVGNLKVLVDVSANPLHCACGATFVGFLLEVO  | 777  |
| porcine | GFFALAQLELNLSANALKTVEPSWFGSMVGNLKVLVDVSANPLHCACGATFVGFLLEVO     | 777  |
| horse   | GFFALATRLRELNLSANALRTEEPSWFGFLAGSEVLVDVSANPLHCACGAAFVDFLLQVO    | 778  |
| human   | GFFSKAKELRELNLSANALKTVDHWSWFGPLASALQLLDVSANPLHCACGAAFMDFLLEVO   | 778  |
| rat     | AFFALAVELKEVNLSHNILKTVPWFPGPIVMNLTVLDVSSNPGLHCACGAAFVDFLLEVO    | 779  |
|         | . ** * . * :*** * *: * : *** : . * :***.:*****.*:..*: *         |      |
| feline  | AAPVGLPGHVKGCSPPQLQGRSIFAQDLRLCLDEALSWDCCFGLSLLTVALGLAVPMLHHI   | 838  |
| canine  | AAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWCFCFLSLLAVALSLAVPMLHOL    | 840  |
| bovine  | EAPVGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFCFLSLLMVALGLAVPMLHHI   | 836  |
| mouse   | EAPVGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFCFLSLLMVALGLAVPMLHHI   | 836  |
| ovine   | AAPVGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSLDCFCFLSLLMVALGLAVPMLHHI   | 836  |
| porcine | AAPVGLPSRVKCGSPGQLQGHSIFAQDLRLCLDETLSWNCFGLSLLAMALGLVVPMMLHHI   | 837  |
| horse   | AAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFCFLSLLVVALGLAMPMLHHI   | 838  |
| human   | AAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCCFGLSLLAVALGLVPMMLHHI   | 838  |
| rat     | TKVPGLANGVKCSPRQLQGRSIFAQDLRLCLDDVLSRDCCFGLSLLAVAVGTVLPLLOHI    | 839  |
|         | ****. *. ***** **** :*****. ** **:*** :*. :*:** :               |      |
| feline  | CGWDLWYCFHLCLAWLPERRGR--RGADALPYDAFVFDKAQSAAVADWVYNELRVLEER     | 896  |
| canine  | CGWDLWYCFHLCLAWLPERRGR--RGVDALAYDAFVFDKAQSSAADWVYNELRVQLEER     | 898  |
| bovine  | CGWDLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVVFDDKVQSAVADWVYNELRVQLEER   | 894  |
| mouse   | CGWDLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVVFDDKVQSAVADWVYNELRVQLEER   | 894  |
| ovine   | CGWDLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAFVFDKAQSAAVADWVYNELRVQLEER    | 894  |
| porcine | CGWDLWYCFHLCLAWLPHRGR--RGADALFYDAFVFDKAQSAAVADWVYNELRVQLEER     | 895  |
| horse   | CGWDLWYCFHLGLAWLPWRGWQ--RGADALSYPDAFVFDKAQSAAVADWVYNELRVLEER    | 896  |
| human   | CGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVFDKTSAAVADWVYNELRGQLEEC     | 898  |
| rat     | CGWDVWYCFHLCLAWLP LLTRGR-RSAQALPYDAFVFDKAQSAAVADWVYNELRVLEER    | 898  |
|         | *****:***** ** ** * . ::* ****.*****.*:*****.*:***              |      |
| feline  | RGRRALRLCLEERDWPGLPKTTFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQRL   | 956  |
| canine  | RGRRALRLCLEERDWPGLPKTTFENLWASVYSSRKTLFVLARTDRVSGLLRASFLLAQQRL   | 958  |
| bovine  | RGRRALRLCLEERDWPGLPKTTFENLWASVYSSRKTMFVLHDHTDRVSGLLRASFLLAQQRL  | 954  |
| mouse   | RGRRALRLCLEERDWPGLPKTTFENLWASVYSSRKTMFVLHDHTDRVSGLLRASFLLAQQRL  | 954  |
| ovine   | RGRRALRLCLEERDWPGLPKTTFENLWASVYSSRKTMFVLHDHTDRVSGLLRASFLLAQQRL  | 954  |
| porcine | RGRRALRLCLEERDWPGLPKTTFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQRL   | 955  |
| horse   | RGRRALRLCLEERDWPGLPKTTFENLWASVYSSRKMLFVLAHTDOVSGLLRASFLLAQQRL   | 956  |
| human   | RGRWALRLCLEERDWPGLPKTTFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRL   | 958  |
| rat     | RGRRALRLCLEDRDWPGLQTTFENLWASIYGSRKTLFVLAHTDKVSGLLRTSFLLAQQR     | 958  |
|         | *** *****:***:*.*****:*.*** :*** :*.*****:*****                 |      |
| feline  | LEDKRDVVVLVILRPDAHRSRYVRLRQLRCQSVLLWPHQPSPGQSFQAQLGTALTRDNQ     | 1016 |
| canine  | LEDKRDVVVLVILCPDAHRSRYVRLRQLRCQSVLLWPHQPSPGQSFQAQLGTALTRDNR     | 1018 |
| bovine  | LEDKRDVVVLVILRPAAYRSRYVRLRQLRCQSVLLWPHQPSPGGQSFWANLGIALTRDNR    | 1014 |
| mouse   | LEDKRDVVVLVILRPAAYRSRYVRLRQLRCQSVLLWPHQPSPGGQSFWANLGIALTRDNR    | 1014 |
| ovine   | LEDKRDVVVLVILRPAAYRSRYVRLRQLRCQSVLLWPHQPSPGGQSFWANLGIALTRDNR    | 1014 |
| porcine | LEDKRDVVVLVILRPDAYRSRYVRLRQLRCQSVLLWPHQPRGQSFQAQLGTALTRDNH      | 1015 |
| horse   | LEDKRDVVVLVILSPDARRSYVRLRQLRCQSVLFWEHPQPSPGQSFQAQLGMALTRDNH     | 1016 |
| human   | LEDKRDVVVLVILSPDGRRSYVRLRQLRCQSVLLWPHQPSPGQSFQAQLGMALTRDNH      | 1018 |
| rat     | LEDKRDVVVLVILRPDAHRSRYVRLRQLRCQSVLFWEHPQPNQGQSFQAQLSTALTRDNH    | 1018 |
|         | ***** * . *****:***** ** *****:*. *****:                        |      |
| feline  | HFYNQNFCRGPTTAE-----  | 1031 |
| canine  | HFYNQNFCRGPTTA-----   | 1032 |
| bovine  | HFYNRNFCRGPTTAE-----  | 1029 |
| mouse   | HFYNRNFCRGPTTAE-----  | 1032 |
| ovine   | HFYNRNFCRGPTTAE-----  | 1029 |
| porcine | HFYNRNFCRGPTTAE-----  | 1030 |
| horse   | HFYNQNFCRGPTMAE-----  | 1031 |
| human   | HFYNRNFCQGPTAE-----   | 1032 |
| rat     | HFYNRNFCRGPTAE-----   | 1032 |
|         | ****.****.  |      |

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
 University of Saskatchewan  
 Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040W000

<150> US 60/412,479  
 <151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1  
 <211> 1032  
 <212> PRT  
 <213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

| 610  | 615 | 620     |
|--|-----|---------|
| Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys<br>625 | 630 | 635 640 |
| Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu<br>645 | 650 | 655     |
| Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser<br>660 | 665 | 670     |
| Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn<br>675 | 680 | 685     |
| Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu<br>690 | 695 | 700     |
| Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala<br>705 | 710 | 715 720 |
| Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn<br>725 | 730 | 735     |
| Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn<br>740 | 745 | 750     |
| Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly<br>755 | 760 | 765     |
| Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly<br>770 | 775 | 780     |
| Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg<br>785 | 790 | 795 800 |
| Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser<br>805 | 810 | 815     |
| Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val<br>820 | 825 | 830     |
| Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe<br>835 | 840 | 845     |

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 2  
 <211> 821  
 <212> PRT  
 <213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15



Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

[illegible]

```
<210> 3
<211> 3099
<212> DNA
<213> Rattus norvegicus
```

[illegible]

gcccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc 840  
 catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggc tccagggctc gccgaacctc tcggtgctgg acctaacga gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccctt cagaacctga cccgtctgcg caagctcgac 1020  
 ctgtccttca attactgcaa gaaggatcg ttcgcccgc tccacctggc aagttccttc 1080  
 aagagcctgg tgcgctgca ggagctgaac atgaacggca tcttcttcgg ctactcaac 1140  
 aagaacacgc tcaggtggct ggctggtctg ccaagctcc acacgctgca ccttcaaatg 1200  
 aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260  
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320  
 gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccgag tctcccgagc 1380  
 actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440  
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500  
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560  
 ctgaccaacc tgaagggtgt ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620  
 tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680  
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740  
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800  
 gtggagtatc tggacttcag cggcaacggc gtggggccga tgtgggacga ggaggacctt 1860  
 tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920  
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980  
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg 2040  
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100  
 ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160  
 ttctttgtct tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220  
 gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280  
 aacctctgc attgtgcctg cgggtgcacc tttgtagact tactgctgga agtgcagacc 2340  
 aagggtgctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400  
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460  
 ggcctttcac tcctggctgt ggccgtgggc acggtgttgc ctttactgca gcactctgc 2520  
 ggctgggacg tctggtactg ttccatctg tgctggcat ggctacctt gctgacctg 2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgtcga taaggcgag 2640  
 agcgcggttg ctgactgggt gtataacgag cttegagtgc ggctagagga gcggcgcggt 2700  
 cgccgagccc tacgcttggt tctggaggac cgagattggc tgcctggcca gacactcttc 2760  
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggccacacg 2820  
 gacaaggcca gtggcctcct gcgcaccagc ttctgtctgg ctcagcagcg cctgctggag 2880  
 gaccgcaagg acgtgggtgtt gttggtgatc ctgcgccttg atgccaccg ctcccgtac 2940  
 gtgcgactgc gccagcgctt ctgccgccag agtgtgtctt tctggcccca tcagcccaac 3000  
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060  
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

<210> 4  
 <211> 2463  
 <212> DNA  
 <213> Rattus norvegicus

<400> 4  
 atggttctct gtcgcaggac cctgcacccc ttgtctctcc tggtagaggc cgcagtgtgt 60  
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggctggttag actgcaactg gctcttcctg aagtctgtgc ctcacttctc tgccgcagaa 180  
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcattccacca cctgcacaac 240  
 ctgcactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gcccttgca cttctcctgc cgcattacca ttgagcccaa aaccttcctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgtactac 540  
 aagaacctct gcaacggggc ggtgaacgtg acccggagc ccttcctggg cttgagcaac 600  
 ctacccact tgtcccttaa gtataacaac ctacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtcctataac ctcatcgtca agctgggggc cgaagacctc 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780  
 gccccgacc tctgtacaga atgccggcag aagtccttg atctgcacc tcagactttc 840  
 catcacctga gccaccttga aggcctgggt ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggg tccaggggtc ggccaacctc tcggtgctgg acctaaagca gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020

```

ctgtccttca attactgcaa gaaggtatcg ttcgcccgcc tccacctggc aagttccttc 1080
aagagcctgg tgctgctgca ggagctgaac atgaacggca tcttcttcgc cttactcaac 1140
aagaacacgc tcaggtggct ggctggtctg cccaagctcc acacgctgca ccttcaaattg 1200
aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccagc 1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg 1560
ctgaccaacc tgaagggtgt ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggt gtgggcccga tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccattctg 2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggttttg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280
aaccctctgc attgtgcctg cgggtgcacc tttgtagact tactgctgga agtgcagacc 2340
aagggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
ggc

```

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa

<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15  
 Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30  
 Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45  
 Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60  
 Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80  
 Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110  
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125  
 Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140  
 Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160  
 His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175  
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190  
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205  
 Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220  
 Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240



|     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|
| Asn | Leu | Thr | Ala | Leu | Arg | Val | Leu | Asp | Val | Gly | Gly | Asn | Cys | Arg | Arg |  |  |
|     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |  |
| Cys | Asp | His | Ala | Arg | Asn | Pro | Cys | Arg | Glu | Cys | Pro | Lys | Asp | His | Pro |  |  |
|     |     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |  |  |
| Lys | Leu | His | Ser | Asp | Thr | Phe | Ser | His | Leu | Ser | Arg | Leu | Glu | Gly | Leu |  |  |
|     |     |     |     | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |  |  |
| Val | Leu | Lys | Asp | Ser | Ser | Leu | Tyr | Asn | Leu | Asp | Thr | Arg | Trp | Phe | Arg |  |  |
|     |     |     |     | 290 |     |     |     |     | 295 |     |     |     |     | 300 |     |  |  |
| Gly | Leu | Asp | Arg | Leu | Gln | Val | Leu | Asp | Leu | Ser | Glu | Asn | Phe | Leu | Tyr |  |  |
|     |     |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |  |  |
| Asp | Cys | Ile | Thr | Lys | Thr | Thr | Ala | Phe | Gln | Gly | Leu | Ala | Arg | Leu | Arg |  |  |
|     |     |     |     | 325 |     |     |     |     | 330 |     |     |     |     | 335 |     |  |  |
| Ser | Leu | Asn | Leu | Ser | Phe | Asn | Tyr | His | Lys | Lys | Val | Ser | Phe | Ala | His |  |  |
|     |     |     |     | 340 |     |     |     |     | 345 |     |     |     |     | 350 |     |  |  |
| Leu | His | Leu | Ala | Pro | Ser | Phe | Gly | His | Leu | Arg | Ser | Leu | Lys | Glu | Leu |  |  |
|     |     |     |     | 355 |     |     |     |     | 360 |     |     |     |     | 365 |     |  |  |
| Asp | Met | His | Gly | Ile | Phe | Phe | Arg | Ser | Leu | Ser | Glu | Thr | Thr | Leu | Gln |  |  |
|     |     |     |     | 370 |     |     |     |     | 375 |     |     |     |     | 380 |     |  |  |
| Pro | Leu | Val | Gln | Leu | Pro | Met | Leu | Gln | Thr | Leu | Arg | Leu | Gln | Met | Asn |  |  |
|     |     |     |     |     | 390 |     |     |     |     | 395 |     |     |     |     | 400 |  |  |
| Phe | Ile | Asn | Gln | Ala | Gln | Leu | Ser | Ile | Phe | Gly | Ala | Phe | Pro | Gly | Leu |  |  |
|     |     |     |     | 405 |     |     |     |     | 410 |     |     |     |     | 415 |     |  |  |
| Leu | Tyr | Val | Asp | Leu | Ser | Asp | Asn | Arg | Ile | Ser | Gly | Ala | Ala | Arg | Pro |  |  |
|     |     |     |     | 420 |     |     |     |     | 425 |     |     |     |     | 430 |     |  |  |
| Val | Ala | Ile | Thr | Arg | Glu | Val | Asp | Gly | Arg | Glu | Arg | Val | Trp | Leu | Pro |  |  |
|     |     |     |     | 435 |     |     |     |     | 440 |     |     |     |     | 445 |     |  |  |
| Ser | Arg | Asn | Leu | Ala | Pro | Arg | Pro | Leu | Asp | Thr | Leu | Arg | Ser | Glu | Asp |  |  |
|     |     |     |     | 450 |     |     |     |     | 455 |     |     |     |     | 460 |     |  |  |
| Phe | Met | Pro | Asn | Cys | Lys | Ala | Phe | Ser | Phe | Thr | Leu | Asp | Leu | Ser | Arg |  |  |
|     |     |     |     |     | 470 |     |     |     |     | 475 |     |     |     |     | 480 |  |  |

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

|   |     |     |     |
|---|-----|-----|-----|
| 705   | 710 | 715 | 720 |
| Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu | 725 | 730 | 735 |
| Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys | 740 | 745 | 750 |
| Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr | 755 | 760 | 765 |
| Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro | 770 | 775 | 780 |
| Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile | 785 | 790 | 795 |
| Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn | 805 | 810 | 815 |
| Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro | 820 | 825 | 830 |
| Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu | 835 | 840 | 845 |
| Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala | 850 | 855 | 860 |
| Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val | 865 | 870 | 875 |
| Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg | 885 | 890 | 895 |
| Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro | 900 | 905 | 910 |
| Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg | 915 | 920 | 925 |
| Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu | 930 | 935 | 940 |

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
 805 810 815

Cys Phe Gly

<210> 7  
 <211> 3352  
 <212> DNA  
 <213> Sus scrofa

<400> 7  
 gagcacgaac atccttcact gtagctgctg cccggctctgc cagccagacc ctttgagagaa 60  
 gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcctggtgca 120  
 ggtgacagcg ctggctgcgg ctctggccca gggcaggctg cctgccttcc tgccctgtga 180  
 gctccagccc cagggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240  
 ctggcgggca gcgccccggg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300  
 ccacctgcac gactccgact tegtccacct gtccagccta cgaactctca acctcaagtg 360  
 gaactgcccc cgggtggcc tcagcccat gcacttcccc tgccacatga ccatcgagcc 420  
 caacaccttc ctggccgtgc ccacctgga ggagctgaac ctgagctaca acagcatcac 480  
 gaccgtgcct gccctgcccc actccctcgt gtccctgtcg ctgagccgca ccaacatcct 540  
 ggtgctagac cccaccacc tcactggcct acatgccctg cgctacctgt acatggatgg 600  
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgccctcct 660  
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720  
 cagcctgccc ccagcctgg agaccctgct gttgtcctac aaccacattg tcaccctgac 780  
 gcctgaggac ctggccaatc tgactgccct gcgcgtgctt gatgtggggg ggaactgccg 840  
 ccgctgtgac catgccccga acccctgcag ggagtgccca aaggaccacc ccaagctgca 900  
 ctctgacacc ttcagccacc tgagccgct cgaaggcctg gtgttgaaag acagttctct 960  
 ctacaacctg gacaccaggt ggttccgagg cctggacagg ctccaagtgc tggacctgag 1020  
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact 1080  
 gcgcagcctc aacctgtcct tcaattacca caagaagggtg tcctttgccc acctgcacct 1140  
 ggcacctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcatcttctt 1200  
 ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tccagacct 1260  
 gcgcctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttccttgg 1320  
 cctgctgtac gtggacctat cggacaaccg catcagcga gctgcaaggc cagtggccat 1380  
 tactagggag gtggatggta gggagaggggt ctggctgcct tccaggaacc tcgctccacg 1440  
 tccactggac actctccgct cagaggactt catgccaac tgcaaggcct tcagcttcac 1500



cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctcgcctctc 1560  
 acgcctcgag tgccctgcgc tgagccacaa cagcatctcc caggcggtca atggtctctca 1620  
 gtttgtgccg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680  
 tcacgggccc tcgttcacgg agctgccgcg cctggaagca ctggacctca gctacaatag 1740  
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgcccgc 1800  
 cctgcgctac ctcagcctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860  
 tagcgctca ctgtgcgccc tggacttttag cggcaacgat ctgagccgga tgtgggctga 1920  
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980  
 ccagaaccac ctgcacaccc tcttgccacg tgccctggac aacctcccca aaagcctgaa 2040  
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgaccctcct 2100  
 gccaagctg gaaacctgg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160  
 cctgccatct ggcaccacgc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220  
 gaacctggc tcttttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280  
 cctcaagaca gtggagccct cctggtttgg ctcatgggtg ggcaacctga aagtcctaga 2340  
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tctgtctgga 2400  
 ggtacaggct gccgtgcctg ggctgcccag ccgctcaag tgtggcagtc cggggcagct 2460  
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga ccctctcgtg 2520  
 gaactgtttt ggcatctcgc tgctggccat ggccctgggc ctggttgtgc ccatgctgca 2580  
 ccacctctgc ggctgggacc tctggtactg cttccacctg tgctggcct ggctgcccc 2640  
 ccgagggcag cggcggggcg cagacgccct gttctatgat gccttcgtgg tctttgacaa 2700  
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760  
 ccgtgggccc cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820  
 gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagaccctgt ttgtgtggc 2880  
 ccacacggac cgtgtcagcg gcctcttgcg tgccagtttc ctgctggccc agcagcgct 2940  
 gctggaggac cgcaaggacg ttgtagtgt ggtgatcctg cgcgccgatg cctaccgctc 3000  
 ccgtacgtg cggtgcgccc agcgctctg ccgccagagt gtcctcctct ggccccacca 3060  
 gcccgtggg cagggcagct tctgggccca gctgggcaca gccctgacca gggacaacca 3120  
 ccacttctat aaccggaaet tctgcccggg ccccacgaca gccgaatagc actgagtgc 3180  
 agcccagttg cccagcccc cctggatttg cctctctgccc tggggtgccc caacctgctt 3240  
 tgctcagcca caccactgct ctgtccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8

<211> 2457

<212> DNA

<213> Sus scrofa

<400> 8

atggggcccc gctgcaccct gcaccccctt tctctcctgg tgcaggtgac agcgctggct 60  
 gcggctctgg ccagggcag gctgcctgcc ttctgcccgt gtgagctcca gcccacggc 120  
 ctgggtgaact gcaactggct cttcctgaag tccgtgcccc acttctcggc ggcagcgccc 180  
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaaactg cccgccggct 300  
 ggctcagcc ccatgcactt cccctgccac atgaccatcg agcccaaac ctctctggcc 360  
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgcccctg 420  
 cccgactccc tcgtgtccct gtgctgagc cgcaccaaca tcctgggtgct agaccccacc 480  
 cacctcactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540  
 aacccctgcc agggggcgct ggaggtgggtg ccgggtgccc tcctcggcct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggaggtgc cccgcagcct gccccccagc 660  
 ctggagaccc tgctgttgct ctacaaccac attgtcacc tgacgcctga ggacctggcc 720  
 aatctgactg ccctgcgctg gcttgatgtg ggggggaact gccgccgctg tgacctgcc 780  
 cgcaaccctt gcaggagtg cccaaaggac caccccaagc tgactctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctgggtgtg aaagacagtt ctctctacaa cctggacacc 900  
 aggtgggttcc gaggcctgga caggctccaa gtgctggacc tgagtgagaa cttcctctac 960  
 gactgcatca ccaagaccac ggcttccag ggctggccc gactgcgag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttt gccacctgc acctggcacc ctcttttggg 1080  
 cacctccggt cctgaagga gctggacatg catggcatct tcttcgctc gctcagttag 1140  
 accacgtcc aacctctggt ccaactgcct atgtccaga cctgcgcct gcagatgaac 1200  
 ttcattaacc aggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcgga accgcatcag cggagctgca aggcagtg ccattactag ggaggtggat 1320  
 ggtagggaga gggctctggct gccttccagg aacctcgctc cagtcactt ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttgga cctgtctcgg 1440  
 aacaacctgg tgacaatcca gtcggagatg tttgctcgcc tctcacgcct cgagtgcctg 1500

cgcttgagcc acaacagcat ctcccaggcg gtcaatggct ctcagtttgt gccgctgacc 1560  
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620  
 acggagctgc cgcgcctgga agcactggac ctcagctaca atagccagcc ctttaccatg 1680  
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgccctgcg ctacctcagc 1740  
 ctggcgacaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctcactgtgc 1800  
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860  
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920  
 accctcctgc cacgtgcctt ggacaacctc cccaaaagcc tgaagcatct gcctctccgt 1980  
 gacaataacc tggccttctt caactggagc agcctgaccc tctgcccac gctggaaacc 2040  
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100  
 cagctgcgga ggctggacct cagtggcaac agcatcggtt ttgtgaaccc tggcttcttt 2160  
 gccctggcca agcagttaga agagctcaac ctcagcgcca atgccctcaa gacagtggag 2220  
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaaccct 2280  
 ctgcactgtg cctgtggggc gaccttcgtg ggcttcctgc tggaggtaca ggctgccgtg 2340  
 cctgggctgc ccagccgcgt caagtgtggc agtccggggc agtccaggg ccatagcatc 2400  
 tttgcgaag acctgcgctt ctgcctggat gagacctct cgtggaactg ttttggc 2457

<210> 9  
 <211> 1029  
 <212> PRT  
 <213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                                   85                                  90                                  95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
                                   100                                  105                                  110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
                                   115                                  120                                  125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
                                   130                                  135                                  140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
                                   145                                  150                                  155                                  160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
                                   165                                  170                                  175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
                                   180                                  185                                  190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
                                   195                                  200                                  205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
                                   210                                  215                                  220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
                                   225                                  230                                  235                                  240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
                                   245                                  250                                  255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
                                   260                                  265                                  270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
                                   275                                  280                                  285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
                                   290                                  295                                  300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr

|   |     |     |     |
|---|-----|-----|-----|
| 305   | 310 | 315 | 320 |
| Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg | 325 | 330 | 335 |
| Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His | 340 | 345 | 350 |
| Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu | 355 | 360 | 365 |
| Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln | 370 | 375 | 380 |
| Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn | 385 | 390 | 395 |
| Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu | 405 | 410 | 415 |
| Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro | 420 | 425 | 430 |
| Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu | 435 | 440 | 445 |
| Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp | 450 | 455 | 460 |
| Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn | 465 | 470 | 475 |
| Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu | 485 | 490 | 495 |
| Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly | 500 | 505 | 510 |
| Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His | 515 | 520 | 525 |
| Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln | 530 | 535 | 540 |

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
 930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190



Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

|   |         |         |
|---|---------|---------|
| 420   | 425     | 430     |
| Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu |         |         |
| 435   | 440     | 445     |
| Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp |         |         |
| 450   | 455     | 460     |
| Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn |         |         |
| 465   | 470     | 475 480 |
| Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu |         |         |
|   | 485 490 | 495     |
| Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly |         |         |
|   | 500 505 | 510     |
| Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His |         |         |
|   | 515 520 | 525     |
| Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln |         |         |
| 530   | 535     | 540     |
| Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln |         |         |
| 545   | 550     | 555 560 |
| Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg |         |         |
|   | 565 570 | 575     |
| Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys |         |         |
|   | 580 585 | 590     |
| Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu |         |         |
| 595   | 600     | 605     |
| Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly |         |         |
| 610   | 615     | 620     |
| Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr |         |         |
| 625   | 630     | 635 640 |
| Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu |         |         |
|   | 645 650 | 655     |

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

|   |     |
|---|-----|
| gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagacct   | 60  |
| ctggagaagc cgcatccct gtcattggcc cctactgtgc cccgcacccc cttctctcc   | 120 |
| tgggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgcct gccttctgc | 180 |
| cctgtgagct ccagcccat ggtcagggtg actgcaactg gctgttcctg aagtctgtgc  | 240 |
| cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc | 300 |

|   |      |
|---|------|
| gcatccacca cttgcatgac tctgacttcg tccacctgtc caacctgcgg gtcctcaacc | 360  |
| tcaagtggaa ctgcccgcg gccggcctca gcccctgca cttcccctgc cgtatgacca   | 420  |
| tcgagcccaa caccttcctg gctgtgcca ccctggagga gctgaacctg agctacaacg  | 480  |
| gcatcacgac cgtgcctgcc ctgcccagtt ccctcgtgtc cctgtcgctg agccacacca | 540  |
| gcatcctggg gctaggcccc acccacttca ccggcctgca cgccctgcgc tttctgtaca | 600  |
| tggacggcaa ctgctactac atgaaccctt gccgcgggc cctggaggtg gcccagggc   | 660  |
| ccctcctcgg cctgggcaac ctacgcacc tgtcgctcaa gtacaacaac ctcacggagg  | 720  |
| tgcccgcg cctgcccccc agcctggaca ccctgctgct gtcctacaac cacattgtca   | 780  |
| ccctggcacc cgaggacctg gccaacctga ctgccctgcg cgtgcttgac gtgggtggga | 840  |
| actgccgcg ctgcgacctt gcccgcaacc cctgcaggga gtgcccag aacttcccc     | 900  |
| agctgcaccc tgacaccttc agtcacctga gccgcctcga aggcctgggt ttgaaggaca | 960  |
| gttctctcta caaactagag aaagattggg tccgcggcct gggcaggctc caagtgtc   | 1020 |
| acctgagtga gaacttcctc tatgactaca tcaccaagac caccatcttc aacgacctga | 1080 |
| cccagctgcg cagactcaac ctgtccttca attaccaca gaaggtgtcc ttcgcccacc  | 1140 |
| tgcacctagc gtcctccttt gggagtctgg tgtccctgga gaagctggac atgcacggca | 1200 |
| tcttcttcg ctcctcacc aacatcacgc tccagtcgct gaccggctg cccaagctcc    | 1260 |
| agagtctgca tctgcagctg aacttcac accaggccca gctcagcatc tttggggcct   | 1320 |
| tcccagacct gctcttcgtg gacctgtcgg acaaccgcat cagcggagcc gcgacgccag | 1380 |
| cggccgcctt gggggagggt gacagcaggg tggaagtctg gcgattgccc aggggcctcg | 1440 |
| ctccaggccc gctggacgcc gtcagctcaa aggacttcat gccaaagctg aacctcaact | 1500 |
| tcaccttggg cctgtcacgg aacaacctgg tgacaatcca gcaagagatg tttaccgcc  | 1560 |
| tctccgcct ccagtgcctg cgcctgagcc acaacagcat ctgcaggcg gttaatggct   | 1620 |
| cccagttcgt gccgtgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc  | 1680 |
| tgtaccatgg gcgctcattc acggagctgc cgcagctgga ggcactggac ctcagctaca | 1740 |
| acagccagcc cttcagcatg caggcgctgg gccacaacct cagcttcgtg gccagctgc  | 1800 |
| cctcctgcg ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc  | 1860 |
| tcagcagcg ctcgttcgc gccctggact tcagcgcaa ctcctgagc cagatgtggg     | 1920 |
| cggaggaga cctctatctc tgcttttca aaggcttgag gaacctggtc cagctggacc   | 1980 |
| tgtccgagaa ccatctgcac accctcctgc ctcgtcacct ggacaacctg cccaagagcc | 2040 |

tgcggcagct gcgtctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100  
 tcctgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160  
 gcagcctgcc gcctggcatc cggtccaga agctggacgt gagcagcaac agcatcggct 2220  
 tcgtgatccc cggtctcttc gtccgcgcga ctccgctgat agagcttaac ctccagcgcca 2280  
 atgccctgaa gacagtggat cctcctgggt tcggttcctt agcagggacc ctgaaaatcc 2340  
 tagacgtgag cgccaaccgc ctccactgcg cctgcggggc ggcctttgtg gacttcctgc 2400  
 tggagagaca ggaggccgtg cccgggctgt ccaggcgcgt cacatgtggc agtccggggc 2460  
 agctccaggg ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520  
 ccttggaactg ctttggcctc tcaactgctaa tgggtggcgt gggcctggca gtgcccatgc 2580  
 tgcaccacct ctgtggctgg gacctctggt actgcttcca cctgtgtctg gccatttgc 2640  
 cccgacggcg gcggcagcgg ggcgaggaca ccctgctcta tgatgccgtc gtgggtcttcg 2700  
 acaagggtgca gagtgcagtg gctgattggg tgtacaacga gtcgcgcgtg cagctggagg 2760  
 agcgcggggg gcgccggggc ctccgcctct gcctggagga gcgagactgg ctccctggta 2820  
 agacgtctct cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880  
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag cttcctgctg gccagcagc 2940  
 gcctgttga ggaccgcaag gacgtcgtag tgctggtgat cctgcgcccc gccgcctatc 3000  
 ggtcccgtc cgtgcggctg cgccagcgcc tctgccgcca gagcgtcctc ctctggcccc 3060  
 accagcccag tggccagggg agtttctggg ccaacctggg catagccctg accagggaca 3120  
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180  
 tgactgcccc a 3191

<210> 12  
 <211> 2454  
 <212> DNA  
 <213> Bos taurus

<400> 12  
 atgggcccct actgtgcccc gcacccctt tctctctgg tgcaggcggc ggcactggca 60  
 gcggccctgg ccgagggcac cctgcctgcc ttctgccct gtgagctcca gcccctatg 120  
 caggtggact gcaactggct gttcctgaag tctgtgccg acttttcggc tggagcccc 180  
 cgggccaatg tcaccagcct ctcttaata tccaaccgca tccaccactt gcatgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtgggaactg ccgcccggcc 300  
 ggctcagcc ccattgactt cccctgccgt atgaccatcg agcccaacac cttcctggct 360

|  |      |
|--|------|
| gtgcccaccc tggaggagct gaacctgagc tacaacggca tcacgaccgt gcctgccctg  | 420  |
| cccagttccc tcgtgtccct gtcgctgagc cacaccagca tcctggtgct agggcccacc  | 480  |
| cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactacatg  | 540  |
| aaccctgcc cgcgggccct ggagggtggc ccaggcgccc tcctcgccct gggcaacctc   | 600  |
| acgcacctgt cgctcaagta caacaacctc acggagggtgc cccgcgcct gccccccagc  | 660  |
| ctggacaccc tgctgctgtc ctacaaccac attgtcaccc tggcacccga ggacctggcc  | 720  |
| aacctgactg ccctgcgcgt gcttgacgtg ggtgggaact gccgcgcctg cgaccatgcc  | 780  |
| cgcaaccct gcagggagtg cccaaagaac ttccccaagc tgcaccctga caccttcagt   | 840  |
| cacctgagcc gcctcgaagg cctggtgttg aaggacagtt ctctctacaa actagagaaa  | 900  |
| gattggttcc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa cttcctctat  | 960  |
| gactacatca ccaagaccac catcttcaac gacctgacc agctgcgcag actcaacctg   | 1020 |
| tccttcaatt accacaagaa ggtgtccttc gccacctgc acctagcgtc ctcctttggg   | 1080 |
| agtctggtgt ccctggagaa gctggacatg cacggcatct tcttcgcctc cctcaccaac  | 1140 |
| atcacgctcc agtcgctgac cggcctgccc aagctccaga gtctgcatct gcagctgaac  | 1200 |
| ttcatcaacc agggccagct cagcatcttt ggggccttcc cgagcctgct cttcgtggac  | 1260 |
| ctgtcggaca accgcatcag cggagccgcg acgccagcgg ccgccctggg ggagggtggac | 1320 |
| agcaggggtgg aagtctggcg attgcccagg ggcctcgctc caggcccgtt ggacgcgcgc | 1380 |
| agctcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac  | 1440 |
| aacctggtga caatccagca agagatgttt acccgctct cccgcctcca gtgcctgcgc   | 1500 |
| ctgagccaca acagcatctc gcaggcggtt aatggctccc agttcgtgcc gctgaccagc  | 1560 |
| ctgcgagtgc tcgacctgtc ccacaacaag ctggacctgt accatgggcg ctcattcacg  | 1620 |
| gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag  | 1680 |
| ggcgtggggc acaacctcag cttcgtggcc cagctgccct ccctgcgcta cctcagcctt  | 1740 |
| gcgcacaatg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gttgcgcgcc   | 1800 |
| ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc  | 1860 |
| tttttcaaag gcttgaggaa cctggtccag ctggacctgt ccgagaacca tctgcacacc  | 1920 |
| ctcctgcctc gtcacctgga caacctgccc aagagcctgc ggcagctgcg tctccgggac  | 1980 |
| aataacctgg ccttcttcaa ctggagcagc ctgacctcc tgcgccggt ggaagccctg    | 2040 |
| gatctggcag gaaaccagct gaaggccctg agcaacggca gcctgccgcc tggcatccgg  | 2100 |
| ctccagaagc tggacgtgag cagcaacagc atcggtctcg tgatccccgg cttcttcgtc  | 2160 |

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcctgggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgcgc 2280  
 cactgcgctt gcggggcggc ctttgtggac ttcctgctgg agagacagga ggccgtgccc 2340  
 gggctgtcca ggcgcgtcac atgtggcagt ccggggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
 165 170 175  
 Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180 185 190  
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205  
 Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220  
 Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240  
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255  
 Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260 265 270  
 Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285  
 Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300  
 Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320  
 Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335  
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350  
 His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365  
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380  
 Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400



Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430  
 Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445  
 Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460  
 Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480  
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495  
 Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510  
 Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525  
 Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540  
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560  
 Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575  
 Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590  
 Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605  
 Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620  
 Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
                                 645                                650                                655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
                                 660                                665                                670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
                                 675                                680                                685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
                                 690                                695                                700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
                                 705                                710                                715                                720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
                                 725                                730                                735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
                                 740                                745                                750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
                                 755                                760                                765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
                                 770                                775                                780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
                                 785                                790                                795                                800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
                                 805                                810                                815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
                                 820                                825                                830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
                                 835                                840                                845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
                                 850                                855                                860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

<400> 14

35                                      40                                      45  
 Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50                                      55                                      60  
 Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65                                      70                                      75                                      80  
 Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85                                      90                                      95  
 Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100                                      105                                      110  
 Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115                                      120                                      125  
 Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130                                      135                                      140  
 Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145                                      150                                      155                                      160  
 Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
 165                                      170                                      175  
 Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180                                      185                                      190  
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195                                      200                                      205  
 Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210                                      215                                      220  
 Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225                                      230                                      235                                      240  
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245                                      250                                      255  
 Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260                                      265                                      270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly  
 820

<210> 15  
 <211> 3391  
 <212> DNA  
 <213> Equus caballus

<400> 15  
 ctctgttctc tgagctgttg ccgcgtgaag ggactgcgag cacaaagcat cctcctctgc 60  
 agctgctgcc cagtgtgcca gctggaccct ctggatcatc tccactccc tgtcatgggc 120  
 ccttgccatg gtgccctgca gcccctgtct ctcttggtgc aggcggccat gctggccgtg 180  
 gctctggccc aaggcaccct gctcccttc ctgccctgtg agctccagcc ccacggcctg 240  
 gtgaactgca actggctgtt cctgaagtcc gtgccccact tctcagcagc agcaccgccg 300  
 gacaatgtca ccagccttcc cttgctctcc aaccgcatcc accacctcca cgactccgac 360  
 tttgccaac tgtccaacct gcagaaactc aacctcaaat ggaactgcc gccagccggc 420  
 ctgagcccca tgcaattccc ctgccacatg accatcgagc ccaacacttt cctggctgta 480  
 cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgccctgccc 540  
 agtccctctg tgtccctgat cctgagccgc accaaccatc tgcagctaga cccaccagc 600  
 ctcacggggc tgcattgccc gcgcttccta tacatggatg gcaactgcta ctacaagaac 660  
 ccctgcgggc gggccctgga ggtggcccca ggcgcctcc ttggcctggg caacctcacc 720  
 cacctgtcac tcaagtacaa caacctcaca acgggtgccc gcagcctgcc ccctagcctg 780  
 gagtacctgc tgttgtccta caaccacatt gtcaccctgg cacctgagga cctggccaat 840  
 ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900  
 aaccctgcg tggagtgcc acataaatc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccgaga 1020  
 tgggtccgtg gcctgggcaa cctcacagtg ctcgacctga gtgagaactt cctctacgac 1080  
 tgcataacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgctc 1140  
 ttcaattacc ataagaaggt gtccttcgcc cacctgacgc tggcaccctc cttcgggagc 1200  
 ctgctctccc tgcaggaact ggacatgcat ggcattctct tccgctcact cagccagaag 1260  
 acgctccagc cactggcccg cctgcccattg ctcagcgtc tgtatctgca gatgaacttc 1320  
 atcaaccagg cccagctcgg catcttcaag gacttccctg gtctgcgcta catagacctg 1380  
 tcagacaacc gcatcagtgg agctgtggag cgggtggcca ccacagggga ggtggatggt 1440  
 gggagaagg tctggctgac atccaggagc ctactccag gccactgga cccccagc 1500  
 tctgaggact tcatgccaag ctgcaagaac ctcagcttca ccttggaact gtcacggaac 1560  
 aacctggtaa cagtccagcc agagatgttt gccagctct cgcgcctcca gtgcctgcgc 1620  
 ctgagccaca acagcatctc gcaggcggtc aatggctcac agttcgtgcc actgaccagc 1680  
 ctgcaggtgc tggacctgac ccataacaaa ctggacctgt accatgggag ctcgtttacg 1740  
 gagctgccgc gactggaggc cctggacctc agctacaaca gccagccctt cagcatgcgg 1800  
 ggtgtgggccc acaacctcag ctttgtggcc cagctgccc ccctgcgcta cctcagcctg 1860  
 gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtgggccc 1920  
 ctggacttca gcggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc 1980  
 ttcttccaag gcctgagaag cctaaccgg ctagacctgt ccagaaatcg tctgcatacc 2040  
 ctctgccat gcaccctggg caacctcccc aagagcttgc agctgctgcg tctccgtaac 2100  
 aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcaccaact ggaaacctg 2160  
 gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag 2220  
 ctccagaggc tggacgtcag caggaacagc atcatcttcg tggccctgg cttctttgct 2280  
 ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc 2340  
 tcctggtttg gtttcctagc aggctccctt gaagtcctag atgtgagcgc caacctctg 2400  
 cactgcgcct gtggggcagc ctttgtggac ttctgtctgc aggttcaggc tgccgtgcct 2460  
 ggtctgccc gccgcgtcaa gtgtggcagt ccgggcccag tccagggccg cagcatcttc 2520  
 gcacaagacc tgcgcctctg cctggacaag tccctctcct gggactgttt tggctctctca 2580  
 ttgctggttg tggccctggg cctggccatg cctatgttgc accacctctg cggctgggac 2640  
 ctctgttact gcttcacact gggcctggcc tggctgcccc ggcgggggtg gcagcggggc 2700



gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgagtgggc 2760  
gactgggtgt acaatgaact gcgggtgcgg ctagaggagc gccgtgggcg ccgggcgctc 2820  
cgcctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880  
gcctcagtct acagcagccg caagatgctg tttgtgctgg cccacacgga ccaggtcagt 2940  
ggcctcttgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000  
gttgtgtgtc tggtaatcct gagccctgac gcccgccgtt cccgttacgt gcggtgcgc 3060  
cagcgcctct gccgccagag tgctcctctc tggccccacc agcctagtgg ccagcgcagc 3120  
ttctgggccc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240  
ccagccctga ccttgccctc ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
tgctctgcct ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360  
caggccaaac agccaaaaa aaaaaaaaaa a 3391

<210> 16  
<211> 2460  
<212> DNA  
<213> Equus caballus

<400> 16  
atggggcctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60  
gccgtggctc tggcccaagg caccctgcct cccttcctgc cctgtgagct ccagccccac 120  
ggcctggtga actgcaactg gctgttcctg aagtccgtgc cccacttctc agcagcagca 180  
ccccgggaca atgtcaccag cctttccttg ctctccaacc gcatccacca cctccacgac 240  
tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaattggaa ctgcccgcca 300  
gccggcctca gccccatgca cttcccctgc cacatgacca tcgagcccaa cactttcctg 360  
gctgtacca ccctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420  
ctgcccagct ccctcgtgtc cctgatcctg agccgcacca acatcctgca gctagacccc 480  
accagcctca cgggcctgca tgcctgcgc ttctataca tggatggcaa ctgctactac 540  
aagaaccctt gcgggcgggc cctggagggtg gcccaggcg ccctccttgg cctgggcaac 600  
ctcaccacac tgtcactcaa gtaacaacac ctcaaacgg tgccccgcag cctgccccct 660  
agcctggagt acctgctgtt gtcctacaac cacattgtca ccctggcacc tgaggacctg 720  
gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccgccg ctgtgaccat 780  
gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900  
 cccagatggg tccgtggcct gggcaacctc acagtgcctg acctgagtga gaacttcctc 960  
 tacgactgca tcacaaaaac caaggcattc cagggcctgg cccagctgcg aagactcaac 1020  
 ttgtccttca attaccataa gaagggtgtc ttcgcccacc tgacgctggc accctccttc 1080  
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttccg ctactcagc 1140  
 cagaagacgc tccagccact ggcccgctg cccatgctcc agcgtctgta tctgcagatg 1200  
 aacttcatca accaggccca gctcggcatc ttcaaggact tccctgggtc gcgctacata 1260  
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320  
 gatgggtggga agaagggtctg gctgacatcc agggacctca ctccaggccc actggacacc 1380  
 cccagctctg aggacttcat gccaaagtgc aagaacctca gcttcacctt ggacctgtca 1440  
 cggaacaacc tggtaacagt ccagccagag atgtttgccc agctctcgcg cctccagtgc 1500  
 ctgcgcctga gccacaacag catctcgagc gcggtcaatg gctcacagtt cgtgccactg 1560  
 accagcctgc aggtgtctgga cctgtcccat aacaaactgg acctgtacca tgggcgctcg 1620  
 ttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680  
 atgccccgtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgctacctc 1740  
 agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgctg 1800  
 tgggccctgg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat 1860  
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtcca gaatcgtctg 1920  
 cataccctcc tgccatgcac cctgggcaac ctcccgaaga gcttgagct gctgcgtctc 1980  
 cgtaacaatt acctggcctt cttcaattgg agcagcctga ccctcctgcc caacctggaa 2040  
 accctggacc tggttgga aa ccagctgaag gctctgagca atggcagcct gccttctggc 2100  
 accagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggg ccctggcttc 2160  
 tttgctctgg ccacgaggct gcgagagctc aacctcagtg ccaacgccct caggacagag 2220  
 gagccctcct ggtttggtt cctagcaggc tcccttgaag tccatagatg gagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggc tcaggctgcc 2340  
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc 2400  
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggg 2460

<210> 17  
 <211> 1029  
 <212> PRT  
 <213> Ovis aries

&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

- 50 -

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930                      935                      940  
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945                      950                      955                      960  
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965                      970                      975  
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980                      985                      990  
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
 995                      1000                      1005  
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010                      1015                      1020  
 Gly Pro Thr Thr Ala Glu  
 1025  
 <210> 18  
 <211> 818  
 <212> PRT  
 <213> Ovis aries  
 <400> 18  
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1                      5                      10                      15  
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20                      25                      30  
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35                      40                      45  
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50                      55                      60  
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65                      70                      75                      80  
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85                      90                      95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

|   |     |         |
|---|-----|---------|
| 100   | 105 | 110     |
| Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn |     |         |
| 115   | 120 | 125     |
| Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu |     |         |
| 130   | 135 | 140     |
| Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr |     |         |
| 145   | 150 | 155 160 |
| His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn |     |         |
| 165   | 170 | 175     |
| Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly |     |         |
| 180   | 185 | 190     |
| Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn |     |         |
| 195   | 200 | 205     |
| Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu |     |         |
| 210   | 215 | 220     |
| Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala |     |         |
| 225   | 230 | 235 240 |
| Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg |     |         |
| 245   | 250 | 255     |
| Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro |     |         |
| 260   | 265 | 270     |
| Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu |     |         |
| 275   | 280 | 285     |
| Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg |     |         |
| 290   | 295 | 300     |
| Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr |     |         |
| 305   | 310 | 315 320 |
| Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg |     |         |
| 325   | 330 | 335     |



Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 19  
 <211> 3199  
 <212> DNA  
 <213> Ovis aries

<400> 19  
 gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgccc aactgcccgc 60  
 cagaccctct ggagaagcgg cattccctgc catgggcccc tactgtgcc cgcaccccct 120  
 ttctctcctg gtgcaggcgg cggcgctggc agcagccctg gccaggggca ccctgcctgc 180  
 cttcctgccc tgtgagctcc agccccgggg taaggtgaac tgcaactggc tgttcctgaa 240  
 gtctgtgccg cgcttttcgg cgggagcccc cggggccaat gtcaccagcc tctccttaat 300  
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggc 360  
 cctcaacctc aagtggaaact gcccgcgggc cggcctcagc cccatgcact tcccctgccc 420  
 catgaccatc gagcccaaca ccttcctggc tgtgcccacc ctggaggagc tgaacctgag 480  
 ctacaatggc atcacgaccg tgccctgccct gccagttct ctcgtatccc tgtcgctgag 540  
 ccgcaccagc atcctggtgc taggccccac ccacttcacc ggccctgcacg ccctgcgctt 600  
 tctgtacatg gacggcaact gctactataa gaaccctgc cagcaggccg tggagggtggc 660  
 cccaggcgcc ctccttggcc tgggcaacct cacgcacctg tcgctcaagt acaacaacct 720  
 cacggagggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca 780  
 catcatcacc ctggcaccgg aggacctggc caatctgact gccctgcgtg tgccttgatgt 840  
 gggcggggaa tgccgcccgt gcgaccacgc ccgaacccc tgcaggaggc gcccaaagaa 900  
 cttccccaag ctgcaccctg acaccttcag ccacctgagc cgcctcgaag gcctggtggt 960  
 gaaggacagt tctctctaca aactagagaa agactgggtc cgcggcctgg gcaggctcca 1020  
 agtgctcgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag 1080  
 gaacctgacc cagctgcgca gactcaacct gtccttcaat taccacaaga aggtgtcctt 1140  
 cgcccacctg caactggcac cctcctttgg gggcctgggtg tccctggaga agctggacat 1200  
 gcacggcatc ttcttccgct ccctcaccaa caccacgctc cggccgctga cccagctgcc 1260  
 caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt 1320  
 tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc 1380  
 gaggccggtg gccgcccctc gggagggtgga cagcgggggtg gaagtctggc ggtggcccag 1440

gggcctcgct ccaggcccgc tggccgccgt cagcgcaaag gacttcatgc caagctgcaa 1500  
 cctcaacttc accttggacc tgtcacggaa caacctggtg acgatccagc aggagatggt 1560  
 taccgccttc tccgcctcc agtgccctgc cctgagccac aacagcatct cgcaggcggt 1620  
 taatggctcg cagttcgtgc cgetgacccg cctgcgagtg ctgcacctgt cctacaacaa 1680  
 gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740  
 cagctacaac agccagccct tcagcatgca gggcgtgggc cacaacctca gcttcgtggc 1800  
 ccagctgccg tccctgcgt acctcagcct tgcgcacaac ggcatccaca gccgcgtgtc 1860  
 acagaagctc agcagcgcct cgtgcgcgc cctggacttc agcggcaact ccctgagcca 1920  
 gatgtggggc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctggtcca 1980  
 gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040  
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100  
 cctgactgtt ctgccccagc tgggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160  
 gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220  
 catcggcttt gtgaccctg gcttctttgt ccttgccaac cggctgaaaag agcttaacct 2280  
 cagcgccaac gccctgaaga cagtggatcc cttctggttc ggtcgcttaa cagagacct 2340  
 gaatatccta gacgtgagcg ccaaccgcct ccactgtgcc tgcggggcgg cctttgtgga 2400  
 cttcctgctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460  
 tccgggccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520  
 gacctctcc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcggt 2580  
 gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640  
 ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700  
 ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760  
 gctggaggag cgcgcgggc gccgggcgt ccgcctctgc ctggaggagc gagactggct 2820  
 ccctggcaag acgctcttcg agaacctgtg ggcctcggtc tacagcagcc gtaagaccat 2880  
 gtctgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tcctgctggc 2940  
 ccagcagcgc ctggtggagg accgcaagga tgtcgtggtg ctggtgatcc tgcgccccgc 3000  
 cgcctaccgg tccgctacg tgcggctgc ccagcgcctc tgccgccaga gcgtcctcct 3060  
 ctggccccac cagcccagtg gccagggtag cttctgggcc aacctgggca tggccctgac 3120  
 cagggacaac cgccacttct ataaccggaa cttctgccgg ggccccacga cagccgaata 3180

gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Ovis aries

&lt;400&gt; 20

atggggccct actgtgcccc gcacccccctt tctctcctgg tgcaggcggc ggcgctggca 60  
 gcagccctgg cccagggcac cctgcctgcc ttcctgccct gtgagctcca gccccggggt 120  
 aaggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagcccc 180  
 cgggccaatg tcaccagcct ctcttaatc tccaaccgca tccaccactt gcagactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtgggaactg cccgccggcc 300  
 ggctcagcc ccatgcactt cccctgccgc atgaccatcg agcccaacac ctctctggct 360  
 gtgccacccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccttg 420  
 cccagttctc tcgtatccct gtctgtgagc cgcaccagca tcctgggtgct agggcccacc 480  
 cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag 540  
 aaccctgcc agcaggccgt ggaggtggcc ccaggcgccc tccttggcct gggcaacctc 600  
 acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgccgcct gccccccagc 660  
 ctggacaccc tgctgctgtc ctacaaccac atcatcacc tggcaccgga ggacctggcc 720  
 aatctgactg ccctgcgtgt gcttgatgtg ggcggaact gccgccgctg cgaccacgcc 780  
 cgcaaccctc gcaggagtg cccaaagaac tcccccaagc tgcacctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctgggtgtt aaggacagtt ctctctacaa actagagaaa 900  
 gactggttcc ggggcctggg caggctccaa gtgtctgacc tgagtgagaa ctctctctat 960  
 gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg 1080  
 ggctggtgt ccctggagaa gctggacatg cacggcatct tcttccgctc cctcaccaac 1140  
 accacgctcc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac 1200  
 ttcatacaac aggccgagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac 1260  
 ctgtcggaca accgcatcag cggagctgcg aggccggtgg ccgccctcgg ggaggtggac 1320  
 agcggggtgg aagtctggcg gtggccagg ggctcgtc caggcccgct ggccgcgctc 1380  
 agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac 1440  
 aacctggtga cgatccagca ggagatgttt acccgctct cccgcctcca gtgcctgcgc 1500

ctgagccaca acagcatctc gcaggcgggtt aatggctcgc agttcgtgcc gctgacccgc 1560  
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620  
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggcgtggggc acaacctcag ctctgtggcc cagctgccgt ccctgcgcta cctcagcctt 1740  
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gctgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc 1860  
 ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920  
 ctctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ccttcttcaa ctggagcagc ctgactgttc tgccccagct ggaagccctg 2040  
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccggg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggtttg tgaccctgg cttctttgtc 2160  
 cttgccaacc ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220  
 ttctggttcg gtcgcttaac agagaccctg aatatactag acgtgagcgc caaccgctc 2280  
 cactgtgcct gcggggcgcc ctttgtggac ttcctgctgg agatgcaggc ggccgtgcct 2340  
 gggctgtcca ggcggtcac gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2400  
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21  
 <211> 1032  
 <212> PRT  
 <213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

|     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| Tyr | Asp | Phe | Val | His | Phe | Val | His | Leu | Arg | Arg | Leu | Asn | Leu | Lys | Trp |  |
|     |     |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |  |
| Asn | Cys | Pro | Pro | Ala | Ser | Leu | Ser | Pro | Met | His | Phe | Pro | Cys | His | Met |  |
|     |     |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |  |
| Thr | Ile | Glu | Pro | Asn | Thr | Phe | Leu | Ala | Val | Pro | Thr | Leu | Glu | Asp | Leu |  |
|     |     |     | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |  |
| Asn | Leu | Ser | Tyr | Asn | Ser | Ile | Thr | Thr | Val | Pro | Ala | Leu | Pro | Ser | Ser |  |
|     |     |     | 130 |     |     |     |     | 135 |     |     |     |     | 140 |     |     |  |
| Leu | Val | Ser | Leu | Ser | Leu | Ser | Arg | Thr | Asn | Ile | Leu | Val | Leu | Asp | Pro |  |
| 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |  |
| Ala | Thr | Leu | Ala | Gly | Leu | Tyr | Ala | Leu | Arg | Phe | Leu | Phe | Leu | Asp | Gly |  |
|     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
| Asn | Cys | Tyr | Tyr | Lys | Asn | Pro | Cys | Gln | Gln | Ala | Leu | Gln | Val | Ala | Pro |  |
|     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |  |
| Gly | Ala | Leu | Leu | Gly | Leu | Gly | Asn | Leu | Thr | His | Leu | Ser | Leu | Lys | Tyr |  |
|     |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |  |
| Asn | Asn | Leu | Thr | Val | Val | Pro | Arg | Gly | Leu | Pro | Pro | Ser | Leu | Glu | Tyr |  |
|     |     |     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |  |
| Leu | Leu | Leu | Ser | Tyr | Asn | His | Ile | Ile | Thr | Leu | Ala | Pro | Glu | Asp | Leu |  |
| 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
| Ala | Asn | Leu | Thr | Ala | Leu | Arg | Val | Leu | Asp | Val | Gly | Gly | Asn | Cys | Arg |  |
|     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| Arg | Cys | Asp | His | Ala | Arg | Asn | Pro | Cys | Arg | Glu | Cys | Pro | Lys | Gly | Phe |  |
|     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
| Pro | Gln | Leu | His | Pro | Asn | Thr | Phe | Gly | His | Leu | Ser | His | Leu | Glu | Gly |  |
|     |     |     | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |  |
| Leu | Val | Leu | Arg | Asp | Ser | Ser | Leu | Tyr | Ser | Leu | Asp | Pro | Arg | Trp | Phe |  |
|     |     |     | 290 |     |     |     |     | 295 |     |     |     |     | 300 |     |     |  |
| His | Gly | Leu | Gly | Asn | Leu | Met | Val | Leu | Asp | Leu | Ser | Glu | Asn | Phe | Leu |  |
| 305 |     |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |  |

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro



|   |     |     |     |
|---|-----|-----|-----|
| 545   | 550 | 555 | 560 |
| Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu | 565 | 570 | 575 |
| Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg | 580 | 585 | 590 |
| Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser | 595 | 600 | 605 |
| Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg | 610 | 615 | 620 |
| Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn | 625 | 630 | 635 |
| Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser | 645 | 650 | 655 |
| Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp | 660 | 665 | 670 |
| Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly | 675 | 680 | 685 |
| Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln | 690 | 695 | 700 |
| Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro | 705 | 710 | 715 |
| Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala | 725 | 730 | 735 |
| Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly | 740 | 745 | 750 |
| Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys | 755 | 760 | 765 |
| Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro | 770 | 775 | 780 |

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
 785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
 805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
 820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
 835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
 850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
 900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
 915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
1025 1030

<210> 22  
<211> 822  
<212> PRT  
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205  
 Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220  
 Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240  
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255  
 Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270  
 Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285  
 Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300  
 His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320  
 Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335  
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350  
 His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365  
 Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380  
 Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400  
 Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660                                      665                                      670  
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly  
       675                                      680                                      685  
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln  
       690                                      695                                      700  
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro  
       705                                      710                                      715                                      720  
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala  
               725                                      730                                      735  
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly  
               740                                      745                                      750  
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys  
               755                                      760                                      765  
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro  
       770                                      775                                      780  
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
       785                                      790                                      795                                      800  
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
               805                                      810                                      815  
 Ser Trp Val Cys Phe Ser  
               820

<210> 23  
 <211> 3334  
 <212> DNA  
 <213> Canis familiaris

<400> 23  
 aggaaggggc tgtgagctcc aagcatcctt tctgcagct gctgcccagc ctgccagcca 60  
 gaccctctgg agaagcccc gctccctgtc atgggcccct gccgtggcgc cctgcacccc 120  
 ctgtctctcc tgggtcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct 180  
 gccttcctgc cctgtgagct ccagcccat ggcttggtga actgcaactg gctgttcctc 240  
 aagtcctgac cccgcttctc ggcagctgca ccccgcggtg acgtcaccag cctttccttg 300

|  |      |
|--|------|
| tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg  | 360  |
| cgtctcaatc tcaagtggaa ctgcccggcc gccagcctca gcccacatgca ctttccctgt | 420  |
| cacatgacca ttgagcccaa caccttcctg gctgtgcca ccctagagga cctgaatctg   | 480  |
| agctataaca gcatcacgac tgtgcccggc ctgcccagtt cgcttggtgc cctgtccctg  | 540  |
| agccgcacca acatcctggt gctggaccct gccaccctgg caggccttta tgcctgcgc   | 600  |
| ttcctgttcc tggatggcaa ctgctactac aagaaccct gccagcaggc cctgcaggtg   | 660  |
| gccccagggt ccctcctggg cctgggcaac ctcacacacc tgtcactcaa gtacaacaac  | 720  |
| ctcaccgtgg tgcgcgggg cctgcccccc agcctggagt acctgctctt gtccataaac   | 780  |
| cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgcctcgat   | 840  |
| gtgggtggga actgtcgccg ctgtgaccat gcccgtaac cctgcaggga gtgccccaa    | 900  |
| ggcttcccc agctgcaccc caacaccttc ggccacctga gccacctcga aggcctggtg   | 960  |
| ttgagggaca gctctctcta cagcctggac ccaggtggt tccatggcct gggcaacctc   | 1020 |
| atggtgctgg acctgagtga gaacttcctg tatgactgca tcacaaaaac caaagccttc  | 1080 |
| tacggcctgg ccggtgcg cagactcaac ctgtccttca attatcataa gaagggtgcc    | 1140 |
| tttggccacc tgcactggc atcctccttc gggagcctac tgtccctgca ggagctggac   | 1200 |
| atacatggca tcttcttccg ctgcctcagc aagaccacgc tccagtcgct ggccacctg   | 1260 |
| cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc  | 1320 |
| ttcggcgctt tccctggact gcggtacgtg gacttgtcag acaaccgcat cagtggagct  | 1380 |
| gcagagcccg cggctgccac aggggaggta gaggcagact gtggggagag agtctggcca  | 1440 |
| cagtcccggg accttgctct gggcccactg ggcacccccg gctcagaggc cttcatgccg  | 1500 |
| agctgcagga ccctcaactt caccttggac ctgtctcgga acaacctagt gactgttcag  | 1560 |
| ccggagatgt ttgtccggtt ggcgcgcctc cagtgcctgg gcctgagcca caacagcatc  | 1620 |
| tcgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg  | 1680 |
| tcccataaca agctggacct gtaccacggg cgctcggtca cggagctgcc gcggctggag  | 1740 |
| gccttggacc tcagctacaa cagccagccc ttcagcatgc ggggcgtggg ccacaatctc  | 1800 |
| agctttgtgg cacagctgcc agccctgcgc tacctcagcc tggcgcacaa tggcatccac  | 1860 |
| agccgcgtgt ccagcagct ccgcagcgcc tcgctccggg ccctggactt cagtggcaat   | 1920 |
| accctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga   | 1980 |
| agcctgggtc agctggacct gtcccagaat cgctgcata ccctcctgcc acgcaacctg   | 2040 |
| gacaacctcc ccaagagcct gggctcctg cggctccgtg acaattacct ggcttcttc    | 2100 |

aactggagca gcctggccct cctacccaag ctggaagccc tggacctggc gggaaaccag 2160  
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc agctccagag gctggacctc 2220  
agcggcaaca gcatcggtt cgtggtcccc agcttttttg ccctggccgt gaggcttcga 2280  
gagctcaacc tcagcgccaa cgccctcaag acggtggagc cctcctggtt tggttccctg 2340  
gcggtgccc tgaaagtcct agacgtgacc gccaacccct tgcattgcgc ttgcggcgca 2400  
accttcgtgg acttcttgct ggaggtgcag gctgcggtgc ccggcctgcc tagccgtgtc 2460  
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520  
tgctggacg aagcgctctc ctgggtctgt ttcagcctct cgctgctggc tgtggccctg 2580  
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640  
ctgtgcctgg cctggctgcc ccggcggggg cggcggggg gtgtggatgc cctggcctat 2700  
gacgccttcg tggctctcga caaggcgag agctcgggtg cggactgggt gtacaatgag 2760  
ctgcgggtac agctagagga gcgccgtggg cgcgggggc tacgcctgtg tctggaggaa 2820  
cgtgactggg taccggcaa aaccctcttc gagaacctct gggcctcagt ttacagcagc 2880  
cgcaagacgc tgtttgtgct ggcccgacg gacagagtc gcgccctcct gcgtgccagc 2940  
ttctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggg gctggtgatc 3000  
ctgtgccccg acgcccacg ctcccgctat gtgcggctgc gccagcgct ctgccgccag 3060  
agtgtcctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120  
acggccctga ccagggacaa ccgccacttc tacaaccaga acttctgcg gggccccacg 3180  
acagcctgat aggcagacag ccagcacct tcgcgcccct acaccctgcc tgtctgtctg 3240  
ggatgcccga cctgctggct ctacaccgcc gctctgtctc ccctacaccc agccctggca 3300  
taaagcgacc gctcaataaa tgctgctggg agac 3334

<210> 24

<211> 2466

<212> DNA

<213> *Canis familiaris*

<400> 24

atgggcccct gccgtggcgc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgcta 60  
gccctggccc tggcccaggg caccctgcct gccttctgc cctgtgagct ccagcccat 120  
ggcctgggtga actgcaactg gctgttctc aagtccgtgc ccgcttctc ggcagctgca 180  
ccccgcggta acgtcaccag cctttccttg tactccaacc gcatccacca cctccatgac 240  
tatgactttg tccacttcgt ccacctgcgg cgtctcaatc tcaagtggaa ctgcccgcc 300



gccagcctca gccccatgca ctttccctgt cacatgacca ttgagcccaa caccttcctg 360  
 gctgtgcca cctagagga cctgaatctg agctataaca gcatcacgac tgtgcccgcc 420  
 ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggg gctggaccct 480  
 gccaccctgg caggccttta tgccctgccc ttctgttcc tggatggcaa ctgctactac 540  
 aagaacccct gccagcaggc cctgcagggt gcccagggt ccctcctggg cctgggcaac 600  
 ctcacacacc tgtactcaa gtacaacaac ctcaccgtgg tgccgcgggg cctgcccccc 660  
 agcctggagt acctgtctt gtctacaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaatctga ctgcccctgcg tgtcctcgat gtgggtggga actgtcgccg ctgtgaccat 780  
 gcccgtaac cctgcaggga gtgcccgaag ggcttcccc agctgcaccc caacaccttc 840  
 ggccacctga gccacctga aggcctgggt ttgaggga gctctctcta cagcctggac 900  
 cccagggtgt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttcctg 960  
 tatgactgca tcacaaaaac caaagccttc tacggcctgg ccggctgcg cagactcaac 1020  
 ctgtccttca attatcataa gaaggtgtcc ttgcccacc tgcatctggc atcctccttc 1080  
 gggagcctac tgtccctgca ggagctggac atacatggca tcttcttccg ctgctcagc 1140  
 aagaccacgc tccagtcgt ggccacctg cccatgtcc agcgtctgca tctgcagttg 1200  
 aactttatca gccagccca gctcagcatc ttgggcct tccctggact gcggtacgtg 1260  
 gactgtcag acaaccgcat cagtggagct gcagagccg cggctgccac aggggaggtg 1320  
 gaggcagact gtggggagag agtctggcca cagtccggg accttgctct gggccactg 1380  
 ggcacccccg gctcagaggc cttcatgccc agctgcagga ccctcaactt caccttggac 1440  
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgcctc 1500  
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560  
 cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg 1620  
 cgctcgttca cggagctgcc gggctggag gccttgacc tcagctacaa cagccagccc 1680  
 ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgccc 1740  
 tacctcagcc tggcgcaaa tggcatccac agccgctgt cccagcagct ccgcagcgcc 1800  
 tcgctccggg ccctggactt cagtggcaat accctgagcc agatgtgggc cgaggagac 1860  
 ctctatctcc gcttcttcca aggcctgaga agcctgggtc agctggacct gtcccagaat 1920  
 cgctgcata ccctcctgcc acgcaacctg gacaacctcc ccaagagcct gggctcctg 1980  
 cggctccgtg acaattacct ggcttcttc aactggagca gcctggccct cctaccaag 2040

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100  
 aacggcaccc agctccagag gctggacctc agcggcaaca gcatcggett cgtgggtcccc 2160  
 agcttttttg ccttgccgt gaggttcga gagtcaacc tcagcgcaa cgccctcaag 2220  
 acggtggagc cctcctggtt tggttccctg gcgggtgccc tgaaagtctt agacgtgacc 2280  
 gccaacccct tgcattgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340  
 gctgcggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400  
 cgcagcatct tcgcacagga cctgcgcctc tgctggagc aagcgtctc ctgggtctgt 2460  
 ttcagc 2466

<210> 25  
 <211> 1031  
 <212> PRT  
 <213> Felis catus

<400> 25

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe

|            |            |     |            |            |            |            |            |            |            |            |            |            |            |            |            |
|------------|------------|-----|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 610        |            |     |            |            | 615        |            |            |            |            | 620        |            |            |            |            |            |
| Arg<br>625 | Gly        | Leu | Arg        | Ser        | Leu<br>630 | Val        | Arg        | Leu        | Asp        | Leu<br>635 | Ser        | Gln        | Asn        | Arg        | Leu<br>640 |
| His        | Thr        | Leu | Leu        | Pro<br>645 | Arg        | Thr        | Leu        | Asp        | Asn<br>650 | Leu        | Pro        | Lys        | Ser        | Leu<br>655 | Arg        |
| Leu        | Leu        | Arg | Leu<br>660 | Arg        | Asp        | Asn        | Tyr        | Leu<br>665 | Ala        | Phe        | Phe        | Asn        | Trp<br>670 | Ser        | Ser        |
| Leu        | Val        | Leu | Leu<br>675 | Pro        | Arg        | Leu        | Glu<br>680 | Ala        | Leu        | Asp        | Leu        | Ala<br>685 | Gly        | Asn        | Gln        |
| Leu        | Lys<br>690 | Ala | Leu        | Ser        | Asn        | Gly<br>695 | Ser        | Leu        | Pro        | Asn        | Gly<br>700 | Thr        | Gln        | Leu        | Gln        |
| Arg<br>705 | Leu        | Asp | Leu        | Ser        | Ser        | Asn        | Ser        | Ile        | Ser        | Phe<br>715 | Val        | Ala        | Ser        | Ser        | Phe<br>720 |
| Phe        | Ala        | Leu | Ala        | Thr<br>725 | Arg        | Leu        | Arg        | Glu        | Leu<br>730 | Asn        | Leu        | Ser        | Ala        | Asn<br>735 | Ala        |
| Leu        | Lys        | Thr | Val<br>740 | Glu        | Pro        | Ser        | Trp        | Phe<br>745 | Gly        | Ser        | Leu        | Ala        | Gly<br>750 | Thr        | Leu        |
| Lys        | Val        | Leu | Asp<br>755 | Val        | Thr        | Gly        | Asn<br>760 | Pro        | Leu        | His        | Cys        | Ala<br>765 | Cys        | Gly        | Ala        |
| Ala        | Phe<br>770 | Val | Asp        | Phe        | Leu        | Leu<br>775 | Glu        | Val        | Gln        | Ala        | Ala<br>780 | Val        | Pro        | Gly        | Leu        |
| Pro<br>785 | Gly        | His | Val        | Lys        | Cys<br>790 | Gly        | Ser        | Pro        | Gly        | Gln<br>795 | Leu        | Gln        | Gly        | Arg        | Ser<br>800 |
| Ile        | Phe        | Ala | Gln        | Asp<br>805 | Leu        | Arg        | Leu        | Cys        | Leu<br>810 | Asp        | Glu        | Ala        | Leu        | Ser<br>815 | Trp        |
| Asp        | Cys        | Phe | Gly<br>820 | Leu        | Ser        | Leu        | Leu        | Thr        | Val        | Ala        | Leu        | Gly        | Leu<br>830 | Ala        | Val        |
| Pro        | Met        | Leu | His        | His        | Leu        | Cys        | Gly<br>840 | Trp        | Asp        | Leu        | Trp        | Tyr<br>845 | Cys        | Phe        | His        |

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp  
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 26  
 <211> 820  
 <212> PRT  
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
                   20                                  25                                  30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
           35                                  40                                  45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
       50                                  55                                  60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
   65                                  70                                  75                                  80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
                   85                                  90                                  95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
                   100                                  105                                  110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
           115                                  120                                  125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
       130                                  135                                  140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
   145                                  150                                  155                                  160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
                   180                                  185                                  190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
       195                                  200                                  205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
       210                                  215                                  220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
   225                                  230                                  235                                  240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                   245                                  250                                  255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
                   260                                  265                                  270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
                   275                                  280                                  285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
                   290                                  295                                  300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305                                  310                                  315                                  320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
                                   325                                  330                                  335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
                   340                                  345                                  350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
                   355                                  360                                  365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
                   370                                  375                                  380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385                                  390                                  395                                  400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
                                   405                                  410                                  415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
                   420                                  425                                  430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
                   435                                  440                                  445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
                   450                                  455                                  460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465                                  470                                  475                                  480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
                   485                                  490                                  495



Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
 645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

|  |     |     |
|--|-----|-----|
| 725  | 730 | 735 |
| Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu<br>740 745 750     |     |     |
| Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala<br>755 760 765     |     |     |
| Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu<br>770 775 780     |     |     |
| Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser<br>785 790 795 800 |     |     |
| Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp<br>805 810 815     |     |     |
| Asp Cys Phe Gly<br>820   |     |     |

```
<210> 27
<211> 3235
<212> DNA
<213> Felis catus
```

|   |     |
|---|-----|
| <400>   | 27  |
| agggtctgcg agctccaggc attcttctct gccatcgctg cccagtctgc catccagacc   | 60  |
| ctctggagaa gccccactc cctgtcatgg gccctgcc tggcgccctg cccccctgt   | 120 |
| ctctcctggt gcaggctgcc gcgctggcgg tggccctggc ccagggcacc ctgcctgcct   | 180 |
| ttctgccctg tgagctccag cgccacggcc tggagaattg cgactggctg ttctcaagt  | 240 |
| ccgtgcccc a t t t c t g g g c g g c a g c g c c c g t g g t a a c g t c a c c a g c c t t t c c c t g t a c t | 300 |
| ccaaccgat ccaccacctc ca c g a c t c c g a c t t t g t c c a c c t g t c c a g c c t g c g g c g t c           | 360 |
| tcaacctcaa atggaactgc ccaccgcc gccctagccc catgcacttc ccctgtcaca   | 420 |
| tgaccattga gcccacacc ttctggcgg tggccaccct ggaggagctg aaacctgagct  | 480 |
| acaacagcat cacgacagta ccgcacctgc ccagttccct cgtgtccctg tccttgagcc   | 540 |
| gtaccaacat cctggtgctg gacctgcc acctgcagg gctgcactcc ctgcgctttc  | 600 |
| tgttctgga tggcaactgc tactacaaga accctgccc gcaggccctg cagggtggccc  | 660 |
| cgggcgcct ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca  | 720 |
| ctgcggtgcc ccgcggcctg cccccagcc tggagtacct gctattgtcc tacaaccaca  | 780 |

|            |            |            |             |            |            |      |
|------------|------------|------------|-------------|------------|------------|------|
| tcatcaccct | ggcacctgag | gacctggcca | acctgaccgc  | cctgcgtgtg | ctcgatgtgg | 840  |
| gtgggaactg | ccgtcgctgt | gaccacgccc | gcaaccctg   | tatggagtgc | cccaagggct | 900  |
| tcccgcacct | gcacctgac  | accttcagcc | acctgaacca  | cctcgaaggc | ctggtgttga | 960  |
| aggacagctc | tctctacaac | ctgaacccca | gatggttcca  | tgccctgggc | aacctcatgg | 1020 |
| tgctggacct | gagtgagaac | ttcctatatg | actgcatcac  | caaaaccaca | gccttccagg | 1080 |
| gcctggccca | gctgcgcaga | ctcaacttgt | ctttcaatta  | ccacaagaag | gtgtcctttg | 1140 |
| cccacctgca | tctggcgccc | tccttcggga | gcctgctctc  | cctgcagcag | ctggacatgc | 1200 |
| atggcatctt | cttccgctcg | ctcagcgaga | ccacgctccg  | gtcgctggtc | cacctgccc  | 1260 |
| tgctccagag | tctgcacctg | cagatgaact | tcatcaatca  | ggcccagctc | agcatcttcg | 1320 |
| gggccttccc | tggcctgcga | tacgtggacc | tgtcagacaa  | ccgcataagt | ggagccatgg | 1380 |
| agctggcggc | tgccacgggg | gaggtggatg | gtggggagag  | agtccggctg | ccatctgggg | 1440 |
| acctagctct | gggcccaccg | ggcacccta  | gctccgaggg  | cttcatgcca | ggctgcaaga | 1500 |
| ccctcaactt | caccttggac | ctgtcacgga | acaacctagt  | gacaatccag | ccagagatgt | 1560 |
| ttgcccggt  | ctcgcgctc  | cagtgcctgc | tcctgagccg  | caacagcatc | tcgcaggcag | 1620 |
| tcaacggctc | acaatttatg | ccgctgacca | gcctgcaggt  | gctggacctg | tcccataaca | 1680 |
| agctggacct | gtaccatggg | cgctctttca | cggagctgcc  | gcggctggag | gccctggacc | 1740 |
| tcagctacaa | cagccagccc | ttcagcatgc | agggcgctggg | tcacaacctc | agcttttgtg | 1800 |
| cacagctgcc | ggccctgcgc | tatctcagcc | tggcgcacaa  | cgacatccac | agccgtgtgt | 1860 |
| cccagcagct | ctgcagcgcc | tcgctgcggg | ccttggactt  | cagcggcaat | gccttgagcc | 1920 |
| ggatgtgggc | cgagggagac | ctgtatctcc | acttcttccg  | aggcctgagg | agcctgggtc | 1980 |
| ggttggatct | gtcccagaat | cgctgcata  | ccctcttgcc  | acgcaccctg | gacaacctcc | 2040 |
| ccaagagcct | gcggctgctg | cgtctccgtg | acaattatct  | ggctttcttc | aactggagca | 2100 |
| gcctggtcct | cctccccagg | ctggaagccc | tggacctggc  | gggaaaccag | ctgaaggccc | 2160 |
| tgagcaacgg | cagcttgcct | aatggaaccc | agctccagag  | gctggacctc | agcagcaaca | 2220 |
| gtatcagctt | cgtggcctcc | agcttttttg | ctctggccac  | caggctgcga | gagctcaacc | 2280 |
| tcagtgccaa | cgcctcaag  | acggtggagc | cctcctggtt  | cggttctcta | gcgggcaccc | 2340 |
| tgaagtcct  | agatgtgact | ggcaaccccc | tgcactgcgc  | ctgtggggcg | gccttcgtgg | 2400 |
| acttcttgct | ggaggtgcag | gctgcagtgc | ccggcctgcc  | aggccacgtc | aagtgtggca | 2460 |
| gtccaggtca | gctccagggc | cgcagcatct | ttgcgcagga  | tctgcgcctc | tgcctggatg | 2520 |
| aggccctctc | ctgggactgt | tttggcctct | cgtgctgac   | cgtggccctg | ggcctggccg | 2580 |

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttccac ctgtgcctgg 2640  
 cctggctgcc cggcgggggg cggcgggcggg gcgcggatgc cctgccctac gatgcctttg 2700  
 tggctcttcga caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtac 2760  
 ggctagagga ggcgcgtgga cgcgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820  
 tacccggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggccacaca gacagggtea ggggcctctt gcgcgccagc tttctgtgg 2940  
 ccagcagcg cctgctggag gaccgcaagg acgttgtggg gctggtgatc ctgcgccccg 3000  
 acgcccaccg ctcccgctat gtgcggctgc gccagcgct ctgccgccag agcgtcctcc 3060  
 tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc acggccctga 3120  
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggcccaacg acggcagagt 3180  
 gaccgccag caccccaagc ctctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28  
 <211> 2460  
 <212> DNA  
 <213> Felis catus

<400> 28  
 atgggcccct gccatggcgc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgctg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggcctgggtga attgcgactg gctgttcctc aagtccgtgc ccactttctc ggcggcagcg 180  
 ccccgctggta acgtcaccag cctttccctg tactccaacc gcatccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaatggaa ctgcccaccc 300  
 gccagcctca gcccacatgca cttcccctgt cacatgacca ttgagcccca caccttctctg 360  
 gccgtgcccc ccctggagga gctgaacctg agctacaaca gcatcacgac agtaccgcgc 420  
 ctgcccagtt ccctcgtgtc cctgtccttg agcgtacca acatcctggg gctggaccct 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgctactac 540  
 aagaaccctt gcccgcaggc cctgcagggt gcccggggcg ccctccttgg cctgggcaac 600  
 cttacgcacc tgtcactcaa gtacaacaac ctactgcgg tgcgccgcgg cctgcccccc 660  
 agcctggagt acctgctatt gtcctacaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaacctga ccgcctgcg tgtgctgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgaacc cctgtatgga gtgcccacg ggcttccgc acctgcacc tgacaccttc 840  
 agccacctga accacctga aggcctgggt ttgaaggaca gctctctcta caacctgaac 900

```

cccagatggt tccatgccct gggcaacctc atggtgctgg acctgagtga gaacttccta 960
tatgactgca tcacaaaaac cacagccttc cagggcctgg ccagctgcg cagactcaac 1020
ttgtctttca attaccacaa gaaggtgtcc tttgccacc tgcattctggc gccctccttc 1080
gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttcg ctcgctcagc 1140
gagaccacgc tccggctgct ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200
aacttcacat atcaggccca gctcagcatc ttcggggcct tccctggcct gcgatacgtg 1260
gacctgtcag acaaccgcat aagtggagcc atggagctgg cggtgccac gggggaggtg 1320
gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc 1380
cctagctccg agggcttcat gccaggctgc aagacctca acttcacctt ggacctgtca 1440
cggaacaacc tagtgacaat ccagccagag atgtttgccc ggctctcgcg cctccagtgc 1500
ctgctcctga gccgcaacag catctcgagc gcagtcaacg gctcacaatt tatgcogctg 1560
accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct 1620
ttcacgggagc tgccgcggtt ggaggccctg gacctagct acaacagcca gcccttcagc 1680
atgcagggcg tgggtcacia cctcagcttt gtggcacagc tgccggccct gcgctatctc 1740
agcctggcgc acaacgacat ccacagcgt gtgtcccagc agctctgcag cgcctcgctg 1800
cgggccttgg acttcagcgg caatgccttg agccgatgt gggccgaggg agacctgtat 1860
ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtcca gaatcgctg 1920
catacctct tggcacgcac cctggacaac ctcccaaga gcctgcggct gctgcgtctc 1980
cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa 2040
gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattgga 2100
accagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160
tttgctctgg ccaccaggct gcgagagctc aacctcagt ccaacgccct caagacggtg 2220
gagccctcct ggttcggttc tctagcgggc accctgaaag tcctagatgt gactggcaac 2280
cccctgcaat gcgcctgtgg ggcggccttc gtggacttct tgctggaggt gcaggtgca 2340
gtgcccggcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc 2400
atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc 2460

```

```

<210> 29
<211> 1032
<212> PRT
<213> Mus musculus

```

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

|  |   |     |  |     |  |     |
|--|---|-----|--|-----|--|-----|
| 225  |   | 230 |  | 235 |  | 240 |
| Ala Asn Leu Thr  | Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg |     |  |     |  |     |
|  | 245   |     |  | 250 |  | 255 |
| Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  |   |     |  |     |  |     |
|  | 260   |     |  | 265 |  | 270 |
| Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  |   |     |  |     |  |     |
|  | 275   |     |  | 280 |  | 285 |
| Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  |   |     |  |     |  |     |
|  | 290   |     |  | 295 |  | 300 |
| Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  |   |     |  |     |  |     |
| 305  |   | 310 |  | 315 |  | 320 |
| Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  |   |     |  |     |  |     |
|  | 325   |     |  | 330 |  | 335 |
| Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala  |   |     |  |     |  |     |
|  | 340   |     |  | 345 |  | 350 |
| Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu  |   |     |  |     |  |     |
|  | 355   |     |  | 360 |  | 365 |
| Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu  |   |     |  |     |  |     |
|  | 370   |     |  | 375 |  | 380 |
| Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met  |   |     |  |     |  |     |
| 385  |   | 390 |  | 395 |  | 400 |
| Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala  |   |     |  |     |  |     |
|  | 405   |     |  | 410 |  | 415 |
| Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr. |   |     |  |     |  |     |
|  | 420   |     |  | 425 |  | 430 |
| Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu  |   |     |  |     |  |     |
|  | 435   |     |  | 440 |  | 445 |
| Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser  |   |     |  |     |  |     |
|  | 450   |     |  | 455 |  | 460 |

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480  
 Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495  
 Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510  
 Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525  
 Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540  
 Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560  
 Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575  
 Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590  
 Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605  
 Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620  
 Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640  
 Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655  
 Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670  
 Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685  
 Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700



Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 30  
 <211> 821  
 <212> PRT  
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

|   |     |     |
|---|-----|-----|
| 340   | 345 | 350 |
| Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu |     |     |
| 355   | 360 | 365 |
| Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu |     |     |
| 370   | 375 | 380 |
| Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met |     |     |
| 385   | 390 | 395 |
|   |     | 400 |
| Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala |     |     |
| 405   | 410 | 415 |
| Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr |     |     |
| 420   | 425 | 430 |
| Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu |     |     |
| 435   | 440 | 445 |
| Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser |     |     |
| 450   | 455 | 460 |
| Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu |     |     |
| 465   | 470 | 475 |
|   |     | 480 |
| Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu |     |     |
| 485   | 490 | 495 |
| Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala |     |     |
| 500   | 505 | 510 |
| Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp |     |     |
| 515   | 520 | 525 |
| Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu |     |     |
| 530   | 535 | 540 |
| Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe |     |     |
| 545   | 550 | 555 |
|   |     | 560 |
| Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser |     |     |
| 565   | 570 | 575 |

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
 725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
 805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31  
<211> 3200  
<212> DNA  
<213> Mus musculus

<400> 31  
tgtagagagg agcctcgga gaatcctcca tctccaaca tggttctccg tcgaaggact 60  
ctgcaccctt tgcctctcct ggtacaggct gcagtgtctg ctgagactct ggccctgggt 120  
accctgcctg ccttctacc ctgtgagctg aagcctcatg gcctggtgga ctgcaattgg 180  
ctgttctga agtctgtacc ccgtttctct gcggcagcat cctgtctcaa catcaccgcg 240  
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc 300  
aacctgcggc agctgaacct caagtggaac tgtccacca ctggccttag cccctgcac 360  
ttctcttgcc acatgaccat tgagcccaga accttcctgg ctatgcgtac actggaggag 420  
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctggtgaat 480  
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac 540  
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg 600  
gtgaaggtag cccagggcg cctcctgggc ctgagcaatc tcaccatct gtctctgaag 660  
tataacaacc tcacaaagggt gcccgcaca ctgccccca gcctggagta cctcctgggt 720  
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcga 780  
gtacttgatg tgggtgggaa ttgccgtcgc tgcgacctg ccccaatcc ctgtatagaa 840  
tgtggccaaa agtccctcca cctgcacct gagaccttc atcacctgag ccactctgaa 900  
ggcctggtgc tgaaggacag ctctctccat aactgaact cttcctgggt ccaaggctctg 960  
gtcaacctct cgggtgtgga cctaagcgag aactttctct atgaaagcat caaccacacc 1020  
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgccttcaa ttaccgcaag 1080  
aaggatctct ttgcccgcct ccacctggca agttccttca agaacctggt gtcactgcag 1140  
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg 1200  
gccgatctgc ccaaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag 1260  
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcatc 1320  
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag 1380  
gagctgttgt ctgcgatcc tcaccagct ccactgagca cccctgcttc taagaacttc 1440

|  |      |
|--|------|
| atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact  | 1500 |
| atcaagccag agatgtttgt caatctctca cgcctccagt gtcttagcct gagccacaac  | 1560 |
| tccattgcac aggctgtcaa tggctctcag ttcttgccgc tgactaatct gcagggtgtg  | 1620 |
| gacctgtccc ataacaaact ggacttgtag cactggaaat cgttcagtga gctaccacag  | 1680 |
| ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac  | 1740 |
| aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac  | 1800 |
| attcataccc gtgtgtcctc acatctcaac agcaactcag tgaggtttct tgacttcagc  | 1860 |
| ggcaacggta tgggcccgcg gtgggatgag gggggccttt atctccattt cttccaaggc  | 1920 |
| ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatacct ccggccccag   | 1980 |
| aaccttgaca acctcccaa gagcctgaag ctgctgagcc tccgagacaa ctacctatct   | 2040 |
| ttctttaact ggaccagtct gtccttctg cccaacctgg aagtcctaga cctggcaggc   | 2100 |
| aaccagctaa aggcctgac caatggcacc ctgcctaagc gcacctcct ccagaaactg    | 2160 |
| gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct gccggctgag  | 2220 |
| ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg  | 2280 |
| cccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt  | 2340 |
| ggggcagcct tcgtagactt actgttggag gtgcagacca aggtgcctgg cctggctaata | 2400 |
| ggtgtgaagt gtggcagccc cggccagctg caggggcgta gcatcttcgc acaggacctg  | 2460 |
| cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg  | 2520 |
| gccgtgggca tgggtgtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt  | 2580 |
| tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cggccaagct  | 2640 |
| ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gccgagcttc ggactgggtg  | 2700 |
| tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt  | 2760 |
| ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc  | 2820 |
| tatgggagcc gcaagactct atttgtgctg gccacacgg accgcgtcag tggcctcctg   | 2880 |
| cgcaccagct tcctgttggc tcagcagcgc ctgttggaag accgcaagga cgtggtggtg  | 2940 |
| ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactgcg ccagcgtctc   | 3000 |
| tgcgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctgggcc   | 3060 |
| cagctgagta cagccctgac tagggacaac cgcacttct ataaccagaa cttctgccgg   | 3120 |
| ggacctacag cagaatagct cagagcaaca gctggaaca gctgcatctt catgcctggt   | 3180 |
| tcccagttg ctctgcctgc   | 3200 |

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atgggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgtcg 60  
 gctgagactc tggccctggg taccctgcct gccttcctac cctgtgagct gaagcctcat 120  
 ggcctggtgg actgcaattg gctgttcctg aagtctgtac ccggtttctc tgcggcagca 180  
 tcttgctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctgcgg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttcctg 360  
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgcccagct ccctggtgaa tctgagcctg agccacacca acatcctggt tctagatgct 480  
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctt gcacaggagc ggtgaagggtg accccaggcg cctcctggg cctgagcaat 600  
 ctcacccatc tgtctctgaa gtataacaac ctcacaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggg gtctctataac ctcatgttca agctggggcc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtccctcc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggcctggtg ctgaaggaca gctctctcca tacactgaac 900  
 tcttctctgg tccaaggtct ggtcaacctc tgggtgctgg acctaacga gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa cccgcctgcg caagctcaac 1020  
 ctgtccttca attaccgcaa gaaggatatc tttgcccgcc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctcgctcaac 1140  
 aagtacacgc tcagatggct ggccgatctg cccaaactcc aactctgca tcttcaaatg 1200  
 aacttcatca accaggcaca gctcagcatc tttggtacct tccgagccct tcgctttgtg 1260  
 gacttgctag acaatcgcat cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctcacccagc tccactgagc 1380  
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccg 1560



```

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccactggaaa 1620
tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
gtgagggtttc ttgacttcag cggcaacggt atgggccgca tgtgggatga ggggggcctt 1860
tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920
ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttcct gcccaacctg 2040
gaagtccatg acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaatt 2100
ggcaccctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat totcaagacg 2220
gtggatcgct cctgggttgg gccatttggt atgaacctga cagttctaga cgtgagaagc 2280
aaccctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340
aagggtgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400
agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
ggc 2463

```

<210> 33  
 <211> 1032  
 <212> PRT  
 <213> Homo sapiens

<400> 33

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20           25           30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
                                   85                                  90                                  95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
                                   100                                  105                                  110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
                                   115                                  120                                  125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
                                   130                                  135                                  140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
                                   145                                  150                                  155                                  160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
                                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
                                   180                                  185                                  190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                                   195                                  200                                  205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
                                   210                                  215                                  220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
                                   225                                  230                                  235                                  240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                                   245                                  250                                  255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
                                   260                                  265                                  270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
                                   275                                  280                                  285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
                                   290                                  295                                  300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

|   |     |     |  |     |  |     |
|---|-----|-----|--|-----|--|-----|
| 305   |     | 310 |  | 315 |  | 320 |
| Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu |     |     |  |     |  |     |
|   | 325 |     |  | 330 |  | 335 |
| Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala |     |     |  |     |  |     |
|   | 340 |     |  | 345 |  | 350 |
| His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu |     |     |  |     |  |     |
|   | 355 |     |  | 360 |  | 365 |
| Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu |     |     |  |     |  |     |
|   | 370 |     |  | 375 |  | 380 |
| Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met |     |     |  |     |  |     |
|   | 385 |     |  | 390 |  | 395 |
|   |     |     |  |     |  | 400 |
| Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly |     |     |  |     |  |     |
|   |     | 405 |  | 410 |  | 415 |
| Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu |     |     |  |     |  |     |
|   | 420 |     |  | 425 |  | 430 |
| Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu |     |     |  |     |  |     |
|   | 435 |     |  | 440 |  | 445 |
| Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu |     |     |  |     |  |     |
|   | 450 |     |  | 455 |  | 460 |
| Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser |     |     |  |     |  |     |
|   | 465 |     |  | 470 |  | 475 |
|   |     |     |  |     |  | 480 |
| Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser |     |     |  |     |  |     |
|   |     | 485 |  | 490 |  | 495 |
| His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val |     |     |  |     |  |     |
|   | 500 |     |  | 505 |  | 510 |
| Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu |     |     |  |     |  |     |
|   | 515 |     |  | 520 |  | 525 |
| Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu |     |     |  |     |  |     |
|   | 530 |     |  | 535 |  | 540 |

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
 1025 1030

<210> 34  
 <211> 820  
 <212> PRT  
 <213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
 130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
 145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420                      425                      430  
 Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu  
     435                      440                      445  
 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu  
     450                      455                      460  
 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser  
     465                      470                      475                      480  
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
                     485                      490                      495  
 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val  
                     500                      505                      510  
 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu  
                     515                      520                      525  
 Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu  
     530                      535                      540  
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
     545                      550                      555                      560  
 Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
                     565                      570                      575  
 Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
                     580                      585                      590  
 Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
                     595                      600                      605  
 Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
     610                      615                      620  
 Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
     625                      630                      635                      640  
 His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
                     645                      650                      655



Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala  
820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat ccttccctgt agctgctgtc cagtctgccc gccagaccct 120

ctggagaagc ccttgccccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180

ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240

ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300

|  |      |
|--|------|
| gtgccccact tctccatggc agcaccctgt ggcaatgtca ccagcctttc cttgtcctcc  | 360  |
| aaccgcatcc accacctcca tgattctgac tttgcccacc tgcccagcct gcggcatctc  | 420  |
| aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg  | 480  |
| accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac  | 540  |
| aacaacatca tgactgtgcc tgcgctgccc aaatccctca tatccctgtc cctcagccat  | 600  |
| accaacatcc tgatgctaga ctctgccagc ctgcgccggc tgcattgccct gcgcttccta | 660  |
| ttcatggacg gcaactgtta ttacaagaac cctgcaggc aggcactgga ggtggccccg   | 720  |
| ggtgccctcc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact  | 780  |
| gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgtccta caaccgcatc  | 840  |
| gtcaaactgg cgctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc   | 900  |
| ggaaattgcc gccgctgcca ccacgtctcc aaccctgca tggagtggcc tgcctacttc   | 960  |
| ccccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag  | 1020 |
| gacagtcttc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagt   | 1080 |
| ctggacctga gtgagaactt cctctacaaa tgcattacta aaaccaaggc cttccagggc  | 1140 |
| ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc  | 1200 |
| cacctgtctc tggccccttc cttcgggagc ctggctgccc tgaaggagct ggacatgcac  | 1260 |
| ggcatcttct tccgctcact cgatgagacc acgctccggc cactggcccc cctgcccatt  | 1320 |
| ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg  | 1380 |
| gccttccttg gcctgcgcta cgtggacctg tgggacaacc gcatcagcgg agcttcggag  | 1440 |
| ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac  | 1500 |
| cttgctccgg cccagtgga cactccagc tctgaagact tcaggcccaa ctgcagcacc    | 1560 |
| ctcaacttca ccttgatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt   | 1620 |
| gccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcatctc gcaggcagtc   | 1680 |
| aatggctccc agttcctgcc gctgaccggt ctgcagggtc tagacctgtc ccgcaataag  | 1740 |
| ctggacctct accacgagca ctcatcacg gagctaccgc gactggaggc cctggacctc   | 1800 |
| agctacaaca gccagccctt tggcatgcag ggcgtgggcc acaacttcag cttcgtggct  | 1860 |
| cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc   | 1920 |
| cagcagctct gcagtacgtc gctgcggggc ctggacttca gcggcaatgc actgggcat   | 1980 |
| atgtggggcg agggagacct ctatctgcac ttcttccaag gcctgagcgg ttgatctgg   | 2040 |

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaaccctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160  
 ctccacttcc tgcccaaact ggaagtcctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcaccggt ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg ccctcaagac agtggaccac tcctggtttg ggccctggc gagtgccctg 2400  
 caaatactag atgtaagcgc caaccctctg cactgcgctt gtggggcggc ctttatggac 2460  
 ttctgctgg aggtgcaggc tgccgtgccc ggtctgcca gccgggtgaa gtgtggcagt 2520  
 ccgggccagc tccagggcct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580  
 gccctctcct gggactgttt cgcctctctg ctgctggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggctgggac ctctgggtact gcttccacct gtgcctggcc 2700  
 tggcttccct ggcgggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttcgtggtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820  
 gggcagctgg aggagtgcg tgggcgctgg gcaactccgc tgtgcctgga ggaacgcgac 2880  
 tggctgcctg gcaaaacct ctttgagaac ctgtgggcct cgggtctatgg cagccgcaag 2940  
 acgctgtttg tgctggcca cacggaccgg gtcagtggtc tcttgcgcg cagcttctg 3000  
 ctggcccagc agcgctgct ggaggaccgc aaggacgtcg tgggtgctgg gatcctgagc 3060  
 cctgacggcc gccgctccc ctacgtgcgg ctgcgccagc gcctctgcc ccagagtgtc 3120  
 ctctctggc cccaccagc cagtggtcag cgcagcttct gggcccagct gggcatggc 3180  
 ctgaccagg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240  
 tagccgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggctgacc ctcccctgct cgctccctc accccacacc tgacacagag ca 3352

&lt;210&gt; 36

&lt;211&gt; 2460

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 36

atgggtttct gccgcagcg cctgcacccg ctgtctctcc tgggtgcaggc catcatgctg 60  
 gccatgacct tggccctggg taccttgctt gccttctac cctgtgagct ccagccccac 120  
 ggctggtga actgcaactg gctgttctct aagtctgtgc cccacttctc catggcagca 180  
 ccccggtggc atgtcaccag ctttctcttg tcctccaacc gcatccacca cctccatgat 240

|   |      |
|---|------|
| tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgccgcgcg   | 300  |
| gttggcctca gcccacatgca cttcccctgc cacatgacca tcgagcccag caccttcttg  | 360  |
| gctgtgcccc ccttgaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg    | 420  |
| ctgccc aaat ccctcatatc cctgtccctc agccatacca acatcctgat gctagactct  | 480  |
| gccagcctcg ccggcctgca tgccctgcgc ttccatttca tggacggcaa ctgttattac   | 540  |
| aagaaccctt gcaggcaggc actggagggtg gcccgcgggtg ccctccttgg cctgggcaac | 600  |
| ctcaccacc tgctactcaa gtacaacaac ctactgttg tgcccgcga cctgccttcc      | 660  |
| agcctggagt atctgctgtt gtccataaac cgcctcgtca aactggcgcc tgaggacctg   | 720  |
| gccaatctga ccgccctgcg tgtgctcgat gtgggcggaa attgccgcgc ctgcgaccac   | 780  |
| gtcccaacc cctgcctgga gtgcctcgt cacttcccc agctacatcc cgataccttc      | 840  |
| agccacctga gccgtcttga aggcctgggtg ttgaaggaca gttctctctc ctggctgaat  | 900  |
| gccagttggt tccgtgggct gggaaacctc cgagtgttg acctgagtga gaacttcctc    | 960  |
| tacaaatgca tcaactaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac  | 1020 |
| ctgtccttca attacaaaa gaggggtgtcc ttgcccacc tgtctctggc cccttccttc    | 1080 |
| gggagcctgg tcgccctgaa ggagctggac atgcacggca tcttcttccg ctactcgat    | 1140 |
| gagaccagc tccggccact ggccgcctg cccatgctcc agactctgcg tctgcagatg     | 1200 |
| aacttcatca accaggccca gctcggcatc ttcagggcct tccctggcct gcgctacgtg   | 1260 |
| gacctgtcgg acaaccgcat cagcggagct tcggagctga cagccaccat gggggaggca   | 1320 |
| gatggagggg agaaggctctg gctgcagcct ggggaccttg ctccggcccc agtggacact  | 1380 |
| cccagctctg aagacttcag gcccactgc agcaccctca acttcacctt ggatctgtca    | 1440 |
| cggaacaacc tgggtgaccgt gcagccggag atgtttgcc agctctcgca cctgcagtgc   | 1500 |
| ctgcgcctga gccacaactg catctcgag gcagtcaatg gctcccagtt cctgccgctg    | 1560 |
| accggtctgc aggtgctaga cctgtccgc aataagctgg acctctacca cgagactca     | 1620 |
| ttcacggagc taccgcgact ggaggccctg gacctcagct acaacagcca gccctttggc   | 1680 |
| atgcagggcg tgggccacaa cttcagcttc gtggctcacc tgcgacacct gcgccacctc   | 1740 |
| agcctggccc acaacaacat ccacagccaa gtgtcccagc agctctgcag tacgtcgctg   | 1800 |
| cgggcccttg acttcagcgg caatgcactg ggccatatgt gggccgagg agacctctat    | 1860 |
| ctgcacttct tccaaggcct gagcggtttg atctggctgg acttgtccca gaaccgcctg   | 1920 |
| cacaccctcc tgcccaaac cctgcgcaac ctcccaaga gcctacagg gctgcgtctc      | 1980 |
| cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttcctgcc caaactggaa   | 2040 |

gtcctcgacc tggcaggaaa ccggctgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggctcc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttgggcc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgctggaggt gcaggtgcc 2340  
 gtgcccgtc tgcccagccg ggtgaagtgt ggcagtccg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

accttgctg ccttcctacc ctgtga

26

<210> 38

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

gtccgtgtgg gccagcaca a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt 20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt 20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt 20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt 20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt 20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence



<220>  
<223> Synthetic oligonucleotide  
  
<400> 55  
tccatgacgt ctttgatggt 20  
  
<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic oligonucleotide  
  
<400> 56  
tccatgacgt atttgatggt 20  
  
<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic oligonucleotide  
  
<400> 57  
tccatgacgt gtttgatggt 20  
  
<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic oligonucleotide  
  
<400> 58  
tcgctgctttt gtcgcttttgt cggt 24  
  
<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic oligonucleotide  
  
<400> 59  
tgctgctttt gtgcttttgt gctt 24  
  
<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

|     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Gly | Asn | Cys | Xaa | Xaa | Cys | Xaa | Xaa | Xaa | Xaa | Xaa | Xaa | Cys | Xaa | Xaa | Cys |
| 1   |     |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1                  5                                  10                                  15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 68  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

1

5

10

15

Ser Phe Ser Glu Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr  
20 25 30

&lt;210&gt; 70

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;213&gt; Artificial sequence

&lt;220&gt;

&lt;223&gt; Synthetic oligonucleotide

&lt;400&gt; 70

tccaggactt ctctcaggtt

20